

SCHEDULE OF QUANTITIES

RESURFACING QUANTITIES																
LOCATION	STATION	TO	STATION	LENGTH (FOOT)	WIDTH (FOOT)	AREA (SQ YD)	COLD MIX AVG. THICKNESS (INCHES)	35800100 PREPARATION OF BASE (SQ YD)	40600100 BITUMINOUS MATERIALS PRIME COAT (GAL)	X4060205 COLD MIX ASPHALT MIXTURE (TON)	LR400300 BLOTTER AGGREGATE (TON)	40600100 BITUMINOUS MATERIALS PRIME COAT (GAL)	40300305 POLY.BIT.MAT. COVER & SEAL COAT (GAL)	40300500 COVER COAT AGGREGATE (TON)	40300305 POLY.BIT.MAT. COVER & SEAL COAT (GAL)	40300600 SEAL COAT AGGREGATE (TON)
PREPARATION OF BASE																
FILL AREAS	VARIOUS SPOT LOCATIONS (40)			1	1	4.4		4.4								
MAINLINE QUANTITIES																
	700+53.50	TO	703+19.43	265.9	20.0	591.0	2.25		59.1	59.8	4.4	29.5	295.5	7.4	236.4	7.4
	0+00.00	TO	199+50.00	19,950.0	20.0	44,333.3	2.25		4,433.3	4,488.8	332.5	2,216.7	22,166.7	554.2	17,733.3	554.2
	201+56.50	TO	302+95.00	10,138.5	20.0	22,530.0	2.25		2,253.0	2,281.2	169.0	1,126.5	11,265.0	281.6	9,012.0	281.6
MAINLINE TOTAL =								4.4	6,745.4	6,829.8	505.9	3,372.7	33,727.1	843.2	26,981.7	843.2
USE =								5.0	6,746.0	6,830.0	506.0	3,373.0	33,728.0	844.0	26,982.0	844.0

INCIDENTAL QUANTITIES									
							HOT MIX AVG. THICKNESS (INCHES)	40800010 BITUMINOUS MATERIALS PRIME COAT (GAL)	40800050 INCIDENTAL HOT MIX ASPHALT SURFACING (TON)
SIDEROAD	49+71.80	RT			10.0	54.6	1.875	5.5	5.7
SIDEROAD	49+72.51	LT			10.0	46.7	1.875	4.7	4.9
PE	76+11.28	LT			10.0	22.5	1.875	2.3	2.4
SIDEROAD	102+59.89	RT			10.0	40.4	1.875	4.0	4.2
SIDEROAD	102+60.23	LT			10.0	51.1	1.875	5.1	5.4
SIDEROAD	155+52.53	LT			10.0	57.6	1.875	5.8	6.0
SIDEROAD	155+53.13	RT			10.0	50.6	1.875	5.1	5.3
CE	171+66.61	LT			10.0	67.2	1.875	6.7	7.1
CE	172+33.03	RT			10.0	49.9	1.875	5.0	5.2
SIDEROAD	175+29.93	RT			10.0	44.4	1.875	4.4	4.7
SIDEROAD	179+73.73	RT			10.0	52.5	1.875	5.3	5.5
SIDEROAD	184+23.40	RT			10.0	67.3	1.875	6.7	7.1
CE	186+50.02	RT			10.0	69.3	1.875	6.9	7.3
SIDEROAD	188+77.60	RT			10.0	53.2	1.875	5.3	5.6
CE	191+00.00	RT			10.0	40.4	1.875	4.0	4.2
SIDEROAD	193+29.20	RT			10.0	70.8	1.875	7.1	7.4
SIDEROAD	193+30.70	LT			10.0	65.2	1.875	6.5	6.8
CE	195+48.24	RT			10.0	40.8	1.875	4.1	4.3
SIDEROAD	197+78.00	RT			10.0	96.4	1.875	9.6	10.1
SIDEROAD	197+78.30	LT			10.0	94.3	1.875	9.4	9.9
PE	224+49.53	RT			10.0	44.4	1.875	4.4	4.7
SIDEROAD	250+88.94	LT			10.0	52.0	1.875	5.2	5.5
INCIDENTAL TOTAL =								123.1	129.3
USE =								124.0	130.0