

PATCHING SCHEDULE

LANE	CLASS D PATCHES, TYPE I, 12 INCH	CLASS D PATCHES, TYPE II, 12 INCH	CLASS D PATCHES, TYPE III, 12 INCH	CLASS D PATCHES, TYPE IV, 12 INCH	CLASS D PATCHES, TYPE I, 19 INCH	CLASS D PATCHES, TYPE II, 19 INCH	CLASS D PATCHES, TYPE III, 19 INCH	CLASS D PATCHES, TYPE IV, 19 INCH
	SO YD	SO YD	SO YD	SO YD	SO YD	SO YD	SO YD	SO YD
EASTBOUND	3	1450	268	133	3	71	161	694
WESTBOUND	3	996	485	572	3	9	35	173
TOTALS:	6	2446	753	705	6	80	196	867

PAVEMENT MARKING SCHEDULE

STATION TO STATION			PAINT PAVEMENT MARKING LINE 4"	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	PAINT PAVEMENT MARKING LINE 8"	PAINT PAVEMENT MARKING 12"	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	PAINT PAVEMENT MARKING 24"	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SHORT-TERM PAVEMENT MARKING	WORK ZONE PAVEMENT MARKING REMOVAL	RAISED REFLECTIVE PAVEMENT MARKER
STA.	TO	STA.	FT	FT	FT	FT	FT	FT	FT	FT	SO FT	FT	SO FT	EACH
89+95	TO	158+50	-	28099	1260	-	-	156	-	144	572	5124	569	195
158+50	TO	249+52	23688	-	-	-	140	-	-	-	-	2731	303	137
249+52	TO	254+75	1575	-	300	-	140	-	30	-	62	247	27	34
254+75	TO	554+50	60385	-	-	-	-	-	-	-	-	8993	999	375
554+50	TO	573+95	7312	-	533	150	180	-	30	-	109	743	83	111
TOTALS:			92960	28099	2093	150	460	156	60	144	744	17837	1982	850

NOTE: ALL PAVEMENT MARKING IN THE FOUR-LANE SECTION SHALL BE THERMOPLASTIC.
ALL TURN-LANE PAVEMENT MARKING SHALL BE THERMOPLASTIC.

SURVEY MARKER SCHEDULE

LOCATION	OFFSET	DESCRIPTION	PROTECTING OR RESETTING SURVEY MARKERS	SURVEY MARKER VAULT
			EACH	EACH
89+91.53	0	CIRCLE CUT IN PAVEMENT	1	1
P. C. 91+70.80	0	ALUM IDOT DISC (CL EBL)	1	1
P. O. C. 94E+00	0	ALUM IDOT DISC (CL WBL)	1	1
P. O. C. 99+00	0	ALUM IDOT DISC (CL WBL)	1	1
P. T. 105+38.45	0	ALUM IDOT DISC IN GRASS MEDIAN	1	1
P. O. T. 105+38.45	0	BRASS IDOT DISC IN GRASS MEDIAN	1	1
P. C. 105+96.49	0	BRASS IDOT DISC IN GRASS MEDIAN	1	1
P. O. C. 111+00	0	BRASS IDOT DISC IN GRASS MEDIAN	1	1
P. T. 119+87.81	0	BRASS IDOT DISC IN GRASS MEDIAN	1	1
120+15.41	9.88' RT	PINCHED PIPE IN GRASS MEDIAN	1	1
P. I. 132+99.41	0	BRASS IDOT DISC IN GRASS MEDIAN	1	1
P. O. T. 138+00	0	BRASS IDOT DISC IN GRASS MEDIAN	1	1
P. I. 145+00	0	BRASS IDOT DISC IN CONC CURB	1	1
P. O. T. 159+35.10	0	VALUT	1	-
159+67.57	30' LT	VAULT	1	-
172+86.68	25.6' LT	VAULT	1	-
P. I. 172+27.03	30' RT	IP	1	1
199+25	26.4' LT	VALUT	1	-
225+61	26.2' LT	VAULT	1	-
252+21.14	27'	VAULT	1	-
P. C. 299+44.36	0	VAULT	1	-
P. I. 302+59.21	1.3' LT	VAULT	1	-
302+61.00	0	VAULT	1	-
P. T. 305+73.65	0	VAULT	1	-
P. I. 318+89.34	0	ALUM IDOT DISC	1	1
P. I. 334+99.4	0	ALUM IDOT DISC	1	1
P. C. 350+20.80	0	ALUM IDOT DISC	1	1
P. T. 354+72.80	0	ALUM IDOT DISC	1	1
P. C. 356+92.52	0	ALUM IDOT DISC	1	1
P. T. 362+57.36	0	ALUM IDOT DISC	1	1
375+87.42 BK = 375+81.05 AH	0	ALUM IDOT DISC	1	1
P. I. 410+29.98	2' LT	ALUM IDOT DISC	1	1
SEC CORN 410+49.62	8.2' LT	VAULT	1	-
SEC CORN 436+99.73	0.2' RT	VAULT	1	-
P. I. 437+02.97	0	ALUM IDOT DISC	1	1
P. C. 456+20.07	0	MAG NAIL W/ WASHER	1	1
P. I. 462+65.51	0	ALUM DIOT DISC	1	1
P. T. 469+10.94	0	MAG NAIL W/ WASHER	1	1
SEC 503+11.64	2.5' RT	VAULT	1	-
SEC CORN/P. I. 516+40.48	1.8' RT	ALUM IDOT DISC	1	1
P. I. 89E+91.53	0	ALUM IDOT DISC	1	1
P. C. 575+36.19	0	BRASS DISC IN VAULT	1	1
P. I. 569+21.53	0	BRASS IDOT DISC IN VAULT	1	1
569+16.00	0	STEM OF BRASS DISC	1	1
P. I. 516+40.46	1.8 RT	ALUM IDOT DISC	1	1
TOTALS:			45	32