



Note: New Rail Post anchorage devices will be required at each location where posts are connected to new construction. Cost shall be included with Concrete Superstructure.

• In lieu of the cast-in-place anchor device shown, the Contractor has the option of drilling and setting stainless steel anchor rods of the same diameter and grade as the specified cap screws according to Article 509.06 of the Standard Specifications. Embedment shall be according to the manufacturer's specifications.

FILE NAME =	USER NAME = steffenmk	DESIGNED - KLB	REVISED -
c:\pwork\pwork\steffenmk\d0312827\074600-sht-brdetails-013000203.dgn		DRAWN - KLB	REVISED -
Default	PLOT SCALE = 40.0000 ' / in.	CHECKED - MEA	REVISED -
	PLOT DATE = 3/29/2013	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**RAIL SUPPORT ANCHOR DETAILS
SN. 013-0002 (EB) & 013-0003 (WB)**

SCALE: N/A SHEET 15 OF 15 SHEETS STA. TO STA.

• D7 Bridge Repairs 2014-1			
F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS SHEET NO.
327	•	CLAY	49 49
			CONTRACT NO. 74600
ILLINOIS FED. AID PROJECT			