06-14-13 LETTING ITEM 168

FOR INDEX OF SHEETS, SEE SHEET NO. 2


STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS


PROPOSED HIGHWAY PLANS

VARIOUS ROUTE
SECTION D7 INT RAMP SIGNAGE 2013-1
PROJECT HSIP-OOOS (933)
TYPE of IMPROVEMENT
VARIOUS COUNTY



D-97-013-13





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

180' 280' 380' — 1" = 180' 0 10' 20' 30' — 1" = 10' 0 50' 180' 1" = 50' 0 50' 100' 1" = 40' 0 50' 180' 1" = 30'

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E. JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123 OR 811

PROJECT ENGINEER ROB MACKLIN
PROJECT MANAGER NEIL SANDSCHAFER

CONTRACT NO. 74614

0

0

GENERAL NOTES

THIS D7 INTERCHANGE RAMP SIGNAGE PROJECT IS LOCATED THROUGHOUT THE ENTIRE DISTRICT 7. REGION 4. THE WORK INCLUDED IN THIS SECTION CONSISTS OF INSTALLING SIGNING ENCHANCEMENTS AT THE INTERSTATE/EXPRESSWAY RAMP TERMINALS AND ALL OTHER WORK NECESSARY TO COMPLETE THIS SECTION.

ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE TO BE GIVEN TO UTILITIES BEFORE DIGGING. FIELD MARKING OF FACILITIES MAY BE OBTAINED BY CONTACTING J.U.L.I.E. (PH. 800-892-0123) OR FOR A NON-MEMBER, THE UTILITY COMPANY DIRECTLY. ILLINOIS DEPARTMENT OF TRANSPORTATION IS NOT A MEMBER OF THE JOINT UTILITY LOCATING INFORMATION FOR EXCAVATORS (J.U.L.I.E.) SYSTEM AND MUST BE CONTACTED DIRECTLY.

RED RETROREFLECTIVE SIGN SUPPORT PANELS SHALL BE PEACED ON SIGN SUPPORTS FOR "DO NOT ENTER" AND "WRONG WAY" SIGNS. (SEE SPECIAL PROVISIONS)

ALL PROPOSED SIGNS MUST BE FIELD VERIFIED AND ADJUSTED AS NEEDED BY THE ENGINEER TO PROVIDE CLEAR VISIBILITY OF THE SIGN AS WELL AS ADEQUATE SIGHT DISTANCE FOR THE STOPPED VEHICLES.

ALL PROPOSED SIGNS SHALL MAINTAIN A HEIGHT OF SEVEN FEET FROM THE NEAREST EDGE OF PAVEMENT TO THE BOTTOM OF THE LOWEST SIGN PANEL.

ALL WOOD SIGN SUPPORTS USED SHALL BE 4 X 6 WOOD POSTS IN ACCORDANCE WITH SECTION 1007.05 OF THE STANDARD SPECIFICATIONS.

WHEN POSSIBLE, PROPOSED SIGNS MAY BE MOUNTED TO EXISTING MAST ARM POLES AS DETERMINED BY THE ENGINEER.

THE QUANTITY OF WOODEN SIGN SUPPORT SHOWN FOR EACH LOCATION IS AN ESTIMATE OF THE QUANTITY NEEDED. ACTUAL POST LENGTHS WILL NEED TO BE DETERMINED IN THE FIELD BASED ON THE FINAL LOCATION OF EACH SIGN, AS DETERMINED BY THE ENGINEER.

EXISTING SIGN PANELS THAT ARE SIMILAR TO THOSE SHOWN ON THE DETAIL SHEETS SHALL BE REMOVED AS DETERMINED BY THE ENGINEER.

EXISTING SIGN PANELS ENCOUNTERED THAT ARE NOT SHOWN IN THE PLAN DETAILS SHALL BE RELOCATED TO THE PROPOSED WOOD SIGN SUPPORT AND MOUNTED IN A SIMILAR ORIENTATION AS DETERMINED BY THE ENGINEER.

IN NO CASE SHALL THE TIME BETWEEN THE REMOVAL OF AN EXISTING SIGN PANEL AND THE PLACEMENT OF THE NEW SIGN PANEL BE IN EXCESS OF TWO HOURS, UNLESS AUTHORIZED IN WRITING BY THE ENGINEER. WHEN THE EXISTING STOP SIGN IS REMOVED, A TEMPORARY STOP SIGN SHALL BE UTILIZED UNTIL THE NEW STOP SIGN IS ERECTED.

ALL EXISTING SIGN PANELS THAT ARE REMOVED AND ARE NOT TO BE RELOCATED SHALL BECOME THE PROPERTY OF THE CONTRACTOR.

STOP SIGNS SHOWN ON THE DETAILS SHALL BE OMITTED AT LOCATIONS CONTROLLED BY TRAFFIC SIGNALS.

INDEX OF SHEETS

COVER SHEET

SUMMARY OF QUANTITIES

DISTRICT LOCATION MAP

INDEX OF SHEETS AND GENERAL NOTES

	7	0131	(IC) ECCATION WAR					
	5-33	BILL	OF MATERIALS PER LOCATION					
	34-36	DIAM	OND INTERCHANGE SIGNAGE LAYOUT DETAILS					
	37-38		TAL CLOVERLEAF SIGNAGE LAYOUT DETAILS					
	39		OSED STRIPING DETAILS & MISC. DETAILS					
	40							
	-		RON LOCATION DETAILS					
	41-44	PAYE	MENT MARKING DETAILS					
			C STANDARDS ARE A PART OF THESE PLANS AND ARE ER SHEET NO. 44:					
	000001-0	06	STANDARD SYMBOLS. ABBREVIATIONS AND PATTERNS					
	701006-0	04	OFF-ROAD OPERATIONS, 2L. 2W. 15' TO 24" FROM PAVEMENT EDGE					
	701101-0	-	OFF-ROAD OPERATIONS, MULTILANE, 15' TO 24" FROM PAVEMENT E	OGE				
	701201-0		LANE CLOSURE, 2L, 2W. DAY ONLY, FOR SPEEDS >/= 45 MPH					
	701426-0		LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPERATION.	CAG	SPECAS	\ / -	AΞ	NDB
	701427-0		LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPERATION,	r Ort	SECEUS	ς / <u>-</u>	40	MEM
	701456-0		PARTIAL EXIT RAMP CLOSURE FREEWAY/EXPRESSWAY		•			
	701701-0		URBAN LANE CLOSURE, MULTILANE INTERSECTION					
	701901-0	02	TRAFFIC CONTROL DEVICES					
	720001-0	10	SIGN PANEL MOUNTING DETAILS		,			
-	720006-0	3	SIGN PANEL ERECTION DETAILS					
	780001-0	23	TYPICAL PAVENENT MARKINGS					

		INDE	X OF SH	EETS	
		& GE	NERAL N	OTES	
SCALE:	SHEET	OF	SHEETS	STA.	

	SUMMARY OF QUANTITIES		CONSTRUCTION TYPE CODE			SUMMARY OF QUANTITIES			CONSTRUCTION TYPE CODE		
			TOTAL	0021	0021 ROADWAY				TOTAL	0021	0021 ROADWAY
CODE NO	ITEM	UNIT	QUANTITIES	GWW	ROADWAY DEPARTURE	CODE NO	MATI	UNIT	QUANTITIES	WWD	ROADWAY DEPARTURE
67100100	MOBILIZATION	L SUM	1	1		78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND	SQ FT	2391	2391	
							SYMBOLS				
70100450	TRAFFIC CONTROL AND PROTECTION. STANDARD	L SUM	1	1						······································	
	701201					X 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	120	120	
70100825	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1		* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	5700	5700	
	701456								- va		
						78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	F00T	2150	2150	
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD	L SUM	1	1						**************************************	
	701701					78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	F00T	1540	1540	
72000100	SIGN PANEL - TYPE 1	SO FT	7823	5168	2655	* 78009000	MODIFIED URETHANE PAVEMENT MARKING - LETTERS	SO FT	826	826	
					·		AND SYMBOLS				
72000200	SIGN PANEL - TYPE 2	SQ FT	4448	4448							
						78009004	MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	F00T	24	24	
72400310	REMOVE SIGN PANEL - TYPE 1	SQ FT	3407	3407	-						
				· · · · · · · · · · · · · · · · · · ·		78009008	MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	2100	2100	
72400320	REMOVE SIGN PANEL - TYPE 2	SO FT	116	116				-			
						78009012	MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	700	700	
72400710	RELOCATE SIGN PANEL - TYPE 1	SO FT	201	201						· · · · · · · · · · · · · · · · · · ·	
				97-10-78-1-10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		78009024	MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	580	580	
72400720	RELOCATE SIGN PANEL - TYPE 2	SO FT	28	28	· .				-		
73000100	WOOD SIGN SUPPORT	FOOT	14530	0C74	4956	78300100	PAVEMENT MARKING REMOVAL	SQ FT	5510	5510	
13000100	איסט איסט איסטרטאו	ruu!	14530	9574	4956	X7300105	WOOD SIGN SUPPORT, SPECIAL	FOOT	646	646	
73700100	REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	373	373			NOO STOR SOLIOR, SILOTAL	, , , , ,	010	010	
				***************************************						·/····································	
Venezura er - un renn venezug y er en yezhoù g			Transcription of the contract								
						*SPF	TALTY ITEM				

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCALE:

#TE. SECTION COUNTY SHEET NO.

- YARIOUS 44 3 3

CONTRACT NO. 74614

- D7 INT RAMP SIGNAGE 2013-1

SUMMARY OF QUANTITIES

TO STA.

SHEET OF SHEETS STA.

V

cr\pw.work\pwidat\staffenmk\d0339033\0774614\fnx\Signs.dgn
Pt.07 SCALE = 180.0000 '/ in.
Default Pt.01 DATE = 3/28/2813

DESIGNED -

DRAWN


CHECKED -

REVISED -

REVISED

REVISED -

NUMBER	LOCATION	COUNTY	INTERCHANGE TYPE
1	I-64 & IL 242	WAYNE	D I AMOND
2	I-64 & US 45	WAYNE	D I AMOND
3	US 50 & 1500E	LAWRENCE	D I AMOND
4	US 50 & IL 33/1900E	LAWRENCE	D I AMOND
5	I-57 & IL 185/CO RD 700 N	FAYETTE	D I AMOND
6	I-57 & 750TH ST/IOWA ST	EFFINGHAM	D I AMOND
7	I-57 & US 45/CO RD 500E	CUMBERLAND	D I AMOND
8	I-57 & US 45/IL 121	COLES	D I AMOND
9	I-57 & 1000 N/E CO RD 1000N	COLES	D I AMOND
10	I-70 & US 40	FAYETTE	D I AMOND
1 1	I-70 & US 51/N KENNEDY BLVD	FAYETTE	D I AMOND
12	I-70 & US 40/W CUMBERLAND RD	FAYETTE	D I AMOND
1 3	I-70 & CO RD 7/INTERSTATE DR	FAYETTE	D I AMOND
14	I-70 & IL 128/FARINA RD	EFFINGHAM	PARTIAL CLOVERLEAF
15	I-70 & W FAYETTE AVE	EFFINGHAM	D I AMOND
16	I-70 & N KELLER DR	EFFINGHAM	D I AMOND
17	I-70 & US 45/N 3RD ST	EFFINGHAM	PARTIAL CLOVERLEAF
18	I-70 & SPRING CREEK RD	EFFINGHAM	D I AMOND
19	I-70 & IL 130/N HAUGHTON HWY	CUMBERLAND	D I AMOND
20	I-70 & IL 49	CLARK	D I AMOND
21	I-70 & N 700TH ST/N CLEONE RD	CLARK	D I AMOND
22	I-70 & IL 1	CLARK	D I AMOND
23	I - 70 & US 40	CLARK	D I AMOND
24	US 51 & ELWIN/OLD IL 51	MACON	PARTIAL CLOVERLEAF
25	US 51 & IL 48/TAYLORVILLE RD	MACON	PARTIAL CLOVERLEAF
26	I-72 & NIANTIC/S 4 BRIDGES RD	MACON	D I AMOND
27	I-72 & IL 121	MACON	PARTIAL CLOVERLEAF
28	I-72 & IL 48	MACON	PARTIAL CLOVERLEAF
29	I-72 & CO HWY 25	MACON	D I AMOND



STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SCALE:

DISTRICT LOCATION MAP

SHEET OF SHEETS STA. TO STA.

LOCATION 1 I-64 & IL 242 - WAYNE COUNTY

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 9 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH 9

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	164.6	164.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	51.0	51.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	293.0	311.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	30.0	30.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	18.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

	BILL (OF MATE	RIALS		F.A. RTE.	
	10	CATION	1			
		JOATION	•			
SHEET	OF	SHEETS	STA.	TO STA.		

LOCATION 2 I-64 & US 45 - WAYNE COUNTY

EB EXIT RAMP | WB EXIT RAMP

UNITS

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30" EACH EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" × 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH EACH CHEVRON (W1-8 - YELLOW) 30" x 36" 8

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	149.6	157.1
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	51.0	51.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	263.0	274.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	40.0	40.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	18.0	18.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	Г
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	ı
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	ı
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

STATE	OF ILLINOIS	
DEPARTMENT (OF TRANSPORTATION	

		BILL	OF MATE	RIALS		F.A. RTE.	SECTION
LOCATION 2							•
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FEE

LOCATION 3 US 50 & 1500E - LAWRENCE COUNTY

EB EXIT RAMP | WB EXIT RAMP

UNITS

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) $54^{\prime\prime}$ x $18^{\prime\prime}$ RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 3 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	149.6	119.6
SIGN PANEL - TYPE 2	SO FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	62.2	62. 2
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	8. 2	8. 2
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	278.0	222.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	15.0	15.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -				BILL O	MATERIALS		F.A.	SE
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS							
	PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION			LUC	CATION 3			
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		
									07 1117 0	LID CTO	

COUNTY TOTAL SHEET NO.

VARIOUS 44 7

CONTRACT NO. 74614

LOCATION 4 US 50 & IL 33/1900E - LAWRENCE COUNTY

USE DETAIL "C" (EB EXIT RAMP) USE DETAIL "A" (WB EXIT RAMP)

SIGNS

SIGN TYPES BY LOCATION	UNITS	EB EXIT RAMP	WB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	0	0
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	0	0
STOP SIGN (R1-1) 48" × 48"	EACH	2	3
NO RIGHT TURN (R3-1) 36" × 36"	EACH	1	1
NO LEFT TURN (R3-2) 36" × 36"	EACH	2	2
KEEP RIGHT (R4-7) 40" × 60"	EACH	0	0
DO NOT ENTER (R5-1) 36" × 36"	EACH	0	1
DO NOT ENTER (R5-1) 48" × 48"	EACH	2	2
WRONG WAY (R5-1a) 42" × 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" × 18"	EACH	2	3
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	2	3
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	6	7
CHEVRON (W1-8 - YELLOW) 30" x 36"	EACH	8	7

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	140.5	149.6
SIGN PANEL - TYPE 2	SQ FT	64.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	49.0	59.5
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	8. 2
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	284.0	284.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	39. 9	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	20.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	0.0	0.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -

	BILL	OF MATERIALS		F.A. RTE.	SECTION	COUN
	14	DCATION 4			•	VARIO
		JUATION 4				CONT
SHEET	OF	SHEETS STA.	TO STA.		TILL INDIS FED.	ATD PROJECT

LOCATION 5 I-57 & IL 185/CO RD 700N - FAYETTE COUNTY

USE DETAIL "A"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 9 CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH 9

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	164.6	164.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	51.0	51.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	293.0	291.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	50.0	50.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	18.0	18.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	ı
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	ı
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

			OF MATER			F.A RT
		LU	CATION	5		
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.	

LOCATION 6 I-57 & 750TH ST/IOWA ST -EFFINGHAM COUNTY

USE DETAIL "A"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 2 KEEP RIGHT (R4-7) 40" x 60" EACH 0 DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" EACH 3 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 3 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	119.6	127.1
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	51.0	51.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	190.0	203.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	90.0	35.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	33. 0	33.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -

		BILL	OF MATE	RIALS		F.A. RTE.		
		10	OCATION	6				
	LUCATION							
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.			

LOCATION 7 I-57 & US 45/CO RD 500E - CUMBERLAND COUNTY

USE DETAIL "A"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 2 KEEP RIGHT (R4-7) 40" x 60" 0 DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 7 7 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	149.6	149.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	63.0	63.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	281.0	279.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	7.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	0.0	75.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	Γ	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -		
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -		
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	L	

STATE	OF ILLINOIS	
DEPARTMENT	OF TRANSPORTATI	ON

BILL OF MATERIALS LOCATION 7						F
SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ī

LOCATION 8 I-57 & US 45/IL 121 - COLES COUNTY

NB EXIT RAMP | SB EXIT RAMP

UNITS

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 2 2 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 2 2 ONE WAY (R6-1 - RIGHT) $54^{\prime\prime}$ x $18^{\prime\prime}$ 2 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	110.5	110.5
SIGN PANEL - TYPE 2	SQ FT	64.0	64.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	56. 8	54.8
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	8.8	6.8
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	226. 0	223.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	100.0	100.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	240.0	240.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

BILL OF MATERIALS						F.A. RTE.	SECTION
LOCATION 8							•
						_	
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FE

VARIOUS 44 12

CONTRACT NO. 74614

LOCATION 9 I-57 & 1000 N/E CO RD 1000N - COLES COUNTY

USE DETAIL "A"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 2 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH 10 9

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	172. 1	164.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	50.5	50.5
REMOVE SIGN PANEL - TYPE 2	SQ FT	32.0	32.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	308.0	295.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	7.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	100.0	100.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

•			
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

		BILL (F MATE	RIALS		F.A. RTE.	SE
LOCATION 9							
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		

LOCATION 10 I-70 & US 40 - FAYETTE COUNTY

UNITS EB EXIT RAMP WB EXIT RAMP

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	0	0
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	0	0
STOP SIGN (R1-1) 48" × 48"	EACH	3	3
NO RIGHT TURN (R3-1) 36" × 36"	EACH	1	1
NO LEFT TURN (R3-2) 36" × 36"	EACH	2	2
KEEP RIGHT (R4-7) 40" × 60"	EACH	0	0
DO NOT ENTER (R5-1) 36" × 36"	EACH	1	1
DO NOT ENTER (R5-1) 48" x 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" × 18"	EACH	3	3
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	3	3
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" × 60"	EACH	7	7
CHEVRON (W1-8 - YELLOW) 30" × 36"	EACH	7	7

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	149.6	149.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	51.0	51.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	264.0	280.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	10.0	10.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	STATE OF
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF T
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

		F MATER		
SHEET	OF	SHEETS	STA.	TO STA.

LOCATION 11 I-70 & US 51/N KENNEDY BLVD FAYETTE COUNTY

USE DETAIL "B" (EB EXIT RAMP) USE DETAIL "A" (WB EXIT RAMP)

SIGNS

BILL OF MATERIALS

SIGN TYPES BY LOCATION	UNITS	EB EXIT RAMP	WB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	0	0
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	0	0
STOP SIGN (R1-1) 48" × 48"	EACH	0	3
NO RIGHT TURN (R3-1) 36" × 36"	EACH	1	1
NO LEFT TURN (R3-2) 36" × 36"	EACH	2	2
KEEP RIGHT (R4-7) 40" × 60"	EACH	0	0
DO NOT ENTER (R5-1) 36" × 36"	EACH	0	1
DO NOT ENTER (R5-1) 48" × 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" x 18"	EACH	2	3
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	2	3
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" × 60"	EACH	6	7
CHEVRON (W1-8 - YELLOW) 30" × 36"	EACH	7	8

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	133.0	157.1
SIGN PANEL - TYPE 2	SQ FT	32.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	43.0	51.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	6.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	213.0	259.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	4.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	100.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	120.0	90.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	33.0

L	50, 5510	FLUI DHIE - 3/26/2013	DATE -	KENIZED -
	Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
		PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
	c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
	FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

STATE	OF ILLINOIS	
DEPARTMENT	OF TRANSPORTAT	ION

		BILL 0	F MATER	RIALS		F.A. RTE.	SECTION	Ī
		100	CATION '	11			•	Ī
		LO	CATION	• • • • • • • • • • • • • • • • • • • •				Γ
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. AI	ō

CONTRACT NO. 74614

LOCATION 12 I-70 & US 40/W CUMBERLAND RD - FAYETTE COUNTY

USE DETAIL "A"

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 KEEP RIGHT (R4-7) 40" x 60" 0 DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 3 3 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	119.6	119.6
SIGN PANEL - TYPE 2	SO FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	63.0	66.8
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	9.0	12.8
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	229.0	227.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6. 0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	35.0	35.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTAT	ON

BILL OF MATERIALS						
	LO	CATION	12			
CHEET	05	CUEETC	CT.	TO STA		
SHEET	OF	SHEETS	SIA.	TO STA.		

LOCATION 13

I-70 & CO RD 7/INTERSTATE DRIVE - FAYETTE COUNTY

USE DETAIL "A"

SIGNS

SIGN TYPES BY LOCATION	UNITS	EB EXIT RAMP	WB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" x 30"	EACH	0	0
DIRECTIONAL ARROW (M6-2g) 21" x 15"	EACH	0	0
STOP SIGN (R1-1) 48" × 48"	EACH	3	3
NO RIGHT TURN (R3-1) 36" × 36"	EACH	1	1
NO LEFT TURN (R3-2) 36" × 36"	EACH	2	2
KEEP RIGHT (R4-7) 40" × 60"	EACH	0	0
DO NOT ENTER (R5-1) 36" × 36"	EACH	1	1
DO NOT ENTER (R5-1) 48" x 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" x 18"	EACH	3	3
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	3	3
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	7	7
CHEVRON (W1-8 - YELLOW) 30" x 36"	EACH	3	7

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	119.6	149.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	54.0	54.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	206. 0	262.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	35.0	35.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	18.0	18.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

SCALE:

BILL OF MATERIALS						F.A. RTE.	SECTION
LOCATION 13							•
	LUCATION 13						
	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS

CONTRACT NO.

LOCATION 14 I-70 & IL 128/FARINA RD - EFFINGHAM COUNTY

USE DETAIL "D"

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH STOP SIGN (R1-1) 48" x 48" EACH 2 2 NO RIGHT TURN (R3-1) 36" x 36" EACH 0 0 NO LEFT TURN (R3-2) 36" x 36" EACH 0 0 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 2 2 ONE WAY (R6-1 - RIGHT) 54" x 18" 2 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 0 CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH 7

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	65.5	118.0
SIGN PANEL - TYPE 2	SQ FT	90.7	90. 7
REMOVE SIGN PANEL - TYPE 1	SQ FT	66.8	66.8
REMOVE SIGN PANEL - TYPE 2	SQ FT	12.0	12.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	12.8	12.8
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	150.0	247.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	7.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	67.0	67.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	12.0	12.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	15.0	15.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	19.0	19.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

SCALE:

BILL OF MATERIALS					F.A. RTE.	SECTION	
LOCATION 14							•
			OATION				
	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED.

VARIOUS 44 18

CONTRACT NO. 74614

LOCATION 15 I-70 & W FAYETTE AVE - EFFINGHAM COUNTY

USE DETAIL "A"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 0 0 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 7 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	142.1	149.6
SIGN PANEL - TYPE 2	SQ FT	32.0	32.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	54.0	54.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	199.0	215.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	4.0	4.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	24. 3	24.3
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	0.0	0.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	32.0	32.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

BILL OF MATERIALS							SECT
		•					
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		I
					• D7 INT	RAMP SIG	GNAGE 2013-1

LOCATION 16 I-70 & N KELLER DR - EFFINGHAM COUNTY

USE DETAIL "A"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 0 0 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 5 3 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	134.6	119.6
SIGN PANEL - TYPE 2	SO FT	32.0	32.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	42.0	54.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	12.5	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	12.5	0.0
WOOD SIGN SUPPORT	FOOT	185.0	159.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	5.0	4.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	24.3	24. 3
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	20.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	20.0	0.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	32.0	32.0

L	50, 5510	FLUI DHIE - 3/26/2013	DATE -	KENIZED -
	Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
		PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
	c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
	FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

STATE C	F ILLINOIS
DEPARTMENT OF	TRANSPORTATION

BILL OF MATERIALS							
	10	CATION	16				
LUCATION 10							
SHEET	OF	SHEETS	STA.	TO STA.			

LOCATION 17 I-70 & US 45/3RD ST - EFFINGHAM COUNTY

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH STOP SIGN (R1-1) 48" x 48" EACH 2 2 NO RIGHT TURN (R3-1) 36" x 36" EACH 0 0 NO LEFT TURN (R3-2) 36" x 36" EACH 0 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 2 2 ONE WAY (R6-1 - RIGHT) 54" x 18" 2 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 0 7 CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	65.5	118.0
SIGN PANEL - TYPE 2	SQ FT	90.7	90. 7
REMOVE SIGN PANEL - TYPE 1	SQ FT	54.0	54.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	165.0	263.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	67.0	67.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	12.0	12.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	50.0	50.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

LE NAME = USER NAME = steffenmk		DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D774614-Int Signs.dgn		DRAWN -	REVISED -	
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

BILL OF MATERIALS							5
LOCATION 17							
						4	
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		

LOCATION 18 I-70 & SPRING CREEK RD - EFFINGHAM COUNTY

USE DETAIL "A"

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 3 3 CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	119.6	119.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	63.0	63.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	223.0	223.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	7.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	15.0	15.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

				_
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D774614-Int Signs.dgn		DRAWN -	REVISED -	
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

BILL OF MATERIALS LOCATION 18						
	SHEET	OF	SHEETS	STA.	TO STA.	

LOCATION 19 I-70 & IL 130/N HAUGHTON HWY - CUMBERLAND COUNTY

USE DETAIL "A"

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 2 KEEP RIGHT (R4-7) 40" x 60" EACH 0 DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	127. 1	127.1
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	78.0	81.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	6.0	9.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	228.0	228.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	8.0	8.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	190.0	190.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

BILL OF MATERIALS LOCATION 19					
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.

LOCATION 20 I-70 & IL 49 - CLARK COUNTY

EB EXIT RAMP | WB EXIT RAMP

UNITS

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) $54^{\prime\prime}$ x $18^{\prime\prime}$ RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 3 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	119.6	149.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	81.0	72.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	209.0	265.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	8.0	8.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SO FT	175.0	175.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D774614-Int Signs.dgn		DRAWN -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -

		OF MATEI		
SHEET	OF	SHEETS	STA.	TO STA.

LOCATION 21 I-70 & N 700TH ST/N CLEONE RD - CLARK COUNTY

USE DETAIL "A"

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 7 CHEVRON (W1-8 - YELLOW) 30" x 36" EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	149.6	149.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	68.0	68.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	5.0	5.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	271.0	284.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	8.0	8.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	80.0	80.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	0.0

			•
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

BILL OF MATERIALS LOCATION 21								
	SHEET	OF	SHEETS	STA.	TO STA.			

LOCATION 22 I-70 & IL 1 - CLARK COUNTY

SIGNS

SIGN TYPES BY LOCATION	UNITS	EB EXIT RAMP	WB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	0	0
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	0	0
STOP SIGN (R1-1) 48" × 48"	EACH	3	3
NO RIGHT TURN (R3-1) 36" x 36"	EACH	1	1
NO LEFT TURN (R3-2) 36" × 36"	EACH	2	2
KEEP RIGHT (R4-7) 40" × 60"	EACH	0	0
DO NOT ENTER (R5-1) 36" × 36"	EACH	1	1
DO NOT ENTER (R5-1) 48" x 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" × 18"	EACH	3	3
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	3	3
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	7	7
CHEVRON (W1-8 - YELLOW) 30" x 36"	EACH	8	7

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	157.1	149.6
SIGN PANEL - TYPE 2	SO FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	77.0	84.5
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	5. 0	12.5
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	279.0	271.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	9.0	9.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55.5	55.5
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	230.0	230.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

BILL OF MATERIALS					F.A	
LOCATION 22						
	SHEET	OF	SHEETS	STA.	TO STA.	\top

LOCATION 23 I-70 & US 40 - CLARK COUNTY

EB EXIT RAMP | WB EXIT RAMP

UNITS

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 3 ONE WAY (R6-1 - RIGHT) 54" x 18" RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH EACH 5 CHEVRON (W1-8 - YELLOW) 30" x 36" 5

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	134.6	134.6
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	77.0	77.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	5.0	5.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	238.0	240.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	9.0	9.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	230. 0	230.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

			•
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

BILL OF MATERIALS LOCATION 23					F.A RT		
							4
	SCALE:	SHEET	OF	SHEETS	STA.	TO STA.	

LOCATION 24 US 51 & ELWIN/OLD IL 51 - MACON COUNTY

USE DETAIL "D"

SIGNS

NB EXIT RAMP | SB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH STOP SIGN (R1-1) 48" x 48" EACH 2 2 NO RIGHT TURN (R3-1) 36" x 36" EACH 0 0 NO LEFT TURN (R3-2) 36" x 36" EACH 0 0 KEEP RIGHT (R4-7) 40" x 60" DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) $42^{\prime\prime} \times 30^{\prime\prime}$ ONE WAY (R6-1 - LEFT) 54" x 18" EACH 2 2 ONE WAY (R6-1 - RIGHT) 54" x 18" 2 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH 7 CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	125.5	118.0
SIGN PANEL - TYPE 2	SO FT	90. 7	90. 7
REMOVE SIGN PANEL - TYPE 1	SQ FT	55.5	58.7
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	7.5	10.7
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	284.0	272.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	67.0	67.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	12.0	12.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SO FT	230.0	230.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -			
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -			
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -			
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -			

	BILL OF MATERIALS						SECTIO
LOCATION 24						•	
		LU	CATION	L7			
	SHEET	OF	SHEETS	STA.	TO STA.		IL

LOCATION 25 US 51 & IL 48/TAYLORVILLE RD - MACON COUNTY

USE DETAIL "D"

SIGNS

SIGN TYPES BY LOCATION	UNITS	NB EXIT RAMP	SB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" x 30"	EACH	1	1
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	1	1
STOP SIGN (R1-1) 48" × 48"	EACH	2	2
NO RIGHT TURN (R3-1) 36" × 36"	EACH	0	0
NO LEFT TURN (R3-2) 36" × 36"	EACH	0	0
KEEP RIGHT (R4-7) 40" × 60"	EACH	1	1
DO NOT ENTER (R5-1) 36" × 36"	EACH	1	1
DO NOT ENTER (R5-1) 48" × 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" x 18"	EACH	2	2
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	2	2
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	7	7
CHEVRON (W1-8 - YELLOW) 30" x 36"	EACH	9	7

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	NB EXIT RAMP	SB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	133.0	118.0
SIGN PANEL - TYPE 2	SQ FT	90. 7	90. 7
REMOVE SIGN PANEL - TYPE 1	SQ FT	54.2	54.2
REMOVE SIGN PANEL - TYPE 2	SQ FT	15.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	6. 2	6.2
RELOCATE SIGN PANEL - TYPE 2	SQ FT	15.0	0.0
WOOD SIGN SUPPORT	FOOT	317.0	270.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	67.0	67.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	12.0	12.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	230.0	230.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -	
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

			OF MATERIALS CATION 25	
CALE:	SHEET	OF	SHEETS STA.	TO STA.

LOCATION 26 I-72 & NIANTIC/S 4 BRIDGES RD - MACON COUNTY

USE DETAIL "A"

SIGNS

EB EXIT RAMP | WB EXIT RAMP UNITS SIGN TYPES BY LOCATION FREEWAY ENTRANCE (D13-3) 48" × 30" EACH 0 DIRECTIONAL ARROW (M6-2a) 21" x 15" EACH 0 STOP SIGN (R1-1) 48" x 48" EACH 3 3 NO RIGHT TURN (R3-1) 36" x 36" EACH NO LEFT TURN (R3-2) 36" x 36" EACH 2 KEEP RIGHT (R4-7) 40" x 60" 0 DO NOT ENTER (R5-1) 36" x 36" EACH EACH 2 DO NOT ENTER (R5-1) 48" x 48" 2 EACH 4 WRONG WAY (R5-1a) 42" x 30" ONE WAY (R6-1 - LEFT) 54" x 18" EACH 3 ONE WAY (R6-1 - RIGHT) 54" x 18" 3 RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60" EACH CHEVRON (W1-8 - YELLOW) $30^{\prime\prime}$ × $36^{\prime\prime}$ EACH 8

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	149.6	157.1
SIGN PANEL - TYPE 2	SO FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	57.0	48.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SO FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	267.0	282.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	55.5	55.5
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	230.0	230.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -		i
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS	i
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	l
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -		SCALE:

LOCATION 27 <u>I-72 & IL 121 - MACON COUNTY</u>

SIGNS

SIGN TYPES BY LOCATION	UNITS	EB EXIT RAMP	WB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	1	1
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	1	1
STOP SIGN (R1-1) 48" x 48"	EACH	2	2
NO RIGHT TURN (R3-1) 36" × 36"	EACH	0	0
NO LEFT TURN (R3-2) 36" × 36"	EACH	0	0
KEEP RIGHT (R4-7) 40" × 60"	EACH	1	1
DO NOT ENTER (R5-1) 36" × 36"	EACH	1	1
DO NOT ENTER (R5-1) 48" x 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" x 18"	EACH	2	2
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	2	2
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	7	7
CHEVRON (W1-8 - YELLOW) 30" × 36"	EACH	7	9

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SO FT	118.0	133.0
SIGN PANEL - TYPE 2	SO FT	90.7	90. 7
REMOVE SIGN PANEL - TYPE 1	SQ FT	60.2	60. 2
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	6. 2	6. 2
RELOCATE SIGN PANEL - TYPE 2	SO FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	267.0	294.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	6.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SO FT	35.8	35.8
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	31.2	31.2
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	12.0	12.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	15.0	15.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

BILL OF MATER LOCATION 2				
SHEET	OF	SHEETS	STA.	TO STA.

LOCATION 28 I-72 & IL 48 - MACON COUNTY

USE DETAIL "E" (EB EXIT RAMP) USE DETAIL "D" (WB EXIT RAMP)

SIGNS

SIGN TYPES BY LOCATION	UNITS	EB EXIT RAMP	WB EXIT RAMP
FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	1	1
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	1	1
STOP SIGN (R1-1) 48" × 48"	EACH	0	2
NO RIGHT TURN (R3-1) 36" × 36"	EACH	0	0
NO LEFT TURN (R3-2) 36" x 36"	EACH	0	0
KEEP RIGHT (R4-7) 40" × 60"	EACH	1	1
DO NOT ENTER (R5-1) 36" × 36"	EACH	0	1
DO NOT ENTER (R5-1) 48" x 48"	EACH	2	2
WRONG WAY (R5-1a) 42" × 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" × 18"	EACH	1	2
ONE WAY (R6-1 - RIGHT) 54" × 18"	EACH	1	2
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	6	7
CHEVRON (W1-8 - YELLOW) 30" × 36"	EACH	9	8

BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	116.4	125.5
SIGN PANEL - TYPE 2	SQ FT	58.7	90.7
REMOVE SIGN PANEL - TYPE 1	SQ FT	36. 2	54.2
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	6. 2	6. 2
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	263.0	286.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	4.0	6.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	67.0	67.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	12.0	12.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	150.0	50.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
PAVEMENT MARKING REMOVAL	SQ FT	330.0	230.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	0.0	0.0

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

BILL OF MATERIALS Location 28									
	SHEET	OF	SHEETS	STA.	TO STA.				

LOCATION 29 I-72 & CO HWY 25 - MACON COUNTY

UNITS EB EXIT RAMP WB EXIT RAMP

SIGNS

SIGN TYPES BY LOCATION

FREEWAY ENTRANCE (D13-3) 48" × 30"	EACH	0	0
DIRECTIONAL ARROW (M6-2a) 21" x 15"	EACH	0	0
STOP SIGN (R1-1) 48" × 48"	EACH	3	3
NO RIGHT TURN (R3-1) 36" × 36"	EACH	1	1
NO LEFT TURN (R3-2) 36" × 36"	EACH	2	2
KEEP RIGHT (R4-7) 40" x 60"	EACH	0	0
DO NOT ENTER (R5-1) 36" × 36"	EACH	1	1
DO NOT ENTER (R5-1) 48" × 48"	EACH	2	2
WRONG WAY (R5-1a) 42" x 30"	EACH	4	4
ONE WAY (R6-1 - LEFT) 54" × 18"	EACH	3	3
ONE WAY (R6-1 - RIGHT) 54" x 18"	EACH	3	3
RETROREFLECTIVE SIGN SUPPORT PANEL (RED) 2" x 60"	EACH	7	7
CHEVRON (W1-8 - YELLOW) 30" × 36"	EACH	4	4


BILL OF MATERIALS

PAY ITEM DESCRIPTION	UNITS	EB EXIT RAMP	WB EXIT RAMP
SIGN PANEL - TYPE 1	SQ FT	127. 1	127.1
SIGN PANEL - TYPE 2	SQ FT	80.0	80.0
REMOVE SIGN PANEL - TYPE 1	SQ FT	57.0	63.0
REMOVE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 1	SQ FT	0.0	0.0
RELOCATE SIGN PANEL - TYPE 2	SQ FT	0.0	0.0
WOOD SIGN SUPPORT	FOOT	224.0	224.0
REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	7.0	7.0
THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	0.0	0.0
THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	55. 5	55.5
MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	0.0	0.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	150.0	150.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	50.0	50.0
MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	40.0	40.0
PAVEMENT MARKING REMOVAL	SQ FT	15.0	15.0
WOOD SIGN SUPPORT, SPECIAL	FOOT	15.0	15.0

Default	PLOT DATE = 3/28/2013	DATE -	REVISED -
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -
FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -

BILL OF MATERIALS								
LOCATION 29								
		OATION.						
SHEET	OF	SHEETS	STA.	TO STA.				

WRONG WAY TRAFFIC CONTROL FOR DIAMOND INTERCHANGE EXIT RAMP WITH RAISED ISLAND: DETAIL "A"



PLOT DATE = 3/28/2013

DATE

REVISED


SCALE:

SHEET

SHEETS STA.

• D7 INT RAMP SIGNAGE 2013-1

WRONG WAY TRAFFIC CONTROL FOR DIAMOND INTERCHANGE EXIT RAMP WITH PAINTED ISLAND: DETAIL "B"




SECTION COUNTY DIAMOND INTERCHANGE EXIT RAMP STATE OF ILLINOIS 74614-Int Signs.dgn DRAWN REVISED VARIOUS 44 35 DETAIL "B" CHECKED REVISED **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 74614 PLOT DATE = 3/28/2013 SHEET SHEETS STA. DATE REVISED • D7 INT RAMP SIGNAGE 2013-1

USER NAME = steffenmk

DESIGNED -

REVISED

WRONG WAY TRAFFIC CONTROL FOR DIAMOND INTERCHANGE EXIT RAMP WITH LEFT TURN ONLY, NO ISLAND: DETAIL "C"



SECTION

VARIOUS 44 36

CONTRACT NO. 74614


DIAMOND INTERCHANGE EXIT RAMP STATE OF ILLINOIS 74614-Int Signs.dgn DRAWN REVISED DETAIL "C" CHECKED -REVISED **DEPARTMENT OF TRANSPORTATION** PLOT DATE = 3/28/2013 DATE REVISED SHEET SHEETS STA. • D7 INT RAMP SIGNAGE 2013-1

USER NAME = steffenmk

DESIGNED -


REVISED

WRONG WAY TRAFFIC CONTROL FOR PARTIAL CLOVERLEAFS WITH RAISED ISLAND: DETAIL "D"



• D7 INT RAMP SIGNAGE 2013-1

WRONG WAY TRAFFIC CONTROL FOR PARTIAL CLOVERLEAFS WITH PAINTED ISLAND: DETAIL "E"



STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

SCALE: SHEET OF S

PARTIAL CLOVERLEAF INTERCHANGE EXIT RAMP

DETAIL "E"

SHEET OF SHEETS STA. TO STA.

Deroure

74614-Int Signs.dgn

PLOT DATE = 3/28/2013

DRAWN


CHECKED -


DATE

REVISED

REVISED

REVISED





(SEE SPECIAL PROVISIONS)


SIGN SUPPORT PANEL DETAIL

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -		
c:\pw_work\pwidot\steffenmk\d0339033\D7	74614-Int Signs.dgn	DRAWN -	REVISED -		
	PLOT SCALE = 40.0000 '/ in.	CHECKED -	REVISED -		
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -		

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

PRO	POSED	STRIPIN	G DETAII	LS	F.A. RTE.	SECTION	COUNTY	TOTAL SHE SHEETS NO		
	& IV	IISC DET	AII C			•	VARIOUS	44	39	
& MISC. DETAILS							CONTRACT	NO.	74614	
SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. A	D PROJECT			


D7 INT RAMP SIGNAGE 2013-1





CHEVRON LOCATION DETAILS

FILE NAME =	USER NAME = steffenmk	DESIGNED -	REVISED -				CHEV	RON LOCATION		F.A.	SECTION	COUNTY	SHEET NO.
c:\pw_work\pwidot\steffenmk\d0339033\	D774614-Int Signs.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS			OIILV				•	VARIOUS	44 40
	PLOT SCALE = 40.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION				DETAILS				CONTRACT	NO. 74614
Default	PLOT DATE = 3/28/2013	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. A	AID PROJECT	-1.01
`									D.7. TU.T. (1105 0017 1	•	

D7 INT RAMP SIGNAGE 2013-1







FILE NAME =

USER NAME = steffenmk

PLOT DATE = 3/28/2013

c:\pw_work\pwidot\steffenmk\d0339033\D774614-Int Signs.dgn

DESIGNED

DRAWN

DATE

CHECKED

REVISED


REVISED


REVISED

REVISED

PAVEMENT MARKING LEGEND

1 4" (100) SKIP-DASH (YELLOW)





GENERAL NOTES

3. PAVEMENT MARKINGS ARE TO BE EXTENDED THROUGH OMISSIONS WHEN APPLICABLE.

THE DIAGONAL PAVEMENT MARKING SPACING:

<30 MPH (<50 km/h)

30-45 MPH (50-75 km/h >45 MPH (>75 km/h

1. RAISED AND CORRUGATED MEDIANS SHALL BE OUTLINED WITH 2 IF PRESENT.

2. SOME OF THE INFORMATION INCLUDED WITH THIS DETAIL MAY NOT BE APPLICABLE TO THIS IMPROVEMENT.

4. FINAL PAVEMENT MARKINGS SHALL BE IN PLACE PRIOR TO PLACING ANY RAISED REFLECTIVE PAVEMENT MARKERS.

5. THE FOLLOWING CRITERIA SHALL BE USED FOR SELECTING

15' (4.5 m)

20' (6.0 m) 30' (9.0 m)

NOT TO SCALE

Note: All dimensions are in INCHES (millimeters) unless otherwise shown.


DI	STRICT 7 DETAI	L NO. 78	0000	01
RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEE NO.
	•	VARIOUS	44	43
		CONTRACT	NO.	74614

ILLINOIS FED. AID PROJECT


STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** PAVEMENT MARKING AND RAISED REFLECTIVE PAVEMENT MARKERS (RURAL & URBAN APPLICATIONS) SHEET NO. 3 OF 4 SHEETS STA.

• D7 INT RAMP SIGNAGE 2013-1


PAVEMENT MARKINGS AT RAILROAD-HIGHWAY GRADE CROSSING




PAVEMENT MARKING LEGEND



RAILROAD CROSSING WITH INTERCONNECT ONLY



RAILROAD CROSSING WITH INTERCONNECT AND PRE-SIGNALS



WITH THE KATEROAD

13 4" (100) PARKING WHITE

 SUPPLEMENTAL PAVEMENT MARKINGS TO BE INSTALLED ONLY ON APPROACHES TO INTERSECTIONS CONTROLLED BY TRAFFIC SIGNALS WHICH ARE INTERCONNECTED WITH THE RAILROAD WARNING SIGNALS.

GENERAL NOTES

2. EXTEND PAVEMENT MARKINGS TO THE INTERSECTION ONLY WHERE NEAR-SIDE TRAFFIC SIGNALS ARE USED.

SUPPLEMENTAL PAVEMENT MARKING TREATMENT FOR RAILROAD-HIGHWAY GRADE CROSSING

 $\begin{array}{c} \text{NOT TO SCALE} \\ \text{Note:} & \text{All dimensions are in INCHES} \end{array}$

DI	STRICT	7	DETAI	L	NO.	78	0000	01
FΛ							TOTAL	SHEET

(millimeters) unless otherwise shown.

FILE NAME = DESIGNED REVISED USER NAME = steffenmk COUNTY SHEETS NO. PAVEMENT MARKING AND RAISED REFLECTIVE PAVEMENT MARKERS STATE OF ILLINOIS c:\pw_work\pwidot\steffenmk\d0339033\[74614-Int Siansidan DRAWN REVISED VARIOUS 44 44 (RURAL & URBAN APPLICATIONS) CHECKED REVISED **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 74614 SCALE: SHEET NO. 4 OF 4 SHEETS STA. PLOT DATE = 3/28/2013 DATE REVISED • D7 INT RAMP SIGNAGE 2013-1