

60218300 MANHOLES, TYPE A, 4' DIAMETER, TYPE 1 FRAME, OPEN LID								
MANHOLE	STA	O/S TO CTR	RIM	INV (N)	INV (S)	INV (E)	INV (W)	EACH
MH-96	33+00	23.7' LT	858.44		854.16	853.44		1
MH-97	34+50	26.6' LT	857.15		853.15	852.10	852.20	1
MH-98	35+50	27.1' LT	856.30		852.30	851.25	851.35	1
MH-99	36+75	27.2' LT	854.58		850.58	849.75	849.85	1
MH-105	40+00	27.1' LT	852.13		847.82	847.18	847.08	1
MH-104	41+10	27.1' LT	853.31		849.10	848.36	848.26	1
MH-103	42+32	26.2' LT	849.39		850.09	849.09	848.99	1
MH-102	43+00	25.1' LT	854.42		850.54		849.42	1
MH-10	45+25	25.1' LT	855.27		851.29	850.29		1
MH-11	46+16	25.1' LT	854.88		850.83	849.73	849.83	1
MH-12	46+75	25.1' LT	854.63		850.55	849.25	849.45	1
MH-13	47+50	25.1' LT	854.35		850.07	848.69	848.89	1
MH-14	47+90	25.1' LT	854.34		849.92	848.31	848.51	1
MH-15	49+00	25.1' LT	855.03		850.75	847.99	847.99	1
MH-47	83+55	25.1' LT	817.42	812.34(NW)	813.07	812.44		1
MH-46	84+50	25.1' LT	818.00		813.71	812.81	812.71	1
MH-45	85+50	25.1' LT	818.95		814.66	813.06	812.86	1
MH-44	87+00	26.9' LT	820.36		816.06	814.23	814.23	1
MH-43	90+00	33.6' LT	820.30		816.01	814.80		1
MH-42	91+00	35.8' LT	819.34		814.81	814.31	814.51	1
MH-108	92+40	65.0' LT	817.92	812.18	813.56(SW)			1
								TOTAL 21

60221000 MANHOLES, TYPE A, 5' DIAMETER, TYPE 1 FRAME, OPEN LID								
MANHOLE	STA	O/S TO CTR	RIM	INV (N)	INV (S)	INV (E)	INV (W)	EACH
MH-101	37+91	28.8' RT	851.47	847.36	847.36			1
MH-107	38+69	18.3' RT	851.20	847.02	847.02			1
MH-106	38+86	24.6' LT	850.90	846.39	846.39	846.49(NE)		1
MH-16	50+25	25.1' LT	856.18		851.89	847.28	847.58	1
MH-17	53+75	25.1' LT	855.76		851.47	846.38	846.38	1
MH-18	55+00	25.1' LT	854.72		850.53	846.04	846.04	1
MH-19	55+75	25.1' LT	854.32		850.03	845.83	845.83	1
MH-20	56+40	25.1' LT	854.04		849.25	845.65	845.65	1
MH-21	57+35	25.1' LT	853.59		849.30	845.28	845.38	1
MH-22	60+06	25.1' LT	848.64		844.35	842.79	842.89	1
MH-23	62+00	25.1' LT	845.32	839.81	841.03	839.31	839.71	1
MH-24	62+45	25.1' LT	844.95		839.51	839.01	839.11	1
MH-25	63+00	25.1' LT	844.69		840.40	838.66	838.76	1
MH-26	64+00	25.1' LT	844.25		839.96	838.08	838.18	1
MH-27	65+00	25.1' LT	843.25		838.06	837.20	837.30	1
MH-28	67+00	25.1' LT	839.17		834.88	833.08	833.18	1
MH-29	69+00	25.1' LT	834.95		830.66	828.77	828.87	1
MH-30	69+50	25.1' LT	834.36		830.07	828.31	828.41	1
MH-31	70+25	25.1' LT	833.79		828.35	827.52	827.62	1
MH-32	71+50	25.1' LT	833.24		828.95	826.39	826.79	1
MH-33	72+50	25.1' LT	832.45		828.16	825.91	826.01	1
MH-34	75+50	25.1' LT	824.79		820.50	819.07	819.77	1
MH-35	77+25	25.1' LT	820.57		816.28	814.51	814.61	1
MH-36	77+75	25.1' LT	819.94		815.65	814.23	814.33	1
MH-37	78+50	25.1' LT	819.45		815.16	813.85	813.95	1
MH-39	80+00	25.1' LT	818.73		814.44	812.83	812.93	1
MH-40	81+00	25.1' LT	818.25		813.96	812.54	812.64	1
								TOTAL 27

60223700 MANHOLES, TYPE A, 6' DIAMETER, TYPE 1 FRAME, OPEN LID								
MANHOLE	STA	O/S TO CTR	RIM	INV (N)	INV (S)	INV (E)	INV (W)	EACH
MH-100	38+12	26.2' LT	850.80	846.36	846.45		847.00(NW)	1
MH-41	81+75	25.1' LT	817.89		813.60	812.30(NE)	812.40	1
							TOTAL	2

60224457 MANHOLES, TYPE A, 8' DIAMETER, TYPE 1 FRAME, OPEN LID								
MANHOLE	STA	O/S TO CTR	RIM	INV (N)	INV (S)	INV (E)	INV (W)	EACH
MH-38	79+25	25.1' LT	819.09	815.00	814.80	813.07	813.57	1
							TOTAL	1

X6022230 MANHOLES, TYPE A, 4' DIAMETER, WITH SPECIAL FRAME AND GRATE									
MANHOLE	STA	O/S TO BC	TC	INV (N)	INV (S)	INV (E)	INV (W)	F&G	EACH
MH-113	35+50	23.1' RT	856.20			852.00	852.00	TY 50	1
MH-114	36+75	22.5' RT	854.50	850.59		849.60	849.60	TY 50	1
MH-112	39+12	30.2' LT	851.41		847.30(SE)	846.85	846.75(SW)	TY 50	1
								TOTAL	3

X6022930 MANHOLES, TYPE A, 5' DIAMETER, WITH SPECIAL FRAME AND GRATE									
MANHOLE	STA	O/S TO BC	TC	INV (N)	INV (S)	INV (E)	INV (W)	F&G	EACH
MH-110	37+85	38.6' LT	852.41	848.40(NE)	848.40(SW)	847.26		TY 50	1
MH-111	38+60	44.7' RT	852.51	847.45	848.80	847.55(NE)		TY 50	1
								TOTAL	2

X6024090 MANHOLES, TYPE A, 6' DIAMETER, WITH SPECIAL FRAME AND GRATE									
MANHOLE	STA	O/S TO BC	TC	INV (N)	INV (S)	INV (E)	INV (W)	F&G	EACH
MH-109	37+75	45.9' RT	852.41					TY 50	1
								TOTAL	1

X6020076 INLETS, SPECIAL, WITH SPECIAL FRAME AND GRATE									
INLET	STA	O/S TO BC	TC	INV (N)	INV (S)	INV (E)	INV (W)	F&G	EACH
I-1	33+00	19.7' LT	858.36	854.17	854.16			TY 50	1
I-2	33+00	19.7' RT	858.36	854.45				TY 50	1
I-3	34+50	22.6' LT	857.07	853.16				TY 50	1
I-5	35+50	23.1' LT	856.22	853.31				TY 50	1
I-7	36+75	23.1' LT	854.50	850.59				TY 50	1
I-11	37+77	55.3' RT	852.41	848.50(NW)	848.40(SE)			TY 50	1
I-9	38+05	47.5' LT	852.41		848.50(SW)			TY 50	1
I-23	39+00	29.6' RT	850.91			847.64	847.64	TY 50	1
I-24	39+15	26.4' RT	851.08				847.67	TY 50	1
I-21	39+32	23.4' LT	851.39				847.48(NW)	TY 50	1
I-19	40+00	23.1' LT	852.05	847.83	847.93			TY 50	1
I-20	40+00	23.1' RT	852.05	848.15				TY 50	1
I-18	41+10	23.1' RT	853.23	849.32				TY 50	1
I-17	41+10	23.1' LT	853.23	849.01	849.11			TY 50	1
I-15	42+32	22.3' LT	854.31	850.10	850.20			TY 50	1
I-16	42+32	22.3' RT	854.31	850.40				TY 50	1
I-13	43+00	21.1' LT	854.75	850.55	850.65			TY 50	1
I-14	43+00	21.2' RT	854.75	850.84				TY 50	1
I-25	45+25	21.1' RT	855.19	851.59				TY 50	1
I-26	45+25	21.1' LT	855.19	851.30	851.40			TY 50	1
I-27	46+16	21.1' RT	854.80	851.13				TY 50	1
I-28	46+16	21.1' LT	854.80	850.83	850.94			TY 50	1
I-29	46+75	21.1' RT	854.55	850.64				TY 50	1
I-30	46+75	21.1' LT	854.55	850.35	850.45			TY 50	1
I-31	47+50	21.1' RT	854.27	850.36				TY 50	1
I-32	47+50	21.1' LT	854.27	850.07	850.17			TY 50	1
I-33	47+90	21.1' RT		850.21		850.31		TY 50	1
I-36	47+90	21.1' LT		849.92	850.02	850.12		TY 50	1
I-34	48+00	21.1' RT	854.28				850.35	TY 50	1
I-35	48+00	21.1' LT	854.28				850.16	TY 50	1
I-37	49+00	21.1' RT	854.95	851.04				TY 50	1
I-38	49+00	21.1' LT	854.95	850.75	850.85			TY 50	1
I-39	50+25	21.1' RT	856.10	852.19				TY 50	1
I-40	50+25	21.1' LT	856.10	851.90	852.00			TY 50	1
I-41	53+75	21.4' RT	855.68	851.77				TY 50	1
I-42	53+75	21.1' LT	855.68	851.48	851.58			TY 50	1
I-44	55+00	21.1' LT	854.64	850.54	850.64			TY 50	1
I-43	55+00	21.1' RT	854.64	850.73				TY 50	1

X6020076 INLETS, SPECIAL, WITH SPECIAL FRAME AND GRATE (CONTINUED)										
INLET	STA	O/S TO BC	TC	INV (N)	INV (S)	INV (E)	INV (W)	F&G	EACH	
I-45	55+75	21.1' RT	854.24	850.33				TY 50	1	
I-46	55+75	21.1' LT	854.24	850.04	850.14			TY 50	1	
I-47	56+40	21.1' RT	853.96	850.05				TY 50	1	
I-48	56+40	21.1' LT	853.96	849.76	849.86			TY 50	1	
I-49	57+35	21.1' RT	853.51	849.60				TY 50	1	
I-50	57+35	21.1' LT	853.51	849.31	849.41			TY 50	1	
I-51	60+06	21.1' RT	848.56	844.65				TY 50	1	
I-52	60+06	21.1' LT	848.56	844.36	844.46			TY 50	1	
I-53	62+00	21.1' RT	845.24	841.33				TY 50	1	
I-54	62+00	21.1' LT	845.24	841.00	841.14			TY 50	1	
I-56	62+45	21.1' RT	844.87	839.81	839.81			TY 50	1	
I-57	62+45	21.1' LT	844.87	859.52	839.62			TY 50	1	
I-58	63+00	21.1' RT	844.61	840.70				TY 50	1	
I-59	63+00	21.1' LT	844.61	840.41	840.51			TY 50	1	
I-60	64+00	21.1' RT	844.17	840.26				TY 50	1	
I-61	64+00	21.1' LT	844.17	839.97	840.07			TY 50	1	
I-62	65+00	21.1' RT	843.17	839.26				TY 50	1	
I-63	65+00	21.1' LT	843.17	838.07	839.07			TY 50	1	
I-64	67+00	21.1' RT	839.09	835.18				TY 50	1	
I-65	67+00	21.1' LT	839.09	834.89	834.99			TY 50	1	
I-66	69+00	21.1' RT	834.87	830.96				TY 50	1	
I-67	69+00	21.1' LT	834.87	830.67	830.77			TY 50	1	
I-68	69+50	21.1' RT	834.28	830.37				TY 50	1	
I-69	69+50	21.1' LT								