

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
55	99 (1&2) WRS-3	WILL	305	25
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	
		SCHED-04 OF 4		

X4066885 POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, STONE MATRIX ASPHALT, N80

LOCATION	FROM STATION	WIDTH	OFFSET	TO STATION	WIDTH	OFFSET	TON
I-55	789+00.00	56.5	LT	793+03.84	56.5	LT	248
	789+00.00	40.5	RT	798+66.83	40.5	RT	426
	793+03.84	56.5	LT	794+08.90	44.5	LT	58
	794+08.90	44.5	LT	802+00.00	42.5	LT	375
	798+66.83	60.4	RT	799+79.40	53.8	RT	70
	799+79.40	53.8	RT	802+00.00	54.5	RT	130
	802+00.00	42.5	LT	817+00.00	42.5	LT	694
	802+00.00	54.5	RT	807+34.52	54.5	RT	317
	807+34.52	54.5	RT	810+28.58	43.5	RT	157
	810+28.58	42.5	RT	817+00.00	42.5	RT	311
	817+00.00	42.5	LT	832+00.00	42.5	LT	694
	817+00.00	42.5	RT	832+00.00	42.5	RT	694
	832+00.00	42.5	LT	847+00.00	42.5	LT	694
	832+00.00	42.5	RT	847+00.00	42.5	RT	694
	847+00.00	42.5	LT	862+00.00	42.5	LT	694
	847+00.00	42.5	RT	862+00.00	42.5	RT	694
	862+00.00	42.5	LT	877+00.00	42.5	LT	694
	862+00.00	42.5	RT	877+00.00	42.5	RT	694
	877+00.00	42.5	LT	886+58.51	42.5	LT	444
	877+00.00	42.5	RT	884+87.15	42.5	RT	364
	884+87.15	43.5	RT	887+94.76	59.5	RT	173
	886+58.51	43.5	LT	892+00.00	58.3	LT	300
	887+94.76	42.5	RT	892+00.00	42.5	RT	188
	887+94.76	16.0	RT	890+30.91	16.0	RT	41
	892+00.00	58.3	LT	893+56.09	62.5	LT	103
	892+00.00	42.5	RT	907+00.00	42.5	RT	694
	893+56.09	42.5	LT	907+00.00	42.5	LT	622
	893+56.09	16.0	LT	895+67.89	16.0	LT	37
	907+00.00	42.5	LT	910+09.65	42.5	LT	143
	907+00.00	42.5	RT	910+09.65	42.5	RT	143
	910+09.65	36.0	LT	912+16.22	36.0	LT	81
	910+09.65	36.0	RT	912+30.12	36.0	RT	86
	912+16.22	12.0	LT	917+17.79	12.0	LT	66
	912+30.12	12.0	RT	915+35.42	12.0	RT	40
	917+17.79	6.0	LT	922+00.00	6.0	LT	32
	915+35.42	6.0	RT	921+43.17	6.0	RT	40
	912+30.12	1.0	RT	919+48.10	10.0	RT	43
	913+98.71	1.0	LT	921+47.15	9.9	LT	44
	919+48.10	40.0	RT	922+00.00	36.7	RT	105
	921+47.15	40.0	LT	922+00.00	37.4	LT	22
	922+00.00	37.4	LT	924+88.00	24.0	LT	96
	922+00.00	6.0	LT	924+88.00	6.0	RT	19
	922+00.00	36.7	RT	926+68.43	29.4	RT	169
	924+88.00	12.0	LT	937+00.00	12.0	LT	158
	926+68.43	18.1	RT	930+80.31	12.0	RT	67
	930+80.31	12.0	RT	937+00.00	12.0	RT	81
	937+00.00	12.0	LT	939+88.31	12.0	LT	38
	939+88.31	12.0	LT	942+40.40	1.0	LT	18
	937+00.00	12.0	RT	945+80.31	12.0	RT	115
	945+80.31	12.0	RT	950+84.47	1.0	RT	36
IL 126 ENT RAMP	1797+84.39	16.0	LT	1798+64.20	16.0	LT	14

TOTAL: 12,961

X6063401 COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.12

LOCATION	FROM STATION	OFFSET	TO STATION	OFFSET	FOOT
I-55	919+00.00	85.3'RT	923+00.00	77.6'RT	400.0
					TOTAL: 400.0

X6370940 CONCRETE BARRIER, DOUBLE FACE, 42 INCH HEIGHT

LOCATION	FROM STATION	OFFSET	TO STATION	OFFSET	FOOT
I-55	789+00.00	CL	802+00.00	CL	1,300
	802+00.00	CL	817+00.00	CL	1,500
	817+00.00	CL	832+00.00	CL	1,500
	832+00.00	CL	847+00.00	CL	1,500
	847+00.00	CL	862+00.00	CL	1,500
	862+00.00	CL	877+00.00	CL	1,500
	877+00.00	CL	892+00.00	CL	1,500
	892+00.00	CL	904+82.45	CL	1,282
	906+15.50	CL	907+00.00	CL	85
	907+00.00	CL	910+09.65	CL	310
					TOTAL: 11,977

Z0001050 AGGREGATE SUBGRADE 12"

LOCATION	FROM STATION	WIDTH	OFFSET	TO STATION	WIDTH	OFFSET	SQ YD
I-55	789+00.00	40.0	CL	802+00.00	40.0	CL	5,778
	802+00.00	40.0	CL	817+00.00	40.0	CL	6,667
	817+00.00	40.0	CL	832+00.00	40.0	CL	6,667
	832+00.00	40.0	CL	847+00.00	40.0	CL	6,667
	847+00.00	40.0	CL	862+00.00	40.0	CL	6,667
	862+00.00	40.0	CL	877+00.00	40.0	CL	6,667
	877+00.00	40.0	CL	892+00.00	40.0	CL	6,667
	892+00.00	40.0	CL	907+00.00	40.0	CL	6,667
	907+00.00	40.0	CL	910+09.65	40.0	CL	1,376
	910+09.65	12.0	LT	917+17.79	12.0	LT	944
	910+09.65	12.0	RT	915+35.42	12.0	RT	701
	915+35.42	6.0	RT	921+43.17	6.0	RT	405
	917+17.79	6.0	LT	924+88.00	6.0	LT	513
							TOTAL: 56,385

HOT-MIX ASPHALT BASE COURSE, 2 1/2"

LOCATION	FROM STATION	WIDTH	OFFSET	TO STATION	WIDTH	OFFSET	SQ YD
I-55	789+00.00	18.5	LT	802+00.00	18.5	LT	2,672
	789+00.00	18.5	RT	802+00.00	18.5	RT	2,672
	802+00.00	18.5	LT	817+00.00	18.5	LT	3,083
	802+00.00	18.5	RT	817+00.00	18.5	RT	3,083
	817+00.00	18.5	LT	832+00.00	18.5	LT	3,083
	817+00.00	18.5	RT	832+00.00	18.5	RT	3,083
	832+00.00	18.5	LT	847+00.00	18.5	LT	3,083
	832+00.00	18.5	RT	847+00.00	18.5	RT	3,083
	847+00.00	18.5	LT	862+00.00	18.5	LT	3,083
	847+00.00	18.5	RT	862+00.00	18.5	RT	3,083
	862+00.00	18.5	LT	877+00.00	18.5	LT	3,083
	862+00.00	18.5	RT	877+00.00	18.5	RT	3,083
	877+00.00	18.5	LT	892+00.00	18.5	LT	3,083
	877+00.00	18.5	RT	892+00.00	18.5	RT	3,083
	892+00.00	18.5	LT	910+09.65	18.5	LT	3,720
	892+00.00	18.5	RT	910+09.65	18.5	RT	3,720
	910+09.65	12.0	LT	917+17.79	12.0	LT	944
	910+09.65	12.0	RT	915+35.42	12.0	RT	701
	915+35.42	6.0	RT	921+43.17	6.0	RT	405
	917+17.79	6.0	LT	922+00.00	6.0	LT	321
	922+00.00	6.0	LT	924+88.00	6.0	LT	192
							TOTAL: 52,348

TEMPORARY ASPHALT WEDGE

LOCATION	FROM STATION	OFFSET	WIDTH	TO STATION	OFFSET	WIDTH	SQ YD
WINTER SHUTDOWN	878+50.00	20' LT	4	910+10.00	20' LT	4	1404
	878+50.00	20' RT	4	910+10.00	20' RT	4	1404
							TOTAL: 2,809

ADDITIONAL QUANTITIES FOR WINTER 2007 CONSTRUCTION

CODE NO.	ITEM	UNIT	QUANTITY	BEGIN STATION	END STATION
70300520	PAVEMENT MARKING TAPE , TYPE III 4"	FOOT	15,540	875+00	913+85
70300530	PAVEMENT MARKING TAPE , TYPE III 5"	FOOT	1,930	875+00	913+85
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	5,985	875+00	913+85
78005110	EPOXY PAVEMENT MARKING , LINE 4"	FOOT	15,540	875+00	913+85
78005120	EPOXY PAVEMENT MARKING , LINE 5"	FOOT	1,930	875+00	913+85
78005150	EPOXY PAVEMENT MARKING , LINE 12"	FOOT	341	878+50	910+10
78300100	PAVEMENT MARKING REMOVAL	SQ FT	5,985	875+00	913+85
X0324685	TEST STRIP (STONE MATRIX ASPHALT)	EACH	1		
Z0030260	IMPACT ATTENUATORS, TEMPORARY (FULLY REDIRECTIVE, NARROW), TES	EACH	1	878+50	878+50
	TEMPORARY ASPHALT WEDGE	SQ YD	2,810	878+50	910+10

NOTE: ABOVE QUANTITY TOTALS HAVE BEEN INCLUDED IN SUMMARY OF QUANTITIES.

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
FAI ROUTE 55
143RD STREET TO WEBER ROAD

SCHEDULE OF QUANTITIES

SCALE: NONE
DATE: 02-23-07

DRAWN BY: AR
CHECKED BY: SJV



FINAL