

FAU 6791

ENGINEERING DIVISION
CITY OF GALESBURG, ILLINOIS

PLANS FOR PROPOSED
S. HENDERSON ST. RESURFACING

PROJECT LIMITS: S. HENDERSON ST. FROM MONMOUTH BLVD. TO W. MAIN ST.
FEDERAL PROJECT # M-5025(036)
SECTION 04-00401-24-RS
T 11N, R 1E, S 10 OF THE 4th P. M.

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	1

CALL J.U.L.I.E.
BEFORE DIGGING
800-892-0123

QC/QA HMA
Superpave Project


SUMMARY OF QUANTITIES

SEE SHEET NO. 2

INDEX OF SHEETS

SHEET NO. 1	TITLE SHEET
SHEET NO. 2	SUMMARY OF QUANTITIES/ HMA MIX REQUIREMENTS/PAVEMENT DESIGN
SHEET NO. 3	TYPICAL SECTIONS/BASE COURSE WIDENING DETAILS
SHEET NO. 4	SCHEDULE OF QUANTITIES
SHEET NO. 5	SCHEDULE OF QUANTITIES (CONT.)
SHEET NO. 6	DETAILS 1 -SIDE STREET BUTT JOINTS
SHEET NO. 7	DETAILS 2 -SIDE STREET BUTT JOINTS (CONT.)
SHEET NO. 8	DETAILS 3 -SOUTH ST RECONSTRUCTION
SHEET NO. 9	DETAILS 4 -SOUTH ST RECONSTRUCTION (CONT.)
SHEET NO. 10	PLAN & PROFILE 1 - STA. 9+91 - 12+50
SHEET NO. 11	PLAN & PROFILE 2 - STA. 12+50 - 15+00
SHEET NO. 12	PLAN & PROFILE 3 - STA. 15+00 - 17+50
SHEET NO. 13	PLAN & PROFILE 4 - STA. 17+50 - 20+00
SHEET NO. 14	PLAN & PROFILE 5 - STA. 20+00 - 22+50
SHEET NO. 15	PLAN & PROFILE 6 - STA. 22+50 - 25+00
SHEET NO. 16	PLAN & PROFILE 7 - STA. 25+00 - 27+10
SHEET NO. 17	SHORT-TERM PAVEMENT MARKING DETAIL - APPLICATION I
SHEET NO. 18	SHORT-TERM PAVEMENT MARKING DETAIL - APPLICATION II
SHEET NO. 19	SHORT-TERM PAVEMENT MARKING DETAIL - APPLICATION III
SHEET NO. 20	THERMOPLASTIC PAVEMENT MARKING DETAIL - 10+00 - 20+00
SHEET NO. 21	THERMOPLASTIC PAVEMENT MARKING DETAIL - 20+00 - 27+10

C-94-040-05



GENERAL LOCATION MAP
NOT TO SCALE

Knox County

TOTAL GROSS LENGTH OF PROJECT = 2,334 FEET = 0.442 MILES
TOTAL NET LENGTH OF PROJECT = 1,719 FEET = 0.326 MILES

PROJECT DESCRIPTION:

THIS PROJECT CONSISTS OF 3" HMA REMOVAL (COLD MILLING), 4" HOT-MIX ASPHALT SUPERPAVE RESURFACING, MISCELLANEOUS UTILITY ADJUSTMENTS, RECONSTRUCTION OF WEST SIDE OF SOUTH STREET INTERSECTION, CURB AND GUTTER REPLACEMENT AS NEEDED, SIDEWALK REPLACEMENT AS NEEDED, THERMOPLASTIC PAVEMENT MARKINGS, AND OTHER COLLATERAL WORK.

HIGHWAY STANDARDS

STD. NO.	DESCRIPTION
000001-04	STANDARD SYMBOLS ABBREVIATIONS & PATTERNS
424001-04	CURB RAMPS FOR SIDEWALK
442201-02	CLASS C&D PATCHES
604006-02	FRAME & GRATE TYPE 3
606001-03	CONCRETE CURB TYPE B & COMBINATION CONCRETE C&G
701301-02	LANE CLOSURE 2L2W SHORT-TIME OPERATIONS
701502-01	URBAN CLOSURE 2L2W WITH BI-DIRECTIONAL LEFT TURN LANE
701606-04	URBAN LANE CLOSURE MULTILANE 2V WITH MOUNTABLE MEDIAN
701701-04	URBAN LANE CLOSURE MULTILANE INTERSECTION
701801-03	LANE CLOSURE MULTILANE 1W2W WITH CROSSWALK OR SIDEWALK CLOSURE
702001-06	TRAFFIC CONTROL DEVICES
780001-01	TYPICAL PAVEMENT MARKINGS
886001	DETECTOR LOOP INSTALLATIONS
886006	TYPICAL LAYOUTS FOR DETECTOR LOOPS

ENGINEERING DIVISION
CITY OF GALESBURG ILLINOIS

APPROVED 3/27 2007
Wayne E. Carl
LOCAL AGENCY REPRESENTATIVE

EXP. 11/30/2007

PASSED MARCH 29 2007
Libert Laballe
DISTRICT 4 ENGINEER OF LOCAL ROADS & STREETS

RELEASING FOR BID
BASED ON LIMITED
REVIEW MAY 30, 2007
J. [Signature]
DEPUTY DIRECTOR OF HIGHWAYS, REGION 4 ENGINEER
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TITLE SHEET

S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



SUMMARY OF QUANTITIES

PAY CODE	PAY ITEM	UNITS	TOTAL QUANTITY 1000
20200410	EARTH EXCAVATION (SPECIAL)	CU YD	43
35102000	AGGREGATE BASE COURSE, TYPE B 8"	SQ YD	121
35400300	PORTLAND CEMENT CONCRETE BASE COURSE WIDENING 8"	SQ YD	201
40200800	AGGREGATE SURFACE COURSE, TYPE B	TON	6
40600100	BITUMINOUS MATERIALS (PRIME COAT)	GAL	666
40600300	AGGREGATE (PRIME COAT)	TON	17
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	497
40600995	TEMPORARY RAMP, SPECIAL	SQ YD	225
40603080	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	1182
40603535	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	725
40800050	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	4
42400100	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	3881
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SQ FT	213
42400410	PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH	SQ FT	164
42400800	DETECTABLE WARNINGS	SQ FT	64
44000080	HOT-MIX ASPHALT SURFACE REMOVAL (COLD MILLING)-3	SQ YD	7652
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	1483
44000600	SIDEWALK REMOVAL	SQ FT	4217
44004400	PAVEMENT REMOVAL (SPECIAL)	SQ YD	201
44201361	CLASS C PATCHES, TYPE I, 11 INCH	SQ YD	13
44201365	CLASS C PATCHES, TYPE II, 11 INCH	SQ YD	57
44201369	CLASS C PATCHES, TYPE III, 11 INCH	SQ YD	60
44201371	CLASS C PATCHES, TYPE IV, 11 INCH	SQ YD	212
60260500	INLETS TO BE ADJUSTED WITH NEW TYPE 3 FRAME AND GRATE	EACH	10
60266600	VALVE BOXES TO BE ADJUSTED	EACH	4
60300305	FRAMES AND LIDS TO BE ADJUSTED	EACH	14
60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6. 12	FOOT	1330
60605000	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6. 24	FOOT	173
67100100	MOBILIZATION	L. SUM	1
70101700	TRAFFIC CONTROL AND PROTECTION	L. SUM	1
70300100	SHORT-TERM PAVEMENT MARKING	FOOT	1696
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	221
* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS & SYMBOLS	SQ FT	402
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	4371
* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	520
* 78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	485
* 78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	151
* 88600100	DETECTOR LOOP, TYPE I	FOOT	384
X4402200	PAVEMENT REMOVAL (CONCRETE)	SQ YD	16
XX005807	PAVEMENT REMOVAL (PARTIAL DEPTH)	SQ YD	111
Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	L. SUM	1
XX006934	HOT-MIX ASPHALT BASE COURSE WIDENING, 4"	SQ YD	111
XX006935	BRICK SURFACE REMOVAL - BUTT JOINT	SQ YD	54

* SPECIALTY ITEM

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	2

PAVEMENT DESIGN S. HENDERSON ST.

MODIFIED AASHTO DESIGN FOR OVERLAYS ON EXISTING RIGID/COMPOSITE PAVEMENTS

2006 ADT = 6,400
DESIGN PERIOD = 20 YEARS
2017 PROJECTED ADT = 7,140
(1% ANNUAL INCREASE)

TYPE	NO.
P. V	6,640
S. U.	286
M. U.	214
TOTAL	7,140

STREET CLASSIFICATION: CLASS II
(4 LANE WITH 3,500 ADT OR GREATER)
TRAFFIC FACTOR: 1.72
ILLINOIS BEARING RATIO: 3
STRUCTURAL NUMBER: 3.35

REQUIRED OVERLAY = 3.8 INCHES OF HMA
PROPOSED OVERLAY = 4.0 INCHES OF HMA

W. SOUTH ST. RECONSTRUCTION CONVENTIONAL FLEXIBLE PAVEMENT DESIGN FOR LOCAL AGENCIES

EST 2006 ADT = 600
DESIGN PERIOD = 20 YEARS
2017 PROJECTED ADT = 690
(1% ANNUAL INCREASE)

TYPE	NO.
P. V	607
S. U.	48
M. U.	35
TOTAL	690

STREET CLASSIFICATION: CLASS III
TRAFFIC FACTOR: 0.15
ILLINOIS BEARING RATIO: 3

REQUIRED BASE = 8.0 INCHES OF AGG TYPE B
REQUIRED OVERLAY = 4.25 INCHES OF HMA
PROPOSED OVERLAY = 4.75 INCHES OF HMA


HMA MIXTURE REQUIREMENTS

THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT

MIXTURE USE(S)	POLY SURFACE COURSE	BINDER COURSE
AC/PG	SBS or SBR 70-22	PG 64-22
RAP % (MAX)**	0.0%	25%
DESIGN AIR VOIDS	4.2% @ N(des) = 50	4.2% @ N(des) = 50
MIXTURE COMPOSITION (GRADATION MIXTURE)	IL 9.5 only	IL 19.0
FRICTION AGGREGATE	MIXTURE D (COLDMIX ONLY)	N/A

SUMMARY OF QUANTITIES


S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362




CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	3

TYPICAL SECTIONS S. HENDERSON ST.

EXISTING
NOT TO SCALE
STA 10+00 - 25+00




PROPOSED
NOT TO SCALE
STA 10+00 - 25+00




PCC BASE COURSE WIDENING 8" DETAIL AS SHOWN IN PLANS

NOT TO SCALE




NOTE: EXPANSION MATERIAL SHALL BE USED WHEN BACK OF CURB ABUTS EXISTING OR PROPOSED SIDEWALK OR DRIVEWAYS. COST SHALL BE INCLUDED IN UNIT PRICE BID PER FOOT FOR CC&G TB6.12

EXISTING
NOT TO SCALE
STA 25+00 - 27+10




PROPOSED
NOT TO SCALE
STA 25+00 - 27+10



HMA BASE COURSE WIDENING 4" DETAIL AS SHOWN IN PLANS

NOT TO SCALE



TYPICAL SECTIONS-HENDERSON ST

S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



SCHEDULE OF QUANTITIES

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	4

20200410	
EARTH EXCAVATION SPL	
STA 19+85 - 20+36 LT	43 CU YD
TOTAL	43 CU YD
35102000	
AGG BASE CSE B B	
STA 19+85 - 20+36 LT	121 SQ YD
TOTAL	121 SQ YD
35400300	
PCC BASE CSE W B	
STA 10+18.8 - 10+21.8 LT	0.5 SQ YD
STA 10+36.0 - 10+47.5 LT	1.9 SQ YD
STA 10+61.0 - 10+65.0 LT	1.1 SQ YD
STA 10+64.5 - 10+67.9 RT	0.6 SQ YD
STA 10+75.0 - 10+78.2 RT	0.5 SQ YD
STA 10+98.7 - 11+15.0 RT	2.7 SQ YD
STA 11+33.5 - 11+36.5 RT	0.5 SQ YD
STA 11+37.5 - 11+49.0 LT	1.9 SQ YD
STA 11+75.5 - 12+03.5 RT	4.7 SQ YD
STA 11+82.4 - 12+57.9 LT	12.6 SQ YD
STA 12+18.0 - 12+54.5 RT	6.1 SQ YD
STA 12+74.5 - 12+85.3 RT	1.8 SQ YD
STA 12+91.6 - 12+98.2 RT	1.1 SQ YD
STA 13+08.3 - 13+87.6 RT	13.2 SQ YD
STA 13+10.5 - 13+14.0 LT	0.6 SQ YD
STA 13+90.7 - 15+04.0 LT	18.9 SQ YD
STA 14+02.8 - 14+14.3 RT	1.9 SQ YD
STA 14+29.5 - 14+32.5 RT	0.5 SQ YD
STA 14+51.8 - 14+88.0 RT	6.0 SQ YD
STA 15+14.0 - 15+23.5 RT	1.6 SQ YD
STA 15+14.5 - 15+27.0 LT	2.3 SQ YD
STA 15+33.3 - 15+44.6 RT	1.9 SQ YD
STA 15+53.7 - 15+60.7 RT	1.2 SQ YD
STA 15+62.3 - 15+78.5 LT	3.1 SQ YD
STA 15+86.4 - 15+97.5 LT	1.8 SQ YD
STA 16+10.0 - 16+15.5 LT	0.9 SQ YD
STA 16+21.0 - 16+50.5 RT	4.9 SQ YD
STA 16+61.0 - 16+74.6 RT	2.3 SQ YD
STA 16+68.0 - 16+71.0 LT	0.5 SQ YD
STA 16+95.5 - 17+24.5 RT	4.8 SQ YD
STA 17+35.5 - 17+82.5 LT	7.8 SQ YD
STA 17+40.7 - 17+51.3 RT	1.8 SQ YD
STA 17+59.4 - 17+69.0 RT	1.6 SQ YD
STA 17+91.9 - 18+33.5 LT	6.9 SQ YD
STA 18+00.5 - 18+12.0 RT	1.9 SQ YD
STA 18+31.0 - 18+37.2 RT	1.0 SQ YD
STA 18+42.3 - 18+48.7 LT	1.1 SQ YD
STA 18+50.1 - 18+77.6 RT	4.6 SQ YD
STA 18+66.1 - 18+69.5 LT	0.6 SQ YD
STA 18+98.0 - 19+02.0 LT	0.7 SQ YD
STA 19+04.1 - 19+07.1 RT	0.5 SQ YD
STA 19+15.0 - 19+18.0 RT	0.5 SQ YD
STA 19+19.6 - 19+82.7 LT	10.5 SQ YD
STA 19+26.5 - 19+50.0 RT	3.9 SQ YD
STA 19+59.5 - 19+62.5 RT	0.5 SQ YD
STA 19+71.8 - 19+76.8 RT	0.8 SQ YD
STA 20+47.6 - 20+76.0 LT	4.7 SQ YD
STA 20+62.4 - 20+67.0 RT	0.8 SQ YD
STA 20+83.5 - 20+86.5 RT	0.5 SQ YD
STA 20+90.3 - 21+56.3 LT	11.0 SQ YD
STA 21+15.2 - 21+19.7 RT	0.8 SQ YD
STA 21+33.7 - 21+36.9 RT	0.5 SQ YD
STA 21+41.3 - 21+44.3 RT	0.5 SQ YD
STA 21+51.1 - 21+54.1 RT	0.5 SQ YD
STA 21+67.0 - 21+70.0 LT	0.5 SQ YD
STA 21+70.4 - 21+73.4 RT	0.5 SQ YD
STA 21+78.0 - 21+89.0 LT	1.8 SQ YD
STA 21+99.5 - 22+04.0 LT	0.8 SQ YD
STA 22+18.0 - 22+21.0 LT	0.5 SQ YD
STA 22+30.0 - 22+33.0 LT	0.5 SQ YD
STA 22+45.5 - 22+49.5 RT	0.7 SQ YD
STA 22+47.3 - 22+60.8 RT	2.2 SQ YD
STA 22+54.5 - 22+57.5 RT	0.5 SQ YD
STA 22+72.4 - 22+75.8 RT	0.6 SQ YD
STA 22+77.3 - 23+30.6 LT	8.9 SQ YD
STA 22+86.7 - 22+90.5 RT	0.6 SQ YD
STA 23+24.0 - 23+27.0 RT	0.5 SQ YD
STA 23+42.2 - 23+47.0 LT	0.8 SQ YD
STA 23+53.3 - 23+56.3 RT	0.5 SQ YD
STA 23+83.4 - 23+90.4 RT	1.2 SQ YD
STA 23+91.4 - 23+94.5 LT	0.5 SQ YD
STA 24+01.3 - 24+05.9 RT	0.8 SQ YD
STA 24+02.5 - 24+10.0 LT	1.2 SQ YD
STA 24+18.7 - 24+24.7 LT	1.0 SQ YD
STA 24+24.7 - 24+27.7 RT	0.5 SQ YD
STA 24+46.0 - 25+01.5 LT	9.2 SQ YD
TOTAL	201 SQ YD

40200800	
AGG SURF CSE B	
STA 13+16 RT	0.6 TONS
STA 13+75 RT	0.4 TONS
STA 14+75 RT	0.8 TONS
STA 17+19 LT	0.6 TONS
STA 17+45 RT	0.4 TONS
STA 17+60 RT	0.4 TONS
STA 18+29 LT	0.8 TONS
STA 18+95 LT	0.4 TONS
STA 21+10 LT	0.4 TONS
STA 24+75 LT	1.4 TONS
TOTAL	6 TONS
40600100	
BIT MATLS PR CT	
STA 9+91 - 12+50	103 GAL
STA 12+50 - 15+00	89 GAL
STA 15+00 - 17+50	97 GAL
STA 17+50 - 20+00	89 GAL
STA 20+00 - 22+50	105 GAL
STA 22+50 - 25+00	91 GAL
STA 25+00 - 27+10	92 GAL
TOTAL	666 GAL
40600300	
AGG PR CT	
STA 9+91 - 12+50	2.6 TONS
STA 12+50 - 15+00	2.2 TONS
STA 15+00 - 17+50	2.4 TONS
STA 17+50 - 20+00	2.2 TONS
STA 20+00 - 22+50	2.6 TONS
STA 22+50 - 25+00	2.3 TONS
STA 25+00 - 27+10	2.3 TONS
TOTAL	17 TONS
40600982	
HMA SURF REM BUTT JT	
STA 9+91 - 10+11	174.8 SQ YD
STA 10+85 LT	36.2 SQ YD
STA 15+44 LT	52.5 SQ YD
STA 20+08 RT	74.7 SQ YD
STA 24+73 RT	26.6 SQ YD
STA 26+90 - 27+10	131.9 SQ YD
TOTAL	497 SQ YD
40600995	
TEMPORARY RAMP SPL	
STA 9+91 CL	61.1 SQ YD
STA 10+85 LT	17.8 SQ YD
STA 11+05 RT	2.0 SQ YD
STA 11+80 RT	2.2 SQ YD
STA 13+15 RT	2.5 SQ YD
STA 13+75 LT	6.0 SQ YD
STA 13+75 RT	3.5 SQ YD
STA 14+75 RT	3.3 SQ YD
STA 15+44 LT	15.6 SQ YD
STA 15+77 RT	13.3 SQ YD
STA 17+20 LT	1.7 SQ YD
STA 17+45 RT	1.7 SQ YD
STA 17+60 RT	2.0 SQ YD
STA 18+30 LT	1.7 SQ YD
STA 18+95 LT	1.7 SQ YD
STA 20+03 LT	10.6 SQ YD
STA 20+08 RT	21.1 SQ YD
STA 21+10 LT	1.3 SQ YD
STA 24+73 RT	22.2 SQ YD
STA 24+75 LT	6.0 SQ YD
STA 27+00 LT	13.9 SQ YD
STA 27+20 RT	13.3 SQ YD
TOTAL	225 SQ YD
40603080	
HMA BC SUPER IL-19.0 N50	
STA 9+91 - 12+50	178 TONS
STA 12+50 - 15+00	161 TONS
STA 15+00 - 17+50	172 TONS
STA 17+50 - 20+00	161 TONS
STA 20+00 - 22+50	184 TONS
STA 22+50 - 25+00	161 TONS
STA 25+00 - 27+10	165 TONS
TOTAL	1182 TONS
40603535	
P HMA SC SUPER "D" N50	
STA 9+91 - 12+50	110 TONS
STA 12+50 - 15+00	97 TONS
STA 15+00 - 17+50	107 TONS
STA 17+50 - 20+00	97 TONS
STA 20+00 - 22+50	114 TONS
STA 22+50 - 25+00	100 TONS
STA 25+00 - 27+10	100 TONS
TOTAL	725 TONS

40800050	
INCIDENTAL HMA SURF	
STA 11+05 RT	0.2 TONS
STA 11+80 RT	0.2 TONS
STA 12+00 LT	0.2 TONS
STA 12+75 LT	0.4 TONS
STA 13+15 RT	0.1 TONS
STA 13+75 LT	0.2 TONS
STA 13+75 RT	0.1 TONS
STA 14+00 LT	0.2 TONS
STA 14+25 LT	0.2 TONS
STA 14+75 RT	0.2 TONS
STA 16+50 LT	0.3 TONS
STA 17+45 RT	0.1 TONS
STA 17+60 RT	0.1 TONS
STA 18+30 LT	0.2 TONS
STA 18+95 LT	0.2 TONS
STA 21+10 LT	0.1 TONS
STA 22+75 LT	0.2 TONS
STA 23+25 LT	0.2 TONS
STA 24+75 LT	0.4 TONS
TOTAL	4 TONS
42400100	
PC CONC SIDEWALK 4	
STA 10+15.7 - 10+58.0 LT	211.9 SQ FT
STA 10+37.5 - 10+63.5 RT	104.0 SQ FT
STA 11+07.0 - 12+66.0 LT	586.8 SQ FT
STA 12+84.3 - 13+34.8 LT	179.3 SQ FT
STA 13+23.2 - 13+61.9 RT	154.8 SQ FT
STA 13+43.3 - 13+47.3 RT	14.4 SQ FT
STA 13+87.6 - 14+07.0 LT	69.2 SQ FT
STA 14+20.2 - 15+16.3 LT	345.2 SQ FT
STA 15+55 RT	39.0 SQ FT
STA 15+73.2 - 16+30.9 LT	209.4 SQ FT
STA 16+62.2 - 17+11.2 LT	176.4 SQ FT
STA 17+27.4 - 18+19.0 LT	325.2 SQ FT
STA 18+33.0 - 18+85.8 LT	187.4 SQ FT
STA 19+11.9 - 19+30.9 LT	68.4 SQ FT
STA 19+38.5 - 19+85.7 LT	205.7 SQ FT
STA 19+74.3 RT	43.0 SQ FT
STA 20+34.1 - 20+39.5 LT	22.1 SQ FT
STA 20+91.7 - 21+10.4 LT	66.4 SQ FT
STA 21+27.2 - 21+79.8 LT	189.4 SQ FT
STA 22+07.6 - 22+63.3 LT	200.5 SQ FT
STA 22+74.3 - 22+99.8 LT	89.2 SQ FT
STA 23+36.2 - 23+43.3 LT	25.2 SQ FT
STA 23+63.3 - 24+03.6 LT	143.1 SQ FT
STA 24+18.0 - 24+27.2 LT	34.0 SQ FT
STA 24+83.4 - 24+91.1 LT	27.0 SQ FT
STA 25+01.6 - 25+07.0 LT	22.1 SQ FT
STA 25+16.0 - 26+25.0 LT	141.0 SQ FT
TOTAL	3881 SQ FT
42400300	
PC CONC SIDEWALK 6	
STA 13+08.2 - 13+23.2 RT	60.0 SQ FT
STA 24+47.4 - 24+91.1 LT	153.0 SQ FT
TOTAL	213 SQ FT
42400410	
PC CONC SIDEWALK 8	
STA 10+58.0 - 10+64.0 LT	17.7 SQ FT
STA 11+01.0 - 11+07.0 LT	17.7 SQ FT
STA 15+16.3 - 15+26.5 LT	21.4 SQ FT
STA 15+55 RT	20.0 SQ FT
STA 15+63.0 - 15+73.3 LT	21.6 SQ FT
STA 19+74.3 RT	16.0 SQ FT
STA 19+85.7 - 19+92.0 LT	25.2 SQ FT
STA 20+25.2 - 20+39.5 LT	24.2 SQ FT
TOTAL	164 SQ FT
42400800	
DETECTABLE WARNINGS	
STA 10+63 LT	8.0 SQ FT
STA 11+03 LT	8.0 SQ FT
STA 15+24 LT	8.0 SQ FT
STA 15+55 RT	8.0 SQ FT
STA 15+65 LT	8.0 SQ FT
STA 19+73 RT	8.0 SQ FT
STA 19+85 LT	8.0 SQ FT
STA 20+25 LT	8.0 SQ FT
TOTAL	64 SQ FT
44000080	
HMA SURF REM 3 (CM)	
STA 10+11 - 12+50	1073.7 SQ YD
STA 12+50 - 15+00	1111.1 SQ YD
STA 15+00 - 17+50	1111.1 SQ YD
STA 17+50 - 20+00	1111.1 SQ YD
STA 20+00 - 22+50	1111.1 SQ YD

44000080	
HMA SURF REM (CM) 3 (CONT.)	
STA 22+50 - 25+00	1111.1 SQ YD
STA 25+00 - 26+90	1023.3 SQ YD
TOTAL	7652 SQ YD
44000500	
COMB CURB GUTTER REM	
STA 10+18.8 - 10+21.8 LT	3.0 FT
STA 10+20.0 - 10+24.0 RT	4.0 FT
STA 10+36.0 - 10+47.5 LT	11.5 FT
STA 10+61.0 - 10+65.0 LT	6.6 FT
STA 10+64.5 - 10+67.9 RT	3.4 FT
STA 10+75.0 - 10+78.2 RT	3.2 FT
STA 10+98.7 - 11+15.0 RT	16.3 FT
STA 11+03.0 - 11+07.0 LT	4.0 FT
STA 11+33.5 - 11+36.5 RT	3.0 FT
STA 11+37.5 - 11+49.0 LT	11.5 FT
STA 11+75.5 - 12+03.5 RT	28.0 FT
STA 11+82.4 - 12+57.9 LT	75.5 FT
STA 12+18.0 - 12+54.5 RT	36.5 FT
STA 12+74.5 - 12	

SCHEDULE OF QUANTITIES (CONT.)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	5

44004400	
PAVT REMOVAL SPL (CONT.)	
STA 15+86.4 - 15+97.5 LT	1.8 SQ YD
STA 16+10.0 - 16+15.5 LT	0.9 SQ YD
STA 16+21.0 - 16+50.5 RT	4.9 SQ YD
STA 16+61.0 - 16+74.6 RT	2.3 SQ YD
STA 16+68.0 - 16+71.0 LT	0.5 SQ YD
STA 16+95.5 - 17+24.5 RT	4.8 SQ YD
STA 17+35.5 - 17+82.5 LT	7.8 SQ YD
STA 17+40.7 - 17+51.3 RT	1.8 SQ YD
STA 17+59.4 - 17+69.0 RT	1.6 SQ YD
STA 17+91.9 - 18+33.5 LT	6.9 SQ YD
STA 18+00.5 - 18+12.0 RT	1.9 SQ YD
STA 18+31.0 - 18+37.2 RT	1.0 SQ YD
STA 18+42.3 - 18+48.7 LT	1.1 SQ YD
STA 18+50.1 - 18+77.6 RT	4.6 SQ YD
STA 18+66.1 - 18+69.5 LT	0.6 SQ YD
STA 18+98.0 - 19+02.0 LT	0.7 SQ YD
STA 19+04.1 - 19+07.1 RT	0.5 SQ YD
STA 19+15.0 - 19+18.0 RT	0.5 SQ YD
STA 19+19.6 - 19+82.7 LT	10.5 SQ YD
STA 19+26.5 - 19+50.0 RT	3.9 SQ YD
STA 19+59.5 - 19+62.5 RT	0.5 SQ YD
STA 19+71.8 - 19+76.8 RT	0.8 SQ YD
STA 20+47.6 - 20+76.0 LT	4.7 SQ YD
STA 20+62.4 - 20+67.0 RT	0.8 SQ YD
STA 20+83.5 - 20+86.5 RT	0.5 SQ YD
STA 20+90.3 - 21+56.3 LT	11.0 SQ YD
STA 21+15.2 - 21+19.7 RT	0.8 SQ YD
STA 21+33.7 - 21+36.9 RT	0.5 SQ YD
STA 21+41.3 - 21+44.3 RT	0.5 SQ YD
STA 21+51.1 - 21+54.1 RT	0.5 SQ YD
STA 21+67.0 - 21+70.0 LT	0.5 SQ YD
STA 21+70.4 - 21+73.4 RT	0.5 SQ YD
STA 21+78.0 - 21+89.0 LT	1.8 SQ YD
STA 21+99.5 - 22+04.0 LT	0.8 SQ YD
STA 22+18.0 - 22+21.0 LT	0.5 SQ YD
STA 22+30.0 - 22+33.0 LT	0.5 SQ YD
STA 22+45.5 - 22+49.5 RT	0.7 SQ YD
STA 22+47.3 - 22+60.8 LT	2.2 SQ YD
STA 22+54.5 - 22+57.5 RT	0.5 SQ YD
STA 22+72.4 - 22+75.8 RT	0.6 SQ YD
STA 22+77.3 - 23+30.6 LT	8.9 SQ YD
STA 22+86.7 - 22+90.5 RT	0.6 SQ YD
STA 23+24.0 - 23+27.0 RT	0.5 SQ YD
STA 23+42.2 - 23+47.0 LT	0.8 SQ YD
STA 23+53.3 - 23+56.3 RT	0.5 SQ YD
STA 23+83.4 - 23+90.4 RT	1.2 SQ YD
STA 23+91.4 - 23+94.5 RT	0.5 SQ YD
STA 24+01.3 - 24+05.9 RT	0.8 SQ YD
STA 24+02.5 - 24+10.0 LT	1.2 SQ YD
STA 24+18.7 - 24+24.7 LT	1.0 SQ YD
STA 24+24.7 - 24+27.7 RT	0.5 SQ YD
STA 24+46.0 - 25+01.5 LT	9.2 SQ YD
TOTAL	201 SQ YD
44201361	
CL C PATCH T1 U	
STA 11+84.0 - 11+88.0 LT	1.8 SQ YD
STA 20+00.0 - 20+05.0 LT	2.8 SQ YD
STA 20+25.0 - 20+35.0 LT	3.9 SQ YD
STA 20+29.0 - 20+34.0 CL	4.7 SQ YD
TOTAL	13 SQ YD
44201365	
CL C PATCH T2 U	
STA 13+88.5 - 13+99.5 CL	6.1 SQ YD
STA 17+69.0 - 17+79.0 RT	6.1 SQ YD
STA 17+70.0 - 17+82.0 RT	10.7 SQ YD
STA 22+30.5 - 22+36.0 LT	6.1 SQ YD
STA 22+33.5 - 22+40.0 RT	6.1 SQ YD
STA 23+37.0 - 23+45.0 RT	8.0 SQ YD
STA 24+68.0 - 24+73.5 LT	12.5 SQ YD
TOTAL	57 SQ YD
44201369	
CL C PATCH T3 U	
STA 16+15+5 - 16+59.0 LT	21.8 SQ YD
STA 22+12.0 - 22+31.0 RT	20.1 SQ YD
STA 24+57.0 - 24+87.0 RT	18.3 SQ YD
TOTAL	60 SQ YD
44201371	
CL C PATCH T4 U	
STA 11+70.0 - 12+25.0 RT	30.6 SQ YD
STA 12+57.0 - 13+04.5 RT	28.7 SQ YD
STA 13+22.0 - 14+02.0 RT	53.3 SQ YD
STA 14+73.0 - 15+43.5 RT	39.2 SQ YD
STA 18+86.5 - 19+71.0 RT	59.9 SQ YD
TOTAL	212 SQ YD
60260500	
INLETS ADJ NEW T3F&G	
STA 10+22 RT	1 EA
STA 11+05 LT	1 EA
STA 15+60 RT	1 EA
STA 17+74 RT	1 EA
STA 17+81 LT	1 EA
STA 19+81 LT	1 EA

60260500	
INLETS ADJ NEW T3F&G (CONT.)	
STA 19+84 RT	1 EA
STA 24+52 RT	1 EA
STA 26+27 LT	1 EA
STA 26+33 RT	1 EA
TOTAL	4 EA
60266600	
VALVE BOX ADJ	
STA 11+00 RT	1 EA
STA 20+12 RT	1 EA
STA 20+28 RT	1 EA
STA 24+54 RT	1 EA
TOTAL	4 EA
60300305	
FR & LIDS ADJUST	
STA 11+03 LT	REPLACE 1 EA
STA 15+47 RT	REPLACE 1 EA
STA 15+53 RT	REPLACE 1 EA
STA 15+63 RT	REPLACE 1 EA
STA 15+88 RT	REPLACE 1 EA
STA 17+75 LT	REPLACE 1 EA
STA 19+79 RT	REPLACE 1 EA
STA 19+90 RT	REPLACE 1 EA
STA 19+91 LT	REPLACE 1 EA
STA 20+08 RT	REPLACE 1 EA
STA 20+48 RT	REPLACE 1 EA
STA 24+59 RT	REPLACE 1 EA
STA 24+72 RT	REPLACE 1 EA
STA 25+74 RT	REPLACE 1 EA
TOTAL	14 EA
60603800	
COMB CC&G TB6.12	
STA 10+18.8 - 10+21.8 LT	3.0 FT
STA 10+20.0 - 10+24.0 RT	4.0 FT
STA 10+36.0 - 10+47.5 LT	11.5 FT
STA 10+61.0 - 10+65.0 LT	6.6 FT
STA 10+64.5 - 10+67.9 RT	3.4 FT
STA 10+75.0 - 10+78.2 RT	3.2 FT
STA 10+98.7 - 11+15.0 RT	16.3 FT
STA 11+03.0 - 11+07.0 LT	4.0 FT
STA 11+33.5 - 11+36.5 RT	3.0 FT
STA 11+37.5 - 11+49.0 LT	11.5 FT
STA 11+75.5 - 12+03.5 RT	28.0 FT
STA 11+82.4 - 12+57.9 LT	75.5 FT
STA 12+18.0 - 12+54.5 RT	36.5 FT
STA 12+74.5 - 12+85.3 RT	10.8 FT
STA 12+91.6 - 12+98.2 RT	6.6 FT
STA 13+08.3 - 13+87.6 RT	79.3 FT
STA 13+10.5 - 13+14.0 LT	3.5 FT
STA 13+90.7 - 15+04.0 LT	113.3 FT
STA 14+02.8 - 14+14.3 RT	11.5 FT
STA 14+29.5 - 14+32.5 RT	3.0 FT
STA 14+51.8 - 14+88.0 RT	36.2 FT
STA 15+14.0 - 15+23.5 RT	9.5 FT
STA 15+14.5 - 15+27.0 LT	13.8 FT
STA 15+33.3 - 15+44.6 RT	11.3 FT
STA 15+53.7 - 15+63.0 RT	10.7 FT
STA 15+62.3 - 15+78.5 LT	18.7 FT
STA 15+86.4 - 15+97.5 LT	11.1 FT
STA 16+10.0 - 16+49.0 LT	39.0 FT
STA 16+21.0 - 16+50.5 RT	29.5 FT
STA 16+54.4 - 16+58.1 LT	3.7 FT
STA 16+61.0 - 16+74.6 RT	13.6 FT
STA 16+68.0 - 16+71.0 LT	3.0 FT
STA 16+95.5 - 17+24.5 RT	29.0 FT
STA 17+35.5 - 17+82.5 LT	47.0 FT
STA 17+40.7 - 17+51.3 RT	10.6 FT
STA 17+59.4 - 17+71.9 RT	12.5 FT
STA 17+72.0 - 17+76.0 RT	4.0 FT
STA 17+91.9 - 18+33.5 LT	41.6 FT
STA 18+00.5 - 18+12.0 RT	11.5 FT
STA 18+31.0 - 18+37.2 RT	6.2 FT
STA 18+42.3 - 18+48.7 LT	6.4 FT
STA 18+50.1 - 18+77.6 RT	27.5 FT
STA 18+66.1 - 18+69.5 LT	3.4 FT
STA 18+98.0 - 19+02.0 LT	4.0 FT
STA 19+04.1 - 19+07.1 RT	3.0 FT
STA 19+15.0 - 19+18.0 RT	3.0 FT
STA 19+19.6 - 19+94.1 LT	82.7 FT
STA 19+26.5 - 19+50.0 RT	23.5 FT
STA 19+59.5 - 19+62.5 RT	3.0 FT
STA 19+71.8 - 19+76.8 RT	5.0 FT
STA 19+82.0 - 19+86.0 RT	4.0 FT
STA 20+20.2 - 20+39.5 LT	28.3 FT
STA 20+47.6 - 20+76.0 LT	28.4 FT
STA 20+62.4 - 20+67.0 RT	4.6 FT
STA 20+83.5 - 20+86.5 RT	3.0 FT
STA 20+90.3 - 21+56.3 LT	66.0 FT
STA 21+15.2 - 21+19.7 RT	4.5 FT


60603800	
COMB CC&G TB6.12 (CONT.)	
STA 21+33.7 - 21+36.9 RT	3.2 FT
STA 21+41.3 - 21+44.3 RT	3.0 FT
STA 21+51.1 - 21+54.1 RT	3.0 FT
STA 21+67.0 - 21+70.0 LT	3.0 FT
STA 21+70.4 - 21+73.4 RT	3.0 FT
STA 21+78.0 - 21+89.0 LT	11.0 FT
STA 21+99.5 - 22+04.0 LT	4.5 FT
STA 22+18.0 - 22+21.0 LT	3.0 FT
STA 22+30.0 - 22+33.0 LT	3.0 FT
STA 22+36.0 - 22+39.0 RT	3.0 FT
STA 22+45.5 - 22+49.5 RT	4.0 FT
STA 22+47.3 - 22+60.8 LT	13.5 FT
STA 22+54.5 - 22+57.5 RT	3.0 FT
STA 22+72.4 - 22+75.8 RT	3.4 FT
STA 22+77.3 - 23+30.6 LT	53.3 FT
STA 22+86.7 - 22+90.5 RT	3.8 FT
STA 23+24.0 - 23+27.0 RT	3.0 FT
STA 23+39.9 - 23+45.4 RT	5.5 FT
STA 23+42.2 - 23+47.0 LT	4.8 FT
STA 23+53.3 - 23+56.3 RT	3.0 FT
STA 23+83.4 - 23+90.4 RT	7.0 FT
STA 23+91.4 - 23+94.5 RT	3.1 FT
STA 24+01.3 - 24+05.9 RT	4.6 FT
STA 24+02.5 - 24+10.0 LT	7.5 FT
STA 24+18.7 - 24+24.7 LT	6.0 FT
STA 24+24.7 - 24+27.7 RT	3.0 FT
STA 24+46.0 - 26+47.5 LT	197.5 FT
STA 24+50.0 - 24+55 RT	5.0 FT
TOTAL	1330 FT
78000600	
COMB CC&G TB6.24	
STA 25+00.0 - 25+10.5 RT	10.5 FT
STA 26+16.2 - 26+36.4 RT	20.2 FT
STA 26+25.0 - 26+29.0 LT	14.2 FT
TOTAL	173 FT
67100100	
MOBILIZATION	
TOTAL	1 L.SUM
70101700	
TRAF CONT & PROT	
TOTAL	1 L.SUM
7030100	
SHORT-TERM PAVT MKING	
APPLICATION I	
WHITE, 4" SKIP-DASH	
STA 9+91 - 11+50 LT	16.0 FT
STA 25+00 - 27+00 LT&RT	48.0 FT
WHITE, 12" STOP BAR	
STA 9+95 RT	20.0 FT
STA 10+00 LT	30.0 FT
WHITE, TURN ARROW	
STA 10+15	6.0 FT
YELLOW, DOUBLE SKIP-DASH	
STA 9+91 - 25+00	288.0 FT
APPLICATION II	
WHITE, 4" SKIP-DASH	
STA 9+91 - 12+50	16.0 FT
STA 12+50 - 15+00	48.0 FT
STA 15+00 - 17+50	32.0 FT
STA 17+50 - 20+00	48.0 FT
STA 20+00 - 22+50	48.0 FT
STA 22+50 - 25+00	40.0 FT
STA 25+00 - 27+10	48.0 FT
WHITE, 12" STOP BAR	
STA 9+95 RT	20.0 FT
STA 10+00 LT	30.0 FT
WHITE, 4" SKIP-DASH	
STA 9+91 - 12+50	72.0 FT
STA 12+50 - 15+00	48.0 FT
STA 15+00 - 17+50	32.0 FT
STA 17+50 - 20+00	48.0 FT
STA 20+00 - 22+50	40.0 FT
STA 22+50 - 25+00	40.0 FT
STA 25+00 - 27+10	16.0 FT
APPLICATION III	
WHITE, 4" SKIP-DASH	
STA 9+91 - 12+50	16.0 FT
STA 17+50 - 20+00	16.0 FT
STA 20+00 - 22+50	22.0 FT
STA 22+50 - 25+00	8.0 FT
STA 25+00 - 27+10	48.0 FT
WHITE, 12" STOP BAR	
STA 9+95 RT	20.0 FT
STA 10+00 LT	30.0 FT
WHITE, TURN ARROW	
STA 10+15 CL	6.0 FT
STA 15+00 CL	6.0 FT
STA 16+25 CL	6.0 FT
STA 19+75 CL	6.0 FT
STA 20+50 CL	6.0 FT

YELLOW, 4" DOUBLE SKIP-DASH	
STA 9+91 - 12+50	72.0 FT
STA 12+50 - 15+00	11


CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	6

WEST BROOKS ST

EXISTING BUTT JOINT DETAIL
NOT TO SCALE




PROPOSED BUTT JOINT DETAIL
NOT TO SCALE




WEST BERRIEN ST-EAST

EXISTING BUTT JOINT DETAIL
EAST SIDE
NOT TO SCALE




PROPOSED BUTT JOINT DETAIL
EAST SIDE
NOT TO SCALE




WEST BERRIEN ST-WEST

EXISTING BUTT JOINT DETAIL
WEST SIDE
NOT TO SCALE




PROPOSED BUTT JOINT DETAIL
WEST SIDE
NOT TO SCALE




WEST SOUTH ST-EAST

EXISTING BUTT JOINT DETAIL
EAST SIDE
NOT TO SCALE



PROPOSED BUTT JOINT DETAIL
EAST SIDE
NOT TO SCALE




DETAILS 1-SS BT JT
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



TOMPKINS ST


EXISTING BUTT JOINT DETAIL

NOT TO SCALE



PROPOSED BUTT JOINT DETAIL

NOT TO SCALE




CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	7

S. HENDERSON ST. BUTT JOINTS

BEGINNING OF PROJECT AND CONSTRUCTION


EXISTING BUTT JOINT DETAIL

STA 9+91 - 10+11
NOT TO SCALE



PROPOSED BUTT JOINT DETAIL


STA 9+91 - 10+11
NOT TO SCALE



END OF CONSTRUCTION


EXISTING BUTT JOINT DETAIL

STA 26+90 - 27+10
NOT TO SCALE



PROPOSED BUTT JOINT DETAIL

STA 26+90 - 27+10
NOT TO SCALE



DETAILS 2-SS BT JT

S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362





WEST SOUTH ST-WEST

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	8



- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T4 11
- PCC BASE COURSE WIDENING, 8"
- HMA ASPHALT BASE COURSE COURSE WIDENING, 4"
- COMB CC&G TYPE B-6.12 (REM)
- EARTH EXCAVATION SPL

REMOVAL DETAIL



- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T4 11
- PCC BASE COURSE WIDENING, 8"
- HMA ASPHALT BASE COURSE COURSE WIDENING, 4"
- COMB CC&G TYPE B-6.12
- 8" AGG BASE W/4.75" HMA

PROPOSED DETAIL



DETAILS 3-SOUTH ST RECON
 S. HENDERSON ST. RESURFACING
 SECTION # 04-00401-24-RS
 FAU ROUTE 6791
 JOB # C-94-040-05
 CONTRACT # 89362




WEST SOUTH ST-WEST

EXISTING BUTT JOINT DETAIL


WEST SIDE
NOT TO SCALE
SOUTH

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	9



PROPOSED BUTT JOINT DETAIL

WEST SIDE
NOT TO SCALE
SOUTH




PROPOSED

NOT TO SCALE

W. SOUTH ST. AT S. HENDERSON ST.-WEST

STA 50+20 - 50+35.5




PROPOSED


NOT TO SCALE

W. SOUTH ST. AT S. HENDERSON ST.-WEST

STA 50+35.5 - 50+61.5



DETAILS 4-SOUTH ST RECON
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	10

35400300	PCC BASE CSE W 8	
STA 10+18.8 - 10+21.8 LT	0.5 SQ YD	
STA 10+36.0 - 10+47.5 LT	1.9 SQ YD	
STA 10+61.0 - 10+65.0 LT	1.1 SQ YD	
STA 10+64.5 - 10+67.9 RT	0.6 SQ YD	
STA 10+75.0 - 10+78.2 RT	0.5 SQ YD	
STA 10+98.7 - 11+15.0 RT	2.7 SQ YD	
STA 11+33.5 - 11+36.5 RT	0.5 SQ YD	
STA 11+37.5 - 11+49.0 LT	1.9 SQ YD	
STA 11+75.5 - 12+03.5 RT	4.7 SQ YD	
STA 11+82.4 - 12+57.9 LT	12.6 SQ YD	

40600995	TEMPORARY RAMP SPL	
STA 9+91 CL	61.1 SQ YD	
STA 10+85 LT	17.8 SQ YD	
STA 11+05 RT	2.0 SQ YD	
STA 11+80 RT	2.2 SQ YD	
40603080	HMA BC SUPER 11-19.0 NS0	
STA 10+00 - 12+50	178 TONS	
40603535	P HMA SC SUPER "D" NS0	
STA 9+91 - 12+50	110 TONS	

40800050	INCIDENTAL HMA SURF	
STA 11+05 RT	0.2 TONS	
STA 11+80 RT	0.2 TONS	
STA 12+00 LT	0.2 TONS	

42400100	PC CONC SIDEWALK 4	
STA 10+15.7 - 10+58.0 LT	211.9 SQ FT	
STA 10+37.5 - 10+63.5 RT	104.0 SQ FT	
STA 11+07.0 - 12+66.0 LT	586.8 SQ FT	

42400410	PC CONC SIDEWALK 6	
STA 10+58.0 - 10+64.0 LT	17.7 SQ FT	
STA 11+01.0 - 11+07.0 LT	17.7 SQ FT	



42400800	DETECTABLE WARNINGS	
STA 10+63 LT	8.0 SQ FT	
STA 11+03 LT	8.0 SQ FT	

44000080	HMA SURF REM (CM) 3	
STA 10+11 - 12+50	1073.7 SQ YD	

44000500	COMB CURB GUTTER REM	
STA 10+18.8 - 10+21.8 LT	3.0 FT	
STA 10+20.0 - 10+24.0 RT	4.0 FT	
STA 10+36.0 - 10+47.5 LT	11.5 FT	
STA 10+61.0 - 10+65.0 LT	6.6 FT	
STA 10+64.5 - 10+67.9 RT	3.4 FT	
STA 10+75.0 - 10+78.2 RT	3.2 FT	
STA 10+98.7 - 11+15.0 RT	16.3 FT	
STA 11+13.0 - 11+17.0 LT	4.0 FT	
STA 11+33.5 - 11+36.5 RT	3.0 FT	
STA 11+37.5 - 11+49.0 LT	11.5 FT	
STA 11+75.5 - 12+03.5 RT	28.0 FT	
STA 11+82.4 - 12+57.9 LT	75.5 FT	

44000600	SIDEWALK REM	
STA 10+15.7 - 10+64.0 LT	229.6 SQ FT	
STA 10+37.5 - 10+63.5 RT	104.0 SQ FT	
STA 11+01.0 - 12+66.0 LT	597.8 SQ FT	

- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T2 11
- CL C PATCH T3 11
- CL C PATCH T4 11
- PCC BASE CSE WIDENING 8
- HMA BC WIDENING 4
- COMB CC&G TYPE B-6.12
- BRICK SURF REM BUTT JT
- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER



44004400	PAVT REMOVAL SPL	
STA 10+18.8 - 10+21.0 LT	0.5 SQ YD	
STA 10+36.0 - 10+47.5 LT	1.9 SQ YD	
STA 10+61.0 - 10+65.0 LT	1.1 SQ YD	
STA 10+64.5 - 10+67.9 RT	0.6 SQ YD	
STA 10+75.0 - 10+78.2 RT	0.5 SQ YD	
STA 10+98.7 - 11+15.0 RT	2.7 SQ YD	
STA 11+33.5 - 11+36.5 RT	0.5 SQ YD	
STA 11+37.5 - 11+49.0 LT	1.9 SQ YD	
STA 11+75.5 - 12+03.5 RT	4.7 SQ YD	
STA 11+82.4 - 12+57.9 LT	12.6 SQ YD	

60260500	INLETS ADJ NEW 13F&G	
STA 10+22 RT	1 EA	
STA 11+05 LT	1 EA	

60266600	VALVE BDX ADJ	
STA 11+00 RT	1 EA	


60300305	FR & LIDS ADJUST	
STA 11+03 LT	REPLACE 1 EA	

60603800	COMB CC&G TR612	
STA 10+18.8 - 10+21.8 LT	3.0 FT	
STA 10+20.0 - 10+24.0 RT	4.0 FT	
STA 10+36.0 - 10+47.5 LT	11.5 FT	
STA 10+61.0 - 10+65.0 LT	6.6 FT	
STA 10+64.5 - 10+67.9 RT	3.4 FT	
STA 10+75.0 - 10+78.2 RT	3.2 FT	
STA 10+98.7 - 11+15.0 RT	16.3 FT	
STA 11+13.0 - 11+17.0 LT	4.0 FT	
STA 11+33.5 - 11+36.5 RT	3.0 FT	
STA 11+37.5 - 11+49.0 LT	11.5 FT	
STA 11+75.5 - 12+03.5 RT	28.0 FT	
STA 11+82.4 - 12+57.9 LT	75.5 FT	

XX005807	PVT REM PARTIAL DEPTH	
STA 9+85.0 - 10+18.8 LT	5.6 SQ YD	
STA 10+21.8 - 10+36.0 LT	2.4 SQ YD	
STA 10+47.5 - 10+61.0 LT	2.2 SQ YD	
STA 11+00.0 - 11+37.5 LT	8.5 SQ YD	
STA 11+49.0 - 11+82.4 LT	5.6 SQ YD	


#4001795	HMA BC VID 4	
STA 9+85.0 - 10+18.8 LT	5.6 SQ YD	
STA 10+21.8 - 10+36.0 LT	2.4 SQ YD	
STA 10+47.5 - 10+61.0 LT	2.2 SQ YD	
STA 11+00.0 - 11+37.5 LT	8.5 SQ YD	
STA 11+49.0 - 11+82.4 LT	5.6 SQ YD	

44201361	CL C PATCH T1 11	
STA 11+84.0 - 11+88.0 LT	1.8 SQ YD	
44201371	CL C PATCH T4 11	
STA 11+70.0 - 12+25.0 RT	30.6 SQ YD	



BM #1: ELEV: 100.00
 TOP OF WEST BOLT ON
 TOP FLANGE, BELOW "0"
 IN OPEN OF FIRE HYDRANT
 LOCATED AT THE NE CORNER
 OF MONMOUTH BLVD. AND
 S. HENDERSON ST.

PLAN & PROFILE 1
 STA 9+91 - 12+50
 S. HENDERSON ST. RESURFACING
 SECTION # 04-00401-24-RS
 FAU ROUTE 6791
 JOB # C-94-040-05
 CONTRACT # 89362



ALL ELEVATIONS EXISTING UNLESS OTHERWISE NOTED

LARGE FONT ELEVATIONS= PAVEMENT CENTERLINE
 SMALL FONT ELEVATIONS= TOP OF CURB (WEST SIDE)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	11



35400300 PCC BASE CSE W B		
STA 12+18.0 - 12+54.5 RT	6.1 SQ YD	
STA 12+74.5 - 12+85.3 RT	1.8 SQ YD	
STA 12+91.6 - 12+98.2 RT	1.1 SQ YD	
STA 13+08.3 - 13+87.6 RT	13.2 SQ YD	
STA 13+10.5 - 13+14.0 LT	0.6 SQ YD	
STA 13+90.7 - 15+04.0 LT	18.9 SQ YD	
STA 14+02.8 - 14+14.3 RT	1.9 SQ YD	
STA 14+29.5 - 14+32.5 RT	0.5 SQ YD	
STA 14+51.8 - 14+88.0 RT	6.0 SQ YD	

40600995 TEMPORARY RAMP SPL		
STA 13+15 RT	2.5 SQ YD	
STA 13+75 LT	6.0 SQ YD	
STA 13+75 RT	3.5 SQ YD	
STA 14+75 RT	3.3 SQ YD	

42400100 PC CONC SIDEWALK 4		
STA 12+84.3 - 13+34.8 LT	179.3 SQ FT	
STA 13+23.2 - 13+61.9 RT	154.8 SQ FT	
STA 13+43.3 - 13+47.3 LT	14.4 SQ FT	
STA 13+87.6 - 14+07.0 LT	69.2 SQ FT	
STA 14+20.2 - 15+16.3 LT	345.2 SQ FT	

44000500 CONC CURB GUTTER REM		
STA 12+18.0 - 12+54.5 RT	36.5 FT	
STA 12+74.5 - 12+85.3 RT	10.8 FT	
STA 12+91.6 - 12+98.2 RT	6.6 FT	
STA 13+08.3 - 13+87.6 RT	79.3 FT	
STA 13+10.5 - 13+14.0 LT	3.5 FT	
STA 13+90.7 - 15+04.0 LT	113.3 FT	
STA 14+02.8 - 14+14.3 RT	11.5 FT	
STA 14+29.5 - 14+32.5 RT	3.0 FT	
STA 14+51.8 - 14+88.0 RT	36.2 FT	

- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T2 11
- CL C PATCH T3 11
- CL C PATCH T4 11
- PCC BASE CSE WIDENING 8
- HMA BC WIDENING 4
- COMB CC&G TYPE B-6.12
- BRICK SURF REM BUTT JT
- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER




44004400 PAVT REMOVAL SPL		
STA 12+18.0 - 12+54.5 RT	6.1 SQ YD	
STA 12+74.5 - 12+85.3 RT	1.8 SQ YD	
STA 12+91.6 - 12+98.2 RT	1.1 SQ YD	
STA 13+08.3 - 13+87.6 RT	13.2 SQ YD	
STA 13+10.5 - 13+14.0 LT	0.6 SQ YD	
STA 13+90.7 - 15+04.0 LT	18.9 SQ YD	
STA 14+02.8 - 14+14.3 RT	1.9 SQ YD	
STA 14+29.5 - 14+32.5 RT	0.5 SQ YD	
STA 14+51.8 - 14+88.0 RT	6.0 SQ YD	

44201371 CL C PATCH T4 11		
STA 12+57.0 - 13+04.5 RT	28.7 SQ YD	
STA 13+22.0 - 14+02.0 RT	53.3 SQ YD	
STA 14+73.0 - 15+43.5 RT	39.2 SQ YD	

60603800 COMB CC&G TR6.12		
STA 12+18.0 - 12+54.5 RT	36.5 FT	
STA 12+74.5 - 12+85.3 RT	10.8 FT	
STA 12+91.6 - 12+98.2 RT	6.6 FT	
STA 13+08.3 - 13+87.6 RT	79.3 FT	
STA 13+10.5 - 13+14.0 LT	3.5 FT	
STA 13+90.7 - 15+04.0 LT	113.3 FT	
STA 14+02.8 - 14+14.3 RT	11.5 FT	
STA 14+29.5 - 14+32.5 RT	3.0 FT	
STA 14+51.8 - 14+88.0 RT	36.2 FT	

XX005807 PAVT REM PARTIAL DEPTH		
STA 12+57.9 - 13+10.5 LT	8.8 SQ YD	
STA 13+14.0 - 13+90.7 LT	12.8 SQ YD	

#4001795 HMA BC WID 4		
STA 12+57.9 - 13+10.5 LT	8.8 SQ YD	
STA 13+14.0 - 13+90.7 LT	12.8 SQ YD	



PLAN & PROFILE 2
 STA 12+50 - 15+00
 S. HENDERSON ST. RESURFACING
 SECTION # 04-00401-24-RS
 FAU ROUTE 6791
 JOB # C-94-040-05
 CONTRACT # 89362

ALL ELEVATIONS EXISTING UNLESS OTHERWISE NOTED
 LARGE FONT ELEVATIONS= PAVEMENT CENTERLINE
 SMALL FONT ELEVATIONS= TOP OF CURB (WEST SIDE)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	12

35400300	PCC BASE CSE W 8	
STA 15+14.0 - 15+23.5 RT	1.6 SQ YD	
STA 15+14.5 - 15+27.0 LT	2.3 SQ YD	
STA 15+33.3 - 15+44.6 RT	1.9 SQ YD	
STA 15+53.7 - 15+60.7 RT	1.2 SQ YD	
STA 15+62.3 - 15+78.5 LT	3.1 SQ YD	
STA 15+86.4 - 15+97.5 LT	1.8 SQ YD	
STA 16+10.0 - 16+15.5 LT	0.9 SQ YD	
STA 16+21.0 - 16+50.5 RT	4.9 SQ YD	
STA 16+61.0 - 16+74.6 RT	2.3 SQ YD	
STA 16+68.0 - 16+71.0 LT	0.5 SQ YD	
STA 16+95.5 - 17+24.5 RT	4.8 SQ YD	
STA 17+35.5 - 17+82.5 LT	7.8 SQ YD	
STA 17+40.7 - 17+51.3 RT	1.8 SQ YD	

40200800	AGG SURF CSE B	
STA 17+19 LT	0.6 TONS	
STA 17+45 RT	0.4 TONS	

40600100	BIT MATLS PR CT	
STA 15+00 - 17+50	97 GAL	

40600300	AGG PR CT	
STA 15+00 - 17+50	2.4 TONS	

40600982	HMA SURF REM BUTT JT	
STA 15+44 LT	52.5 SQ YD	

40600995	TEMPORARY RAMP SPL	
STA 15+44 LT	15.6 SQ YD	
STA 15+77 RT	13.3 SQ YD	
STA 17+20 LT	1.7 SQ YD	
STA 17+45 RT	1.7 SQ YD	

40603060	HMA BC SUPER II-19.0 NSD	
STA 15+00 - 17+50	172 TONS	

40603535	P HMA SC SUPER 'D' NSD	
STA 15+00 - 17+50	107 TONS	

40800050	INCIDENTAL HMA SURF	
STA 16+50 LT	0.3 TONS	
STA 17+45 RT	0.1 TONS	

42400100	PC CONC SIDEWALK 4	
STA 15+55 RT	39.0 SQ FT	
STA 15+73.2 - 16+30.9 LT	209.4 SQ FT	
STA 16+62.2 - 17+11.2 LT	176.4 SQ FT	
STA 17+27.4 - 18+19.0 LT	325.2 SQ FT	

42400410	PC CONC SIDEWALK 8	
STA 15+16.3 - 15+26.5 LT	21.4 SQ FT	
STA 15+55 RT	20.0 SQ FT	
STA 15+63.0 - 15+73.3 LT	21.6 SQ FT	



42400800	DETECTABLE WARNINGS	
STA 15+17 LT	8.0 SQ FT	
STA 15+55 RT	8.0 SQ FT	
STA 15+70 LT	8.0 SQ FT	

44000080	HMA SURF REM (CH) 3	
STA 15+00 - 17+50	1111.1 SQ YD	

44000500	COMB CURB GUTTER REM	
STA 15+14.0 - 15+23.5 RT	9.5 FT	
STA 15+14.5 - 15+27.0 LT	13.8 FT	
STA 15+33.3 - 15+44.6 RT	11.3 FT	
STA 15+53.7 - 15+63.0 RT	10.7 FT	
STA 15+62.3 - 15+78.5 LT	18.7 FT	
STA 15+86.4 - 15+97.5 LT	11.1 FT	
STA 16+10.0 - 16+49.0 LT	39.0 FT	
STA 16+21.0 - 16+50.5 RT	29.5 FT	
STA 16+54.4 - 16+58.1 LT	3.7 FT	
STA 16+61.0 - 16+74.6 RT	13.6 FT	
STA 16+68.0 - 16+71.0 LT	3.0 FT	
STA 16+95.5 - 17+24.5 RT	29.0 FT	
STA 17+35.5 - 17+82.5 LT	47.0 FT	
STA 17+40.7 - 17+51.3 RT	10.6 FT	

44000600	SIDEWALK REM	
STA 15+55 RT	44.8 SQ FT	
STA 15+63.0 - 16+30.9 LT	231.2 SQ FT	
STA 16+62.2 - 17+11.2 LT	176.4 SQ FT	
STA 17+27.4 - 18+19.0 LT	325.2 SQ FT	

- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T2 11
- CL C PATCH T3 11
- CL C PATCH T4 11
- PCC BASE CSE WIDENING 8
- HMA BC WIDENING 4
- COMB CC&G TYPE B-6.12
- BRICK SURF REM BUTT JT
- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER



44004400	PAVT REMOVAL SPL	
STA 15+14.0 - 15+23.5 RT	1.6 SQ YD	
STA 15+14.5 - 15+27.0 LT	2.3 SQ YD	
STA 15+33.3 - 15+44.6 RT	1.9 SQ YD	
STA 15+53.7 - 15+60.7 RT	1.2 SQ YD	
STA 15+62.3 - 15+78.5 LT	3.1 SQ YD	
STA 15+86.4 - 15+97.5 LT	1.8 SQ YD	
STA 16+10.0 - 16+15.5 LT	0.9 SQ YD	
STA 16+21.0 - 16+50.5 RT	4.9 SQ YD	
STA 16+61.0 - 16+74.6 RT	2.3 SQ YD	
STA 16+68.0 - 16+71.0 LT	0.5 SQ YD	
STA 16+95.5 - 17+24.5 RT	4.8 SQ YD	
STA 17+35.5 - 17+82.5 LT	7.8 SQ YD	
STA 17+40.7 - 17+51.3 RT	1.8 SQ YD	

PROPOSED CURB RAMP FOR THE DISABLED SEE STANDARD 424001-04

REMOVAL OF RR TIE INCIDENTAL TO SIDEWALK REMOVAL

BRICK SURF REM BUTT JOINT REMOVAL LIMIT

BRICK SURFACE TO BE REMOVED TO BE REPLACED WITH TAPERED BINDER AND 1.5 INCH POLY SURFACE COURSE

44201369	CL C PATCH T3 11	
STA 16+15.5 - 16+59.0 LT	21.8 SQ YD	

60260500	INLETS ADJ NEW T3F&G	
STA 15+60 RT	1 EA	


60300305	FR & LIDS ADJUST	
STA 15+47 RT	REPLACE 1 EA	
STA 15+53 RT	REPLACE 1 EA	
STA 15+63 RT	REPLACE 1 EA	
STA 15+88 RT	REPLACE 1 EA	

60603800	COMB CC&G TB6.12	
STA 15+14.0 - 15+23.5 RT	9.5 FT	
STA 15+14.5 - 15+27.0 LT	13.8 FT	
STA 15+33.3 - 15+44.6 RT	11.3 FT	
STA 15+53.7 - 15+63.0 RT	10.7 FT	
STA 15+62.3 - 15+78.5 LT	18.7 FT	
STA 15+86.4 - 15+97.5 LT	11.1 FT	
STA 16+10.0 - 16+49.0 LT	39.0 FT	
STA 16+21.0 - 16+50.5 RT	29.5 FT	
STA 16+54.4 - 16+58.1 LT	3.7 FT	
STA 16+61.0 - 16+74.6 RT	13.6 FT	
STA 16+68.0 - 16+71.0 LT	3.0 FT	
STA 16+95.5 - 17+24.5 RT	29.0 FT	
STA 17+35.5 - 17+82.5 LT	47.0 FT	
STA 17+40.7 - 17+51.3 RT	10.6 FT	

XX005807	PVT REM PARTIAL DEPTH	
STA 15+04.0 - 15+14.5 LT	1.8 SQ YD	
STA 15+78.5 - 15+86.4 LT	1.3 SQ YD	
STA 15+97.5 - 16+10.0 LT	2.1 SQ YD	
STA 16+59.0 - 16+68.0 LT	1.5 SQ YD	
STA 16+71.0 - 17+35.5 LT	10.8 SQ YD	

#4001795	HMA BC WID 4	
STA 15+04.0 - 15+14.5 LT	1.8 SQ YD	
STA 15+78.5 - 15+86.4 LT	1.3 SQ YD	
STA 15+97.5 - 16+10.0 LT	2.1 SQ YD	
STA 16+59.0 - 16+68.0 LT	1.5 SQ YD	
STA 16+71.0 - 17+35.5 LT	10.8 SQ YD	

#4001796	BRICK SURF REM- BUTT JOINT	
STA 15+77 RT	54 SQ YD	



BM #2: ELEV: 99.04
TOP OF SW BOLT ON BOTTOM FLANGE OF FIRE HYDRANT LOCATED AT THE NE CORNER OF BERRIEN ST. AND S. HENDERSON ST.

PLAN & PROFILE 3
STA 15+00 - 17+50
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



LARGE FONT ELEVATIONS= PAVEMENT CENTERLINE
SMALL FONT ELEVATIONS= TOP OF CURB (WEST SIDE)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	13

35400300	PCC BASE CSE V 8	
STA 17+59.4 - 17+69.0 RT	1.6 SQ YD	
STA 17+91.9 - 18+33.5 LT	6.9 SQ YD	
STA 18+00.5 - 18+12.0 RT	1.9 SQ YD	
STA 18+31.0 - 18+37.2 RT	1.0 SQ YD	
STA 18+42.3 - 18+48.7 LT	1.1 SQ YD	
STA 18+50.1 - 18+77.6 RT	4.6 SQ YD	
STA 18+66.1 - 18+69.5 LT	0.6 SQ YD	
STA 18+98.0 - 19+02.0 LT	0.7 SQ YD	
STA 19+04.1 - 19+07.1 RT	0.5 SQ YD	
STA 19+15.0 - 19+18.0 RT	10.5 SQ YD	
STA 19+19.6 - 19+82.7 LT	3.9 SQ YD	
STA 19+26.5 - 19+50.0 RT	0.5 SQ YD	
STA 19+59.5 - 19+62.5 RT	0.5 SQ YD	
STA 19+71.8 - 19+76.8 RT	0.8 SQ YD	

40200800	AGG SURF CSE B	
STA 17+60 RT	0.4 TONS	
STA 18+29 LT	0.8 TONS	
STA 18+95 LT	0.4 TONS	

40600100	BIT MATLS PR CT	
STA 17+50 - 20+00	89 GAL	

40600300	AGG PR CT	
STA 17+50 - 20+00	2.2 TONS	

40600955	TEMPORARY RAMP SPL	
STA 17+60 RT	2.0 SQ YD	
STA 18+30 LT	1.7 SQ YD	
STA 18+95 LT	1.7 SQ YD	

40603080	HMA BC SUPER IL-19.0 N50	
STA 17+50 - 20+00	161 TONS	

40603535	P HMA SC SUPER 'D' N50	
STA 17+50 - 20+00	97 TONS	

40800050	INCIDENTAL HMA SURF	
STA 17+60 RT	0.1 TONS	
STA 18+30 LT	0.2 TONS	
STA 18+95 LT	0.2 TONS	

42400100	PC CONC SIDEWALK 4	
STA 17+27.4 - 18+19.0 LT	325.2 SQ FT	
STA 18+33.0 - 18+85.8 LT	187.4 SQ FT	
STA 19+11.9 - 19+30.9 LT	68.4 SQ FT	
STA 19+38.5 - 19+85.7 LT	205.7 SQ FT	
STA 19+74.3 RT	43.0 SQ FT	

42400410	PC CONC SIDEWALK 8	
STA 19+74.3 RT	16.0 SQ FT	
STA 19+85.7 - 19+92.0 LT	25.2 SQ FT	

42400800	DETECTABLE WARNINGS	
STA 19+73 RT	8.0 SQ FT	
STA 19+90 LT	8.0 SQ FT	

44000080	HMA SURF REM (CH) 3	
STA 17+50 - 20+00	1111.1 SQ YD	

44000500	COMB CURB GUTTER REM	
STA 17+35.5 - 17+82.5 LT	47.0 FT	
STA 17+40.7 - 17+51.3 RT	10.6 FT	
STA 17+59.4 - 17+71.9 RT	12.5 FT	
STA 17+72.0 - 17+76.0 RT	4.0 FT	
STA 17+91.9 - 18+33.5 LT	41.6 FT	
STA 18+00.5 - 18+12.0 RT	11.5 FT	
STA 18+31.0 - 18+37.2 RT	6.4 FT	
STA 18+42.3 - 18+48.7 LT	6.2 FT	
STA 18+50.1 - 18+77.6 RT	27.5 FT	
STA 18+66.1 - 18+69.5 LT	3.4 FT	
STA 18+98.0 - 19+02.0 LT	4.0 FT	
STA 19+04.1 - 19+07.1 RT	3.0 FT	
STA 19+15.0 - 19+18.0 RT	3.0 FT	
STA 19+19.6 - 19+86.5 LT	67.8 FT	
STA 19+26.5 - 19+50.0 RT	23.5 FT	
STA 19+59.5 - 19+62.5 RT	3.0 FT	
STA 19+71.8 - 19+76.8 RT	5.0 FT	
STA 19+82.0 - 19+86.0 RT	4.0 FT	

44000600	SIDEWALK REM	
STA 17+27.4 - 18+19.0 LT	325.2 SQ FT	
STA 18+33.0 - 18+85.8 LT	187.4 SQ FT	
STA 19+11.9 - 19+30.9 LT	68.4 SQ FT	
STA 19+38.5 - 19+86.2 LT	216.1 SQ FT	
STA 19+74.3 RT	47.2 SQ FT	

44004400	PAVT REMOVAL SPL	
STA 17+59.4 - 17+69.0 RT	1.6 SQ YD	
STA 17+91.9 - 18+33.5 LT	6.9 SQ YD	
STA 18+00.5 - 18+12.0 RT	1.9 SQ YD	
STA 18+31.0 - 18+37.2 RT	1.0 SQ YD	
STA 18+42.3 - 18+48.7 LT	1.1 SQ YD	
STA 18+50.1 - 18+77.6 RT	4.6 SQ YD	
STA 18+66.1 - 18+69.5 LT	0.6 SQ YD	
STA 18+98.0 - 19+02.0 LT	0.7 SQ YD	
STA 19+04.1 - 19+07.1 RT	0.5 SQ YD	
STA 19+15.0 - 19+18.0 RT	0.5 SQ YD	
STA 19+19.6 - 19+82.7 LT	10.5 SQ YD	
STA 19+26.5 - 19+50.0 RT	3.9 SQ YD	
STA 19+59.5 - 19+62.5 RT	0.5 SQ YD	
STA 19+71.8 - 19+76.8 RT	0.8 SQ YD	



44201365	CL C PATCH T2 11	
STA 17+69.0 - 17+79.0 RT	6.1 SQ YD	
STA 17+70.0 - 17+82.0 RT	10.7 SQ YD	

44201371	CL C PATCH T4 11	
STA 18+86.5 - 19+71.0 RT	59.9 SQ YD	

60260500	INLETS ADJ NEW T3F&G	
STA 17+74 RT	1 EA	
STA 17+75 LT	1 EA	
STA 19+81 LT	1 EA	
STA 19+84 RT	1 EA	

60300305	FR & LIDS ADJUST	
STA 17+75 LT	REPLACE 1 EA	
STA 19+79 RT	REPLACE 1 EA	
STA 19+90 RT	REPLACE 1 EA	
STA 19+91 LT	REPLACE 1 EA	

- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T2 11
- CL C PATCH T3 11
- CL C PATCH T4 11
- PCC BASE CSE WIDENING 8
- HMA BC WIDENING 4
- COMB CC&G TYPE B-612
- BRICK SURF REM BUTT JT
- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER




60603800	COMB CC&G TB6.12	
STA 17+35.5 - 17+82.5 LT	47.0 FT	
STA 17+40.7 - 17+51.3 RT	10.6 FT	
STA 17+59.4 - 17+71.9 RT	12.5 FT	
STA 17+72.0 - 17+76.0 RT	4.0 FT	
STA 17+91.9 - 18+33.5 LT	41.6 FT	
STA 18+00.5 - 18+12.0 RT	11.5 FT	
STA 18+31.0 - 18+37.2 RT	6.2 FT	
STA 18+42.3 - 18+48.7 LT	6.4 FT	
STA 18+50.1 - 18+77.6 RT	27.5 FT	

60603800	COMB CC&G TB6.12 (CONT)	
STA 18+66.1 - 18+69.5 LT	3.4 FT	
STA 18+98.0 - 19+02.0 LT	4.0 FT	
STA 19+04.1 - 19+07.1 RT	3.0 FT	
STA 19+15.0 - 19+18.0 RT	3.0 FT	
STA 19+19.6 - 19+94.1 LT	82.7 FT	
STA 19+26.5 - 19+50.0 RT	23.5 FT	
STA 19+59.5 - 19+62.5 RT	3.0 FT	
STA 19+71.8 - 19+76.8 RT	5.0 FT	
STA 19+82.0 - 19+86.0 RT	4.0 FT	

XX005807	PVT REM PARTIAL DEPTH	
STA 17+82.5 - 17+91.9 LT	1.6 SQ YD	
STA 18+33.5 - 18+42.3 LT	1.5 SQ YD	
STA 18+48.7 - 18+66.1 LT	2.9 SQ YD	
STA 18+69.5 - 18+98.0 LT	4.8 SQ YD	
STA 19+02.0 - 19+19.6 LT	2.9 SQ YD	

H4001795	HMA BC WID 4	
STA 17+82.5 - 17+91.9 LT	1.6 SQ YD	
STA 18+33.5 - 18+42.3 LT	1.5 SQ YD	
STA 18+48.7 - 18+66.1 LT	2.9 SQ YD	
STA 18+69.5 - 18+98.0 LT	4.8 SQ YD	
STA 19+02.0 - 19+19.6 LT	2.9 SQ YD	



PLAN & PROFILE 4
 STA 17+50 - 20+00
 S. HENDERSON ST. RESURFACING
 SECTION # 04-00401-24-RS
 FAU ROUTE 6791
 JOB # C-94-040-05
 CONTRACT # 89362



ALL ELEVATIONS EXISTING UNLESS OTHERWISE NOTED
 LARGE FONT ELEVATIONS= PAVEMENT CENTERLINE
 SMALL FONT ELEVATIONS= TOP OF CURB (WEST SIDE)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	14

20200410	EARTH EXCAVATION SPL	STA 19+85 - 20+36 LT	43 CU YD
35102000	AGG BASE CSE B 8	STA 19+85 - 20+36 LT	121 SQ YD

35400300	PCC BASE CSE V B	STA 20+47.6 - 20+76.0 LT	4.7 SQ YD
		STA 20+62.4 - 20+67.0 RT	0.8 SQ YD
		STA 20+83.5 - 20+86.5 RT	0.5 SQ YD
		STA 20+90.3 - 21+56.3 LT	11.0 SQ YD
		STA 21+15.2 - 21+19.7 RT	0.8 SQ YD
		STA 21+33.7 - 21+36.9 RT	0.5 SQ YD
		STA 21+41.3 - 21+44.3 RT	0.5 SQ YD
		STA 21+51.1 - 21+54.1 RT	0.5 SQ YD
		STA 21+67.0 - 21+70.0 LT	0.5 SQ YD
		STA 21+70.4 - 21+73.4 RT	0.5 SQ YD
		STA 21+78.0 - 21+89.0 LT	1.8 SQ YD
		STA 21+99.5 - 22+04.0 LT	0.8 SQ YD
		STA 22+18.0 - 22+21.0 LT	0.5 SQ YD
		STA 22+30.0 - 22+33.0 LT	0.5 SQ YD
		STA 22+45.5 - 22+49.5 RT	0.7 SQ YD
		STA 22+47.3 - 22+60.8 LT	2.2 SQ YD

40200800	AGG SURF CSE B	STA 21+10 LT	0.4 TDNS
----------	----------------	--------------	----------

40600100	BIT MATLS PR CT	STA 20+00 - 22+50	105 GAL
----------	-----------------	-------------------	---------

40600300	AGG PR CT	STA 20+00 - 22+50	2.6 TDNS
----------	-----------	-------------------	----------

40600982	HMA SURF REM BUTT JT	STA 20+08 RT	74.7 SQ YD
----------	----------------------	--------------	------------

40600995	TEMPORARY RAMP SPL	STA 20+03 LT	10.6 SQ YD
		STA 20+08 RT	21.1 SQ YD
		STA 21+10 LT	1.3 SQ YD

40603080	HMA BC SUPER JL -19.0 N50	STA 20+00 - 22+50	184 TONS
----------	---------------------------	-------------------	----------

40603535	P HMA SC SUPER 'D' N50	STA 20+00 - 22+50	114 TONS
----------	------------------------	-------------------	----------

40800050	INCIDENTAL HMA SURF	STA 21+10 LT	0.1 TDNS
----------	---------------------	--------------	----------

42400100	PCC CONC SIDEWALK 4	STA 20+34.1 - 20+39.5 LT	22.1 SQ FT
		STA 20+91.7 - 21+10.4 LT	66.4 SQ FT
		STA 21+27.2 - 21+79.8 LT	189.4 SQ FT
		STA 22+07.6 - 22+63.3 LT	200.5 SQ FT

42400410	PC CONC SIDEWALK 8	STA 20+25.2 - 20+34.1 LT	24.2 SQ FT
----------	--------------------	--------------------------	------------


42400800	DETECTABLE WARNINGS	STA 20+25 LT	8.0 SQ FT
----------	---------------------	--------------	-----------

44000080	HMA SURF REM (CM) 3	STA 20+00 - 22+50	1111.1 SQ YD
----------	---------------------	-------------------	--------------

44000500	COMB CURB GUTTER REM	STA 20+16.5 - 20+39.5 LT	23.0 FT
		STA 20+47.6 - 20+76.0 LT	28.4 FT
		STA 20+62.4 - 20+67.0 RT	4.6 FT
		STA 20+83.5 - 20+86.5 RT	3.0 FT
		STA 21+90.3 - 21+56.3 LT	66.0 FT
		STA 21+15.2 - 21+19.7 RT	4.5 FT
		STA 21+33.7 - 21+36.9 RT	3.2 FT
		STA 21+41.3 - 21+44.3 RT	3.0 FT
		STA 21+51.1 - 21+54.1 RT	3.0 FT
		STA 21+67.0 - 21+70.0 LT	3.0 FT
		STA 21+70.4 - 21+73.4 RT	3.0 FT
		STA 21+78.0 - 21+89.0 LT	11.8 FT
		STA 21+99.5 - 22+04.0 LT	4.5 FT
		STA 22+18.0 - 22+21.0 LT	3.0 FT
		STA 22+30.0 - 22+33.0 LT	3.0 FT
		STA 22+36.0 - 22+39.0 RT	3.0 FT
		STA 22+45.5 - 22+49.5 RT	4.0 FT
		STA 22+47.3 - 22+60.8 LT	13.5 FT


44000600	SIDEWALK REM	STA 20+16.4 - 20+39.5 LT	80.7 SQ FT
		STA 20+91.7 - 21+10.4 LT	66.4 SQ FT
		STA 21+27.2 - 21+79.8 LT	189.4 SQ FT
		STA 22+07.6 - 22+63.3 LT	200.5 SQ FT

- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T2 11
- CL C PATCH T3 11
- CL C PATCH T4 11
- PCC BASE CSE WIDENING 8
- HMA BC WIDENING 4
- COMB CC&G TYPE B-6.12
- BRICK SURF REM BUTT JT
- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER



XX005807	PVT REM PARTIAL DEPTH	STA 20+35.0 - 20+47.6 LT	2.1 SQ YD
		STA 20+76.0 - 20+90.3 LT	2.4 SQ YD
		STA 21+56.3 - 21+67.0 LT	1.8 SQ YD
		STA 21+70.0 - 21+78.0 LT	1.3 SQ YD
		STA 21+89.0 - 21+99.5 LT	1.8 SQ YD
		STA 22+04.0 - 22+18.0 LT	2.3 SQ YD
		STA 22+21.0 - 22+30.0 LT	1.5 SQ YD
		STA 22+33.0 - 22+47.3 LT	2.4 SQ YD

#4001795	HMA BC VID 4	STA 20+35.0 - 20+47.6 LT	2.1 SQ YD
		STA 20+76.0 - 20+90.3 LT	2.4 SQ YD
		STA 21+56.3 - 21+67.0 LT	1.8 SQ YD
		STA 21+70.0 - 21+78.0 LT	1.3 SQ YD
		STA 21+89.0 - 21+99.5 LT	1.8 SQ YD
		STA 22+04.0 - 22+18.0 LT	2.3 SQ YD
		STA 22+21.0 - 22+30.0 LT	1.5 SQ YD
		STA 22+33.0 - 22+47.3 LT	2.4 SQ YD



44004400	PAVT REMOVAL SPL	STA 20+47.6 - 20+76.0 LT	4.7 SQ YD
		STA 20+62.4 - 20+67.0 RT	0.8 SQ YD
		STA 20+83.5 - 20+86.5 RT	0.5 SQ YD
		STA 20+90.3 - 21+56.3 LT	11.0 SQ YD
		STA 21+15.2 - 21+19.7 RT	0.8 SQ YD
		STA 21+33.7 - 21+36.9 RT	0.5 SQ YD
		STA 21+41.3 - 21+44.3 RT	0.5 SQ YD
		STA 21+51.1 - 21+54.1 RT	0.5 SQ YD
		STA 21+67.0 - 21+70.0 LT	0.5 SQ YD
		STA 21+70.4 - 21+73.4 RT	0.5 SQ YD
		STA 21+78.0 - 21+89.0 LT	1.8 SQ YD
		STA 21+99.5 - 22+04.0 LT	0.8 SQ YD
		STA 22+18.0 - 22+21.0 LT	0.5 SQ YD
		STA 22+30.0 - 22+33.0 LT	0.5 SQ YD
		STA 22+45.5 - 22+49.5 RT	0.7 SQ YD
		STA 22+47.3 - 22+60.8 LT	2.2 SQ YD

44201361	CL C PATCH T1 11	STA 20+00.0 - 20+05.0 LT	2.8 SQ YD
		STA 20+25.0 - 20+35.0 LT	3.9 SQ YD
		STA 20+29.0 - 20+34.0 CL	4.7 SQ YD

44201365	CL C PATCH T2 11	STA 22+30.5 - 22+36.0 LT	6.1 SQ YD
		STA 22+33.5 - 22+40.0 RT	6.1 SQ YD


44201369	CL C PATCH T3 11	STA 22+12.0 - 22+31.0 RT	20.1 SQ YD
----------	------------------	--------------------------	------------

60266600	VALVE BOX ADJ	STA 20+12 RT	1 EA
		STA 20+28 RT	1 EA

60300305	FR & LIDS ADJUST	STA 20+08 RT	REPLACE 1 EA
		STA 20+48 RT	REPLACE 1 EA

60603800	COMB CC&G TB6.12	STA 20+15.2 - 20+35.9 LT	28.3 FT
		STA 20+47.6 - 20+76.0 LT	28.4 FT
		STA 20+62.4 - 20+67.0 RT	4.6 FT
		STA 20+83.5 - 20+86.5 RT	3.0 FT
		STA 20+90.3 - 21+56.3 LT	66.0 FT
		STA 21+15.2 - 21+19.7 RT	4.5 FT
		STA 21+33.7 - 21+36.9 RT	3.2 FT
		STA 21+41.3 - 21+44.3 RT	3.0 FT
		STA 21+51.1 - 21+54.1 RT	3.0 FT

60603800	COMB CC&G TB6.12 (CONT.)	STA 21+67.0 - 21+70.0 LT	3.0 FT
		STA 21+70.4 - 21+73.4 RT	3.0 FT
		STA 21+78.0 - 21+89.0 LT	11.0 FT
		STA 21+99.5 - 22+04.0 LT	4.5 FT
		STA 22+18.0 - 22+21.0 LT	3.0 FT
		STA 22+30.0 - 22+33.0 LT	3.0 FT
		STA 22+36.0 - 22+39.0 RT	3.0 FT
		STA 22+45.5 - 22+49.5 RT	4.0 FT
		STA 22+47.3 - 22+60.8 LT	13.5 FT



BM #3: ELEV: 95.35
TOP OF NNW BOLT BELOW 'SS'
ON BOTTOM FLANGE OF FIRE
HYDRANT LOCATED AT NE
CORNER OF SOUTH ST. AND
S. HENDERSON ST.

PLAN & PROFILE 5
STA 20+00 - 22+50
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



ALL ELEVATIONS EXISTING UNLESS OTHERWISE NOTED
LARGE FONT ELEVATIONS= PAVEMENT CENTERLINE
SMALL FONT ELEVATIONS= TOP OF CURB (WEST SIDE)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	15

35400300	PCC BASE CSE V.B.	
STA 22+47.3 - 22+60.8	LT	2.2 SQ YD
STA 22+54.5 - 22+57.5	RT	0.5 SQ YD
STA 22+72.4 - 22+75.8	RT	0.6 SQ YD
STA 22+77.3 - 23+30.6	LT	8.9 SQ YD
STA 22+86.7 - 22+90.5	RT	0.6 SQ YD
STA 23+24.0 - 23+27.0	RT	0.5 SQ YD
STA 23+42.2 - 23+47.0	LT	0.8 SQ YD
STA 23+53.3 - 23+56.3	RT	0.5 SQ YD
STA 23+83.4 - 23+90.4	RT	1.2 SQ YD
STA 23+91.4 - 23+94.5	LT	0.5 SQ YD
STA 24+01.3 - 24+05.9	RT	0.8 SQ YD
STA 24+02.5 - 24+10.0	LT	1.2 SQ YD
STA 24+18.7 - 24+24.7	LT	1.0 SQ YD
STA 24+24.7 - 24+27.7	RT	0.5 SQ YD
STA 24+46.0 - 25+01.5	LT	9.2 SQ YD

40600982	HMA SURF REM BUTT JT	
STA 24+73	RT	26.6 SQ YD
40600995	TEMPORARY RAMP SPL	
STA 24+73	RT	22.2 SQ YD
STA 24+75	LT	6.0 SQ YD

42400300	PC CONC SIDEWALK 6	
STA 22+74.3 - 22+82.3	LT	27.0 SQ FT
STA 24+47.4 - 24+83.4	LT	126.0 SQ FT
44000080	HMA SURF REM (CM) 3	
STA 22+50 - 25+00		1111.1 SQ YD

44000600	SIDEWALK RCM	
STA 22+74.3 - 22+99.8	LT	89.2 SQ FT
STA 23+36.2 - 23+43.3	LT	25.2 SQ FT
STA 23+63.3 - 24+03.6	LT	143.1 SQ FT
STA 24+18.0 - 24+27.2	LT	34.0 SQ FT
STA 24+47.4 - 24+91.1	LT	153.0 SQ FT

40200800	AGG SURF CSE B	
STA 24+75	LT	1.4 TDNS

40600100	BIT MATLS PR CT	
STA 22+50 - 25+00		91 GAL

40600300	AGG PR CT	
STA 22+50 - 25+00		2.3 TDNS

40603080	HMA BC SUPER II-19.0 N50	
STA 22+50 - 25+00		16J TDNS

40603535	P HMA SC SUPER 'D' N50	
STA 22+50 - 25+00		100 TDNS

40800050	INCIDENTAL HMA SURF	
STA 22+75	LT	0.2 TDNS
STA 23+25	LT	0.2 TDNS
STA 24+75	LT	0.4 TDNS



42400100	PC CONC SIDEWALK 4	
STA 22+82.3 - 22+99.8	LT	62.2 SQ FT
STA 23+36.2 - 23+43.3	LT	25.2 SQ FT
STA 23+63.3 - 24+03.6	LT	143.1 SQ FT
STA 24+18.0 - 24+27.2	LT	34.0 SQ FT
STA 24+83.4 - 24+91.1	LT	27.0 SQ FT
STA 25+18.0 - 26+25.0	LT	141.0 SQ FT

44000500	COMB CURB GUTTER REM	
STA 22+47.3 - 22+60.8	LT	13.5 FT
STA 22+54.5 - 22+57.5	RT	3.0 FT
STA 22+72.4 - 22+75.8	RT	3.4 FT
STA 22+77.3 - 23+30.6	LT	53.3 FT
STA 22+86.7 - 22+90.5	RT	3.8 FT
STA 23+24.0 - 23+27.0	RT	3.0 FT
STA 23+39.9 - 23+45.4	RT	5.5 FT
STA 23+42.2 - 23+47.0	LT	4.8 FT
STA 23+53.3 - 23+56.3	RT	3.0 FT
STA 23+83.4 - 23+90.4	RT	7.0 FT
STA 23+91.4 - 23+94.5	LT	3.1 FT
STA 24+01.3 - 24+05.9	RT	4.6 FT
STA 24+02.5 - 24+10.0	LT	7.5 FT
STA 24+18.7 - 24+24.7	LT	6.0 FT
STA 24+24.7 - 24+27.7	RT	3.0 FT
STA 24+46.0 - 24+47.5	LT	197.5 FT
STA 24+50.0 - 24+55.0	RT	5.0 FT

44004400	PAVT REMOVAL SPL	
STA 22+47.3 - 22+60.8	LT	2.2 SQ YD
STA 22+54.5 - 22+57.5	RT	0.5 SQ YD
STA 22+72.4 - 22+75.8	RT	0.6 SQ YD
STA 22+77.3 - 23+30.6	LT	8.9 SQ YD
STA 22+86.7 - 22+90.5	RT	0.6 SQ YD
STA 23+24.0 - 23+27.0	RT	0.5 SQ YD
STA 23+42.2 - 23+47.0	LT	0.5 SQ YD
STA 23+53.3 - 23+56.3	RT	0.5 SQ YD
STA 23+83.4 - 23+90.4	RT	1.2 SQ YD
STA 23+91.4 - 23+94.5	LT	0.5 SQ YD
STA 24+01.3 - 24+05.9	RT	0.8 SQ YD
STA 24+02.5 - 24+10.0	LT	1.2 SQ YD
STA 24+18.7 - 24+24.7	LT	1.0 SQ YD
STA 24+24.7 - 24+27.7	RT	0.5 SQ YD
STA 24+46.0 - 25+01.5	LT	9.2 SQ YD

- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- CL C PATCH T1 11
- CL C PATCH T2 11
- CL C PATCH T3 11
- CL C PATCH T4 11
- PCC BASE CSE WIDENING 8
- HMA BC WIDENING 4
- COMB CC&G TYPE B-6.12
- BRICK SURF REM BUTT JT

- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER



44201365	CL C PATCH T2 11	
STA 23+37.0 - 23+45.0	RT	8.0 SQ YD
STA 24+68.0 - 24+73.5	LT	12.5 SQ YD

44201369	CL C PATCH T3 11	
STA 24+57.0 - 24+87.0	RT	18.3 SQ YD

60260500	INLETS ADJ NEW T3F&G	
STA 24+52	RT	1 EA


60266600	VALVE BOX ADJ	
STA 24+54	RT	1 EA

60300305	FR & LIDS ADJUST	
STA 24+59	RT	REPLACE 1 EA
STA 24+72	RT	REPLACE 1 EA

60603800	COMB CC&G TR6.12	
STA 22+47.3 - 22+60.8	LT	13.5 FT
STA 22+54.5 - 22+57.5	RT	3.0 FT
STA 22+72.4 - 22+75.8	RT	3.4 FT
STA 22+77.3 - 23+30.6	LT	53.3 FT
STA 22+86.7 - 22+90.5	RT	3.8 FT
STA 23+24.0 - 23+27.0	RT	3.0 FT
STA 23+39.9 - 23+45.4	RT	5.5 FT
STA 23+42.2 - 23+47.0	LT	4.8 FT
STA 23+53.3 - 23+56.3	RT	3.0 FT
STA 23+83.4 - 23+90.4	RT	7.0 FT
STA 23+91.4 - 23+94.5	LT	3.1 FT
STA 24+01.3 - 24+05.9	RT	4.6 FT
STA 24+02.5 - 24+10.0	LT	7.5 FT
STA 24+18.7 - 24+24.7	LT	6.0 FT
STA 24+24.7 - 24+27.7	RT	3.0 FT
STA 24+46.0 - 24+47.5	LT	197.5 FT
STA 24+50.0 - 24+55.0	RT	5.0 FT

XX005807	PVI REM PARTIAL DEPTH	
STA 22+60.8 - 22+77.3	LT	2.8 SQ YD
STA 23+30.6 - 23+42.2	LT	1.9 SQ YD
STA 23+47.0 - 23+91.4	LT	7.4 SQ YD
STA 23+94.5 - 24+02.5	LT	1.3 SQ YD
STA 24+10.0 - 24+18.7	LT	1.4 SQ YD
STA 24+24.7 - 24+46.0	LT	3.6 SQ YD

#4001795	HMA BC WID 4	
STA 22+60.8 - 22+77.3	LT	2.8 SQ YD
STA 23+30.6 - 23+42.2	LT	1.9 SQ YD
STA 23+47.0 - 23+91.4	LT	7.4 SQ YD
STA 23+94.5 - 24+02.5	LT	1.3 SQ YD
STA 24+10.0 - 24+18.7	LT	1.4 SQ YD
STA 24+24.7 - 24+46.0	LT	3.6 SQ YD



BM #4: ELEV: 88.55
 TOP OF 'O' IN 'OPEN' DN
 TOP OF FIRE HYDRANT
 LOCATED AT THE NE
 CORNER OF TOMPKINS ST.
 AND S. HENDERSON ST.

PLAN & PROFILE 6
 STA 22+50 - 25+00
 S. HENDERSON ST. RESURFACING
 SECTION # 04-00401-24-RS
 FAU ROUTE 6791
 JOB # C-94-040-05
 CONTRACT # 89362



ALL ELEVATIONS EXISTING UNLESS OTHERWISE NOTED

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	16

40600100 BIT MATLS PR CT STA 25+00 - 27+10	92 GAL
40600300 AGG PR CT STA 25+00 - 27+10	2.3 TDNS
40600982 HMA SURF REM BUTT JT STA 26+90 - 27+10	131.9 SQ YD
40600995 TEMPORARY RAMP SPL STA 27+00 LT STA 27+20 RT	13.9 SQ YD 13.3 SQ YD




40603080 HMA BC SUPER JL-19.0 NS0 STA 25+00 - 27+10	165 TDNS
40603535 P HMA SC SUPER 'D' NS0 STA 25+00 - 27+10	100 TDNS
42400100 PC CONC SIDEWALK 4 STA 25+01.6 - 25+07.0 LT STA 25+18.0 - 26+47.5 LT	22.1 SQ FT 141 SQ FT
44000080 HMA SURF REM (CM) 3 STA 25+00 - 26+90	1023.3 SQ YD

44000500 COMB CURB GUTTER REM STA 25+00.0 - 25+10.5 RT STA 25+01.5 - 26+47.5 LT STA 26+16.2 - 26+36.4 RT	10.5 FT 142.0 FT 20.2 FT
44000600 SIDEWALK REM STA 25+01.6 - 25+07.0 LT	22.1 SQ FT
60260500 INLETS ADJ NEW T3F&G STA 26+27 LT STA 26+33 RT	1 EA 1 EA

60300305 FR & LIDS ADJUST STA 25+74 RT	REPLACE	1 EA
60605000 COMB CC&G TB6.24 STA 25+00.0 - 25+10.5 RT STA 25+01.5 - 26+47.5 LT STA 26+16.2 - 26+36.4 RT	10.5 FT 142.0 FT 20.2 FT	
X4402200 PAVEMENT REMOVAL (CONC) STA 25+20.0 - 26+47.5 LT	16 SQ YD	


- PC CONC SIDEWALK 4
- COMB CC&G TYPE B-6.24
- PAVEMENT REMOVAL (CONCRETE)

- CENTERLINE STATIONING
- WATER MAIN
- STORM SEWER
- SANITARY SEWER



BM #5: ELEV: 84.69
TOP OF NE BOLT AT BASE
OF RR SIGNAL FLASHERS
ON NORTH SIDE OF RR
TRACKS IN CENTER OF
S. HENDERSON ST.

PLAN & PROFILE 7
STA 25+00 - 27+10
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362




ALL ELEVATIONS EXISTING UNLESS OTHERWISE NOTED

PROPOSED SHORT-TERM PAVEMENT MARKINGS APPLICATION I


CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	17

NOT TO SCALE



7030100	
SHORT-TERM PAVT MKING	
APPLICATION I	
WHITE 4" SKIP-DASH	
STA 9+91 - 11+50 LT	16.0 FT
STA 25+00 - 27+00 LT&RT	48.0 FT
WHITE 12" STOP BAR	
STA 9+95 RT	20.0 FT
STA 10+00 LT	30.0 FT
WHITE TURN ARROW	
STA 10+15	6.0 FT
YELLOW DOUBLE SKIP-DASH	
STA 9+91 - 25+00	288.0 FT

NOT TO SCALE




SHORT-TERM PVT MRK-APPL I

S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362




PROPOSED SHORT-TERM PAVEMENT MARKINGS APPLICATION II

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	18



7030100	
SHORT-TERM PAVT MKING	
APPLICATION II	
WHITE 4' SKIP-DASH	
STA 9+91 - 12+50	16.0 FT
STA 12+50 - 15+00	48.0 FT
STA 15+00 - 17+50	32.0 FT
STA 17+50 - 20+00	48.0 FT
STA 20+00 - 22+50	48.0 FT
STA 22+50 - 25+00	40.0 FT
STA 25+00 - 27+10	48.0 FT
WHITE 12" STOP BAR	
STA 9+95 RT	20.0 FT
STA 10+00 LT	30.0 FT
YELLOW 4' SKIP-DASH	
STA 9+91 - 12+50	72.0 FT
STA 12+50 - 15+00	48.0 FT
STA 15+00 - 17+50	32.0 FT
STA 17+50 - 20+00	48.0 FT
STA 20+00 - 22+50	40.0 FT
STA 22+50 - 25+00	40.0 FT
STA 25+00 - 27+10	16.0 FT




SHORT-TERM PVT MRK-APPL II
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 5791
JOB # C-94-040-05
CONTRACT # 89362

APPL II PAVEMENT MARKINGS ARE TO BE ADDED TO EXISTING FROM APPL I




PROPOSED SHORT-TERM PAVEMENT MARKINGS APPLICATION III

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	19



7030100 SHORT-TERM PAVT MKING APPLICATION III	
<u>WHITE 4" SKIP-DASH</u>	
STA 9+91 - 12+50	16.0 FT
STA 17+50 - 20+00	16.0 FT
STA 20+00 - 22+50	22.0 FT
STA 22+50 - 25+00	8.0 FT
STA 25+00 - 27+10	48.0 FT
<u>WHITE 12" STOP BAR</u>	
STA 9+95 RT	20.0 FT
STA 10+00 LT	38.0 FT
<u>WHITE TURN ARROW</u>	
STA 10+15 CL	6.0 FT
STA 15+00 CL	6.0 FT
STA 16+25 CL	6.0 FT
STA 19+75 CL	6.0 FT
STA 20+50 CL	6.0 FT
<u>YELLOW 4" DOUBLE SKIP-DASH</u>	
STA 9+91 - 12+50	72.0 FT
STA 12+50 - 15+00	112.0 FT
STA 15+00 - 17+50	64.0 FT
STA 17+50 - 20+00	64.0 FT
STA 20+00 - 22+50	64.0 FT
STA 22+50 - 25+00	80.0 FT
STA 25+00 - 27+10	16.0 FT
70301000 WORK ZONE PAVT MK REM APPLICATION III 220.7 SQ FT	





SHORT-TERM PVT MRK-APPL III
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



PROPOSED PAVEMENT MARKING STA 10+00 - 15+00

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	20



78000100	THPL PVT MK LTR & SYM. WHITE	
TURN ARROWS:		
STA 10+22 CL	15.6 SQ FT	
STA 10+97 CL	15.6 SQ FT	
STA 13+05 CL	15.6 SQ FT	
STA 13+20 CL	15.6 SQ FT	
STA 14+85 CL	15.6 SQ FT	
STA 15+00 CL	15.6 SQ FT	

78000200	THPL PVT MK LINE 4	
YELLOW DOUBLE SOLID		
STA 10+15 - 11+27	224.0 FT	
STA 11+27 - 12+82	570.0 FT	
YELLOW SOLID W/ SKIP-DASH		
STA 12+82 - 15+15	586.8 FT	

78000500	13	
THPL PVT MK LINE 8		
STA 10+00	180.0 FT	
STA 10+02 - 11+27 LT	125.0 FT	



78000600		
THPL PVT MK LINE 12		
STA 11+27 - 12+82	113.3 FT	

78000650		
THPL PVT MK LINE 24		
STA 10+00 LT	32.8 FT	
STA 10+10 RT	34.0 FT	

88600100		
DET LOOP T1		
STA 10+00 LT (2)	384 FT	

NOTE: STATIONING IS APPROXIMATE;
ACTUAL LOCATIONS AND FINAL
QUANTITIES WILL BE DETERMINED
IN THE FIELD.

PROPOSED PAVEMENT MARKING STA 15+00 - 20+00



78000100	THPL PVT MK LTR & SYM. WHITE	
TURN ARROWS:		
STA 16+05 CL	15.6 SQ FT	
STA 16+20 CL	15.6 SQ FT	
STA 16+95 CL	15.6 SQ FT	
STA 17+10 CL	15.6 SQ FT	
STA 18+90 CL	15.6 SQ FT	
STA 19+65 CL	15.6 SQ FT	

78000200	THPL PVT MK LINE 4	
YELLOW DOUBLE SOLID		
STA 17+25 - 18+60	530.5 FT	
STA 18+60 - 19+75	230.0 FT	
YELLOW SOLID W/ SKIP-DASH		
STA 16+00 - 17+25	310.0 FT	

78000500		
THPL PVT MK LINE 8		
STA 18+60 - 19+75 RT	115.0 FT	

78000600		
THPL PVT MK LINE 12		
STA 17+25 - 18+60	94.2 FT	



NOTE: STATIONING IS APPROXIMATE;
ACTUAL LOCATIONS AND FINAL
QUANTITIES WILL BE DETERMINED
IN THE FIELD.

PROP THPL PVT MRK
STA 10+00 - 20+00
S. HENDERSON ST. RESURFACING
SECTION # 04-00401-24-RS
FAU ROUTE 6791
JOB # C-94-040-05
CONTRACT # 89362



PROPOSED PAVEMENT MARKING STA 20+00 - 25+00

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89362	04-00401-24-RS	21	21



78000100
THPL PVT MK LTR & SYM, WHITE

TURN ARROWS:
 STA 20+50 CL 15.6 SQ FT
 STA 21+25 CL 15.6 SQ FT

LETTER 'R' (16' IN HEIGHT)
 STA 23+50 RT(2) 7.2 SQ FT

RR CROSSING 'X' (20' IN HEIGHT)
 STA 23+50 RT (1) 54.0 SQ FT

78000200
THPL PVT MK LINE 4

YELLOW, DOUBLE SOLID
 STA 20+43 - 24+43 1393.0 FT

WHITE SKIP-DASH
 STA 23+90 - 24+40 20.0 FT



78000500
THPL PVT MK LINE 8
 STA 20+43 - 21+43 LT 100.0 FT

78000600
THPL PVT MK LINE 12
 STA 21+38 - 24+42 277.9 FT

78000650
THPL PVT MK LINE 24
 STA 23+25 RT 12.0 FT
 STA 23+75 RT 12.0 FT

NOTE: STATIONING IS APPROXIMATE;
ACTUAL LOCATIONS AND FINAL
QUANTITIES WILL BE DETERMINED
IN THE FIELD.

PROPOSED PAVEMENT MARKING STA 25+00 - 27+10



78000100
THPL PVT MK LTR & SYM, WHITE

LETTER 'R' (16' IN HEIGHT)
 STA 25+50 RT (4) 14.4 SQ FT

RR CROSSING 'X' (20' IN HEIGHT)
 STA 25+50 RT (2) 108.0 SQ FT

78000200
THPL PVT MK LINE 4

WHITE SKIP-DASH
 STA 25+00 - 27+00 LT&RT 90.0 FT

YELLOW, SINGLE SOLID
 STA 25+00 - 27+10 LT 206.5 FT
 STA 25+00 - 27+10 RT 210.5 FT

78000650
THPL PVT MK LINE 24
 STA 25+25 RT 18.0 FT
 STA 25+75 RT 18.0 FT
 STA 27+00 RT 24.0 FT

PROP THPL PVT MRK
 STA 20+00 - 27+10
 S. HENDERSON ST. RESURFACING
 SECTION # 04-00401-24-RS
 FAU ROUTE 6791
 JOB # C-94-040-05
 CONTRACT # 89362

NOTE: STATIONING IS APPROXIMATE;
ACTUAL LOCATIONS AND FINAL
QUANTITIES WILL BE DETERMINED
IN THE FIELD.

