



PLAN - PARAPET AND PARAPET RAILING
(Parapet Railing Post Spacing along ϕ Parapet Railing)




SECTION A-A



SECTION THRU PARAPET

(All edges have a 3/4" chamfer except at form liner locations)



PARAPET JOINT DETAILS

MINIMUM BAR LAP

(Parapet)
#4 bar = 2'-0"
#8 bar = 5'-2"

Notes:
See sheet SC11 for Parapet Form Liner details.
See sheet SC14 for Parapet Railing details.
See sheet SC16 for Drainage Scupper, DS-33 details.
See sheet SC9 for Section B-B.
Bars indicated thus 1x5-#8 indicates 1 line of bars with 5 lengths per line.
Drains shall be located clear of all diaphragms.

* For Ornamental Aluminum Lattice connections and details see sheets SC10 and SC11.

** East overhang: Max. = 2", Min. = 1 3/4"
West overhang: Max. = 1 3/8", Min. = 1 1/8"

5/21/2012 11:24:33 AM I:\2154\cad\sheet\Roadway\20-STRUCTURES & WALLS\04-SN 056-0079\0560079-60F72-08-SSD_Rev2.dgn

DRAWN	- M. LANGE	REVISED	- 5/3/12 K.L.B.
DESIGNED	- D. ATKINS	REVISED	-
CHECKED	- G. HATLESTAD	REVISED	-
DATE	- 5/3/2012	REVISED	-

O.R. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
0003	18A-2	MCHENRY	825	533
CONTRACT NO. 60F72				
ILLINOIS FED. AID PROJECT				