

LOCATION	STATION	OFFSET	CONCRETE HEADWALL REMOVAL EACH	(*) STONE RIPRAP CLASS A1 TON	CONCRETE HEADWALL FOR PIPE DRAINS	PIPE UNDERDRAIN 4" (SPECIAL) FOOT	UNDERDRAIN CONNECTION TO STRUCTURE EACH	CONNECTION TO EXIST. SEWER EACH	EROSION CONTROL BLANKET SQ YD
1	763+98.92	RT	1	3.0	1	8			
2	765+08.64	LT	1	3.0	1	3			
3	767+69.43	LT	1	3.0	1	2			
4	767+70.65	LT	1	3.0	1	2			
5	768+84.09	RT	1			13	1		
6	768+85.66	RT	1			14	1		
7	773+94.58	LT	1	3.0	1	2			
8	774+14.47	RT	1	3.0	1	9			
9	779+98.71	LT	1	3.0	1	4			
10	780+08.03	RT	1	3.0	1	1			
11	787+85.44	LT	1	3.0	1	11			
12	787+85.91	RT	1	3.0	1	2			
13	790+59.28	RT	1	3.0	1	1			
14	790+65.07	LT	1	3.0	1	10			
15	794+34.89	LT	1			9	1		
16	794+71.31	RT	1			1	1		
17	794+72.53	RT	1			1	1		
18	799+23.08	LT	1		1	9			4.0
19	799+27.00	RT	1		1	9			4.0
20	802+74.38	RT	1	2.5	1	2			
21	802+78.42	LT	1	3.0	1	10			
21A	806+50.92	RT	1	3.0	1	4			
22	809+18.17	LT	1	2.5	1	9			
23	809+18.22	RT	1	2.5	1	2			
24	812+07.02	RT	1	3.0	1	1			
25	814+82.91	RT	1			15	1		
26	814+83.40	LT	1			15	1		
27	817+95.59	LT	1	3.0	1	10			
28	818+15.38	RT	1	3.0	1	2			
29	821+00.58	RT	1	3.0	1	1			
30	821+01.20	LT	1	3.0	1	8			
31	824+19.49	LT	1			19	1		
32	829+03.11	LT	1	3.0	1	8			
33	829+25.93	RT	1	3.0	1	2			
34	834+07.79	LT	1		1	3			4.0
35	834+11.61	RT	1		1	9			4.0
36	839+30.38	LT	1			26	1		
37	839+36.23	RT	1			33	1		
38	842+18.50	LT	1	3.0	1	1			
39	842+19.02	RT	1	3.0	1	10			
40	845+24.94	RT	1			2		1	
41	845+43.37	LT	1			9		1	
42	849+05.98	LT	1			9		1	
43	849+09.17	RT	1			2		1	
44	851+26.00	RT	1	3.0		1		1	
45	853+08.59	LT	1			8		1	
46	859+75.65	RT	1	3.0	1	10			
47	864+09.39	RT	1			10		1	
48	864+21.86	LT	1			2		1	
49	869+04.71	LT	1			2		1	
50	869+13.12	RT	1			10		1	
51	873+67.06	LT	1			2		1	
52	873+76.78	RT	1			10		1	
53	876+68.55	LT	1	3.0	1	2			
54	876+79.70	RT	1	3.0	1	9			
55	880+03.56	RT	1	3.0	1	10			
56	883+74.97	LT	1	2.5	1	2			
57	883+82.99	RT	1	3.0	1	10			
58	885+96.48	LT	1	3.0	1	1			
59	887+87.46	LT	1			6			4.0
60	887+87.67	RT	1			6			4.0
61	892+62.57	LT	1			20	1		
62	892+66.29	RT	1			15	1		
63	895+13.08	RT	1	3.0	1	3			
64	895+14.55	RT	1	3.0	1	3			
65	895+21.64	LT	1	3.0	1	10			
66	895+22.78	LT	1	3.0	1	10			
67	898+83.72	LT	1	3.0	1	9			
68	898+94.32	RT	1	3.0	1	2			
69	907+61.92	RT	1	3.0	1	12			
70	907+70.79	LT	1	3.0	1	3			
71	913+25.96	LT	1			1	1		
72	913+26.02	RT	1			12	1		
73	913+27.13	LT	1			1	1		
74	913+27.24	RT	1			12	1		
75	916+04.17	RT	1	3.0	1	11			
76	916+09.04	LT	1	3.0	1	2			
77	919+27.46	RT	1			25	1		
78	922+07.99	LT	1	2.5	1	2			
79	922+13.72	RT	1	3.0	1	10			
80	930+13.60	RT	1	3.0	1	11			
81	930+18.92	LT	1	3.0	1	2			
82	934+97.99	RT	1	3.0	1	11			
83	935+02.86	LT	1	3.0	1	2			
84	944+97.95	RT	1	3.0	1	10			

(*) THIS PAY ITEM APPLIED TO LOCATIONS WHERE PIPE UNDERDRAINS OUTLET BELOW DITCH GRADES.

LOCATION	STATION	OFFSET	CONCRETE HEADWALL REMOVAL EACH	(*) STONE RIPRAP CLASS A1 TON	CONCRETE HEADWALL FOR PIPE DRAINS	PIPE UNDERDRAIN 4" (SPECIAL) FOOT	UNDERDRAIN CONNECTION TO STRUCTURE EACH	CONNECTION TO EXIST. SEWER EACH	EROSION CONTROL BLANKET SQ YD
85	945+09.71	LT	1	3.0	1	2			
86	949+74.14	LT	1			27	1		
87	954+80.20	LT	1	3.0	1	3			
88	954+98.36	RT	1	3.0	1	11			
89	958+37.81	RT	1	3.0	1	11			
90	958+55.95	LT	1	3.0	1	3			
91	961+80.57	LT	1			7			4.0
92	967+07.70	RT	1			12			4.0
93	967+11.54	LT	1			1			4.0
94	974+89.13	RT	1	3.0	1	10			
95	976+99.80	LT	1	3.0	1	2			
96	977+73.41	RT	1			14	1		
97	980+03.60	LT	1	3.0	1	10			
98	983+03.64	LT	1	2.5	1	11			
99	988+02.51	RT	1	3.0	1	2			
100	988+06.97	LT	1	3.0	1	11			
101	991+88.72	LT	1			17	1		
102	995+87.17	LT	1	3.0	1	9			
103	997+05.56	RT	1	3.0	1	4			
104	1003+47.30	RT	1	3.0	1	11			
105	1003+52.61	LT	1	3.0	1	3			
106	1006+76.81	RT	1			9			4.0
107	1006+93.03	LT	1			6			4.0
108	1006+94.25	LT	1			6			4.0
109	1007+40.72	RT	1			9			4.0
110	1012+02.32	LT	1	3.0	1	3			
111	1012+20.46	RT	1	3.0	1	12			
112	1015+05.67	RT	1	2.5	1	12			
113	1015+15.56	LT	1	3.0	1	2			
114	1019+17.68	RT	1			16	1		
115	1019+21.53	LT	1			15	1		
116	1022+12.73	LT	1	3.0	1	3			
117	1022+12.84	RT	1	3.0	1	12			
118	1025+27.87	LT	1			20	1		
119	1025+53.66	RT	1	3.0	1	12			
120	1029+90.19	LT	1	3.0	1	1			
121	1030+04.09	RT	1	3.0	1	12			
122	1039+73.68	RT	1			26	1		
123	1039+75.42	LT	1			25	1		
124	1042+81.64	LT	1	3.0	1	3			
125	1042+88.09	RT	1	3.0	1	11			
126	1045+71.84	LT	1			20	1		
127	1046+33.57	RT	1			13	1		
128	1046+33.83	LT	1			10	1		
129	1046+34.39	RT	1			14	1		
130	1049+58.42	LT	1	3.0	1	2			
131	1049+69.13	RT	1	3.0	1	12			
132	1056+16.08	LT	1	3.0	1	2			
133	1056+28.24	RT	1	3.0	1	11			
134	1058+95.56	LT	1	3.0	1	4			
135	1059+07.12	RT	1	3.0	1	12			
136	1067+72.91	RT	1	3.0	1	10			
137	1067+81.11	LT	1			23	1		
138	1071+02.46	LT	1			3			4.0
139	1071+10.39	RT	1	2.5	1	10			
140	1074+04.30	RT	1			7			4.0
141	1074+10.85	LT	1			6			4.0
142	1076+81.21	LT	1			7			4.0
143	1076+93.07	RT	1			7			4.0
144	1079+62.76	LT	1			6			4.0
145	1079+88.12	RT	1			7			4.0
146	1080+20.50	LT	1			7			4.0
147	1080+25.67	RT	1			7			4.0
148	1084+79.08	LT	1			9			4.0
149	1084+96.37	RT	1			4			4.0
150	1093+19.50	LT	1			25	1		
151	1093+47.09	RT	1			2	1		
152	1097+74.55	LT	1			30	1		
153	1097+92.07	RT	1			12	1		
154	1100+90.74	LT	1	3.0	1	11			
155	1100+96.93	RT	1	3.0	1	2			
156	1104+02.39	LT	1	3.0	1	11			
157	1104+17.42	RT	1	3.0	1	2			
158	1108+84.80	LT	1						
159	1109+19.28	RT	1			6			4.0
160	1109+20.75	RT	1			6			4.0

(*) THIS PAY ITEM APPLIED TO LOCATIONS WHERE PIPE UNDERDRAINS OUTLET BELOW DITCH GRADES.

*CHAMPAIGN & VERMILION

McDonough-Whitlow, P.C.
 Consulting Engineers & Land Surveyors
 138 East Wood Street
 Hillsboro, IL 62047
 Phone: 217.532.9233
 Fax: 217.532.6300
 PROFESSIONAL DESIGN NO. 184-002754

FILE NAME = D570966-xxx-SCHEDULE.dgn	USER NAME = JLM	DESIGNED - JAH	REVISED -
		DRAWN - JLM	REVISED -
		CHECKED - TMM	REVISED -
		DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULE OF QUANTITIES

SCALE: NONE SHEET NO. 2 OF 3 SHEETS STA. _____ TO STA. _____

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.