



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 1, 2012

SUBJECT: FAS 358 (CH 1)
Project RS-0358(105)
Section 86-00075-02-AS
Woodford County
Contract No. 89579
Item 056
June 15, 2012 Letting
Addendum (A)

NOTICE TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

- 1. Revised page 3 of the Schedule of Prices.**
- 2. Revised page 9 of the Special Provisions.**
- 3. Revised sheet 11 of the Plans.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John Baranzelli, P.E.
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.", with the initials "P.E." written in a smaller font to the right.

By: Ted B. Walschleger, P.E.
Engineer of Project Management

FAS 358
 86-00075-02-AS
 WOODFORD

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 89579

ECMS002 DTGECM03 ECMR003 PAGE 3
 RUN DATE - 05/31/12
 RUN TIME - 190120

| ITEM NUMBER | PAY ITEM DESCRIPTION | UNIT OF MEASURE | QUANTITY | UNIT PRICE | | TOTAL PRICE | |
|-------------|----------------------|-----------------|--------------|------------|-------|-------------|-----|
| | | | | DOLLARS | CENTS | DOLLARS | CTS |
| 40300100 | BIT MATLS PR CT | GALLON | 17,045.000 X | = | = | = | = |
| 40300300 | BIT MATLS C&S CT | GALLON | 23,864.000 X | = | = | = | = |
| 40300305 | P BIT MATLS C&S CT | GALLON | 11,932.000 X | = | = | = | = |
| 40300500 | COVER COAT AGG | TON | 426.000 X | = | = | = | = |
| 40300600 | SEAL COAT AGG | TON | 852.000 X | = | = | = | = |
| 54001001 | BOX CUL END SEC C1 | EACH | 1.000 X | = | = | = | = |
| 54001002 | BOX CUL END SEC C2 | EACH | 2.000 X | = | = | = | = |
| 54001003 | BOX CUL END SEC C3 | EACH | 1.000 X | = | = | = | = |
| 54001004 | BOX CUL END SEC C4 | EACH | 2.000 X | = | = | = | = |
| 54001005 | BOX CUL END SEC C5 | EACH | 2.000 X | = | = | = | = |
| 54010302 | PCBC 3X2 | FOOT | 203.000 X | = | = | = | = |
| 54010402 | PCBC 4X2 | FOOT | 128.000 X | = | = | = | = |
| 54010403 | PCBC 4X3 | FOOT | 138.000 X | = | = | = | = |
| 542C0223 | P CUL CL C 1 18 | FOOT | 72.000 X | = | = | = | = |
| 542C0229 | P CUL CL C 1 24 | FOOT | 128.000 X | = | = | = | = |

△ Revised 6-1-12

Method of Measurement and Payment: This work shall be paid for at the contract unit price per EACH for DRAINAGE STRUCTURE TO BE REMOVED. No additional compensation will be allowed due to the various sizes, types, or lengths. The sizes, types and lengths shown in the plans are for information only and shall be verified by the contractor prior to bidding.

EXPLORATION TRENCH, 52" DEPTH

This work shall be performed in accordance with Section 213 of the Standard Specifications.

Exploration Trench shall be used at locations as directed by the Engineer. The quantities listed in the Schedule of Quantities are for the purpose of obtaining a unit price and may be increased or decreased as deemed necessary by the Engineer. Any and all changes in quantities shall be made at the contract unit price.

Method of Measurement and Payment: This work shall be paid for at the contract unit price per FOOT for EXPLORATION TRENCH, 52" DEPTH.

POROUS GRANULAR EMBANKMENT, SPECIAL

Porous Granular Embankment, Special shall include all labor, materials and equipment required around the proposed box culverts at locations shown in the plans. This work shall be performed in accordance with Section 207 of the Standard Specifications and as shown on the plans.

A 12 inch layer of Porous Granular Embankment backfill shall be placed under the culverts and end sections and extend 2 feet on either side of the structure. The material shall be RR 1. Refer to the detail provided on the "Typical Sections and Details" sheet in the plans.

Porous Granular Embankment backfill shall also extend 2 feet on either side of the culvert up to the sub base elevation and backfilled on top of the culvert to the sub base elevation. The gradation of material shall be in accordance with Section 1004.05, (c), (3) or (4). Refer to the detail provided on the "Typical Sections and Details" sheet in the plans.

The earth excavation required for this work will not be measured and paid for separately but will be included in the cost of POROUS GRANULAR EMBANKMENT, SPECIAL.

The earth excavation for the culverts shall not be used in embankments, unless otherwise directed by the Engineer.

Method of Measurement and Payment: This work shall be paid for at the contract unit price bid per TON for POROUS GRANULAR EMBANKMENT, SPECIAL.

GEOTECHNICAL FABRIC FOR GROUND STABILIZATION

The Geotechnical Fabric for Ground Stabilization shall be a woven fabric and shall be in accordance with Section 210 of the Standard Specifications.