

> FAP ROUTE 315 © OF CONSTRUCTION




TRANSVERSE DRAIN TANGENT PAVEMENT

PLAN



SECTION A-A



TRANSVERSE DRAIN SUPERELEVATED PAVEMENT

PLAN

GENERAL NOTES

- 1. TRANSVERSE DRAIN MATERIALS AND CONSTRUCTION SHALL CONFORM TO SECTION 601 OF THE STANDARD SPECIFICATIONS EXCEPT THAT NO FABRIC ENVELOPE IS REQUIRED ON PERFORATED PIPE AND THE GRANULAR BACKFILL GRADATION SHALL BE CA-16 GRAVEL.
- 2. ALL MATERIALS WILL NOT BE MEASURED SEPARATELY, BUT WILL BE INCLUDED IN THE COST PER UNIT FOR TRANSVERSE DRAINS,
- 3. SKEW TRANSVERSE DRAIN 20% FORWARD IN DIRECTION OF FLOW.
- 4. PIPE UNDERDRAINS MAY BE DELETED WITHIN ROCKFILL AREAS WHERE TRANSVERSE DRAINS ARE INSTALLED.

THE INDIS DEPARTMENT OF	E TRANSPORTATION	ı
	I INANSFORTATION	l
_		
_		
⊢ SPFCIAI I)FTAILS	
⊣ transversi	E DRAINS	
SCALE:	DRAWN BY:	RG
DATE: MARCH 10. 2006	CHECKED BY:	14.0
	SPECIAL I TRANSVERS	

DGN-SPEC.