

F.A.R. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
553	120RS-3	OGLE	145	30
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		

PAVEMENT ELEVATIONS

West Bound					Station	East Bound					
Outside EOP		PGL Elev.	Inside EOP			Inside EOP		Left Turn Lane Line		Outside EOP	
Elev.	Offset (Lt)		Elev.	Offset		Offset (Rt)	Elev.	Offset (Rt)	Elev.	Offset (Rt)	Elev.
-	-	-	-	-	21914+28	-	-	-	-	-	-
774.91	12.86	775.11	-	-	21914+50	-	-	-	14.71	774.89	-
775.28	13.45	775.48	-	-	21915+00	-	-	-	15.63	775.25	-
775.62	13.85	775.83	-	-	21915+50	-	-	-	16.68	775.58	-
775.95	14	776.17	-	-	21916+00	4.55	776.23	-	18.56	776.02	-
776.25	14	776.46	-	-	21916+50	6.9	776.55	-	20.91	776.36	-
776.57	14	776.78	-	-	21917+00	9.25	776.89	-	23.25	776.68	-
776.87	14	777.08	-	-	21917+50	11.21	777.25	-	25.21	777.04	-
777.22	14	777.43	-	-	21918+00	11.61	777.57	-	26.9	777.34	-
777.53	14	777.74	-	-	21918+50	14	777.88	-	28.46	777.66	-
777.86	14	778.07	-	-	21919+00	15.87	778.20	-	29.88	777.99	-
778.23	14	778.44	-	-	21919+50	17.08	778.53	-	31.08	778.32	-
778.63	14	778.84	-	-	21920+00	17.7	778.89	-	31.7	778.68	-
778.94	14	779.15	-	-	21920+50	17.92	779.22	-	31.92	779.01	-
779.24	14	779.45	-	-	21921+00	18.26	779.54	-	32.26	779.32	-
779.55	14	779.76	-	-	21921+50	18.55	779.85	-	32.54	779.64	-
779.86	14	780.07	-	-	21922+00	18.45	780.18	-	32.45	779.97	-
780.15	14	780.36	-	-	21922+50	15.4	780.55	18.41	780.50	32.41	780.29
780.46	14	780.67	-	-	21923+00	10.5	780.95	18.4	780.83	32.4	780.63
780.78	14	780.99	-	-	21923+50	8.13	781.27	18.4	781.12	32.4	780.91
781.07	14	781.28	-	-	21924+00	6.85	781.53	18.4	781.36	32.4	781.15
781.30	14	781.51	-	-	21924+50	6.58	781.79	18.1	781.62	32.1	780.40
781.47	14	781.68	-	-	21925+00	6.79	781.99	18.1	781.82	32.1	781.61
781.67	14	781.88	-	-	21925+50	6.58	782.20	18.36	782.02	32.36	781.81
781.85	14	782.06	-	-	21926+00	6.33	782.39	18.4	782.21	32.4	782.00
782.12	14	782.33	-	-	21926+50	10.35	782.48	18.45	782.36	32.45	782.15
782.24	14	782.45	-	-	21927+00	11.7	782.63	18.5	782.53	32.5	782.32
782.43	14	782.64	-	-	21927+50	12.8	782.84	18.57	782.75	32.57	782.54
782.63	14	782.84	-	-	21928+00	17.84	782.95	-	-	32.4	782.73
782.84	14	783.05	-	-	21928+50	18.18	783.05	-	-	32.33	782.84
783.03	14	783.24	-	-	21929+00	18.28	783.24	-	-	32.33	783.03
783.17	14	783.38	-	-	21929+50	18.32	783.38	-	-	32.33	783.17
783.25	14	783.46	-	-	21930+00	18.36	783.46	-	-	32.36	783.24
783.27	14	783.48	-	-	21930+50	18.36	783.48	-	-	32.36	783.27
783.32	14	783.53	-	-	21931+00	18.4	783.53	-	-	32.4	783.32
783.41	14	783.62	-	-	21931+50	18.3	783.61	-	-	32.3	783.40
783.55	14	783.76	-	-	21932+00	18.23	783.77	-	-	32.22	783.56
783.74	14	783.95	-	-	21932+50	18.16	783.95	-	-	32.16	783.74

West Bound					Station	East Bound					
Outside EOP		PGL Elev.	Inside EOP			Inside EOP		Left Turn Lane Line		Outside EOP	
Elev.	Offset (Lt)		Elev.	Offset		Offset (Rt)	Elev.	Offset (Rt)	Elev.	Offset (Rt)	Elev.
783.96	14	784.17	-	-	21933+00	18.16	784.17	-	-	32.16	783.96
784.22	14	784.43	-	-	21933+50	18.26	784.43	-	-	32.26	784.22
784.50	14	784.71	-	-	21934+00	18.42	784.71	-	-	32.42	784.50
784.82	14	785.03	-	-	21934+50	18.31	785.03	-	-	32.31	784.82
785.18	14	785.39	-	-	21935+00	18.28	785.39	-	-	32.28	785.18
785.60	14	785.81	-	-	21935+50	18.13	785.81	-	-	32.13	785.60
786.09	14	786.30	-	-	21936+00	16.4	786.30	18.07	786.27	32.07	786.06
786.68	14	786.89	-	-	21936+50	13	786.89	18.26	786.81	32.26	786.60
787.31	14	787.52	-	-	21937+00	9.43	787.50	18.43	787.37	32.43	787.16
787.88	14	788.09	-	-	21937+50	7.09	788.08	18.48	787.91	32.48	787.70
788.41	14	788.62	-	-	21938+00	6.19	788.62	18.2	788.44	32.2	788.23
788.89	14	789.10	-	-	21938+50	6.55	789.35	17.9	789.18	31.9	788.97
789.35	14	789.56	-	-	21939+00	6.64	789.80	17.73	789.63	31.73	789.42
789.80	14	790.01	-	-	21939+50	6.5	790.24	18.17	790.06	32.17	789.85
790.25	14	790.46	-	-	21940+00	6	790.65	18.46	790.46	32.46	790.25
790.63	14	790.84	-	-	21940+50	9	790.97	18.33	791.00	32.7	790.79
791.10	14	791.31	-	-	21941+00	8.23	791.59	18.37	791.44	32.66	791.22
791.52	14	791.73	-	-	21941+50	16.46	791.90	-	-	32.3	791.66
791.96	14	792.17	-	-	21942+00	18.05	792.30	-	-	32.2	792.09
792.43	14	792.64	-	-	21942+50	18.12	792.72	-	-	32.12	792.51
792.90	14	793.11	-	-	21943+00	17.9	793.21	-	-	31.9	793.00
793.42	14.1	793.63	-	-	21943+50	17.45	793.67	-	-	31.45	793.46
793.96	14.24	794.17	-	-	21944+00	16.73	794.13	-	-	30.73	793.92
794.47	14.38	794.69	-	-	21944+50	15.75	794.63	-	-	29.75	794.42
795.13	14.56	795.35	795.36	1.21 Rt	21945+00	14.4	795.28	-	-	28.4	795.07
795.83	14.75	796.05	796.07	1.67 Rt	21945+50	12.7	795.96	-	-	26.7	795.75
796.61	14.91	796.83	-	-	21946+00	10.8	796.65	-	-	24.8	796.44
797.43	14.65	797.65	-	-	21946+50	8.73	797.50	-	-	23	797.29
798.27	14.05	798.48	798.49	0.94 Rt	21947+00	7	798.41	-	-	21.34	798.19
799.15	13.45	799.35	799.37	1.55 Rt	21947+50	5.46	799.35	-	-	19.82	799.13
800.14	12.9	800.33	-	-	21948+00	4.7	800.40	-	-	18.6	800.19
801.22	12.32	801.40	-	-	21948+50	1.08	801.42	-	-	17.48	801.17
802.31	12.05	802.49	-	-	21949+00	-	-	-	-	15.81	802.25
-	-	-	-	-	21949+35	-	-	-	-	-	-

PLOT DATE = Mon Mar 28 14:38:48 2005
 FILE NAME = I:\2005\64634\64634.dwg
 PLOT SCALE = 80.0000 / IN.
 USER NAME = lillygo