

SCHEDULE OF QUANTITIES

END SECTIONS

STATION	EACH
31+84.49 29.67' RT.	1
32+20.21 28.52' RT.	1
TOTAL	2

PAINT PAVEMENT MARKING - LINE 4"

STATION	TO	STATION	4" WHITE (FOOT)
9+88.90 LT.		18+37.66 LT. (BK)	849
10+38.50 RT.		18+37.66 RT. (BK)	800
18+78.66 LT. (AH)		28+60.00 LT.	982
18+78.66 RT. (AH)		28+20.00 RT.	942
31+70.00 RT.		34+50.00 RT.	280
32+10.00 LT.		35+65.00 LT.	355
TOTAL			4208

SHORT-TERM PAVEMENT MARKING

STATION	TO	STATION	LENGTH	FOOT
9+88.90 LT.		18+37.66 LT. (BK)	849	38
10+38.50 RT.		18+37.66 RT. (BK)	800	36
18+78.66 LT. (AH)		28+60.00 LT.	982	44
18+78.66 RT. (AH)		28+20.00 RT.	942	42
31+70.00 RT.		34+50.00 RT.	280	16
32+10.00 LT.		35+65.00 LT.	355	19
TOTAL				195

TEMPORARY PAVEMENT MARKING - LINE 4"

STATION	TO	STATION	4" WHITE (FOOT)
9+88.90 LT.		18+37.66 LT. (BK)	849
10+38.50 RT.		18+37.66 RT. (BK)	800
18+78.66 LT. (AH)		28+60.00 LT.	982
18+78.66 RT. (AH)		28+20.00 RT.	942
31+70.00 RT.		34+50.00 RT.	280
32+10.00 LT.		35+65.00 LT.	355
TOTAL			4208

WORK ZONE PAVEMENT MARKING REMOVAL

STATION	TO	STATION	LENGTH	FOOT	SQ. FT.
9+88.90 LT.		18+37.66 LT. (BK)	849	38	13
10+38.50 RT.		18+37.66 RT. (BK)	800	36	12
18+78.66 LT. (AH)		28+60.00 LT.	982	44	15
18+78.66 RT. (AH)		28+20.00 RT.	942	42	14
31+70.00 RT.		34+50.00 RT.	280	16	5
32+10.00 LT.		35+65.00 LT.	355	19	6
TOTAL					65

SEEDING

STATION	TO	STATION	SEEDING CLASS 2A (ACRE)	NITROGEN FERTILIZER NUTRIENT (POUND)	PHOSPHORUS FERTILIZER NUTRIENT (POUND)	POTASSIUM FERTILIZER NUTRIENT (POUND)	MULCH METHOD 2 (ACRE)	TEMPORARY EROSION CONTROL SEEDING (POUND)
9+88.90 LT.		35+65.00 LT.	0.4	34	34	34	0.4	38
10+38.50 RT.		34+50.00 RT.	0.5	44	44	44	0.5	49
TOTALS			0.9	78	78	78	0.9	87

INCIDENTAL BITUMINOUS SURFACING

STATION	OFFSET	ENTRANCE TYPE	SQ. YD.	INCIDENTAL BIT. SURF. (TON)	BIT. MATLS. (PRIME COAT) (GAL.)	AGGREGATE (PRIME COAT) (TON)
17+39.01	RT.	PE	5	0.50	3	0.10
19+88.30	RT.	SR	160	14.00	16	0.40
32+02.35	RT.	PE	5	0.50	3	0.10
32+87.96	RT.	PE	5	0.50	3	0.10
33+86.62	RT.	PE	5	0.50	3	0.10
34+06.81	LT.	PE	19	2.00	10	0.20
TOTALS				18.00	38	1.00

AGGREGATE BASE COURSE, TYPE B

STATION	OFFSET	ENTRANCE TYPE	TON
17+39.01	RT.	PE	1.8
32+02.35	RT.	PE	1.8
32+87.96	RT.	PE	1.8
33+86.62	RT.	PE	1.8
34+06.81	LT.	PE	6.8
TOTAL			14.0

AGGREGATE SURFACE COURSE, TYPE B

STATION	OFFSET	ENTRANCE TYPE	TON
17+39.01	RT.	PE	10
32+02.35	RT.	PE	10
32+87.96	RT.	PE	10
TOTAL			30

DRIVEWAY PAVEMENT REMOVAL

STATION	OFFSET	ENT TYPE	ENT WIDTH (FT)	SQ YD
17+39.01	RT.	PE	15	28
33+86.62	RT.	PE	15	13
34+06.81	LT.	FE	30	36
TOTAL				77

EARTHWORK

STATION	TO	STATION	EARTH EX (CU. YD.)	SHRINKAGE (CU. YD.)	EMBANKMENT (CU. YD.)	EARTHWORK BALANCE WASTE (+) OR SHORTAGE (-) (CU. YD.)
9+88.90 LT.		35+65.00 LT	187.00	140.25	147.00	-6.75
10+38.50 RT.		34+50.00 RT	301.00	225.75	429.00	-203.25
TOTAL			488.00	366.00	576.00	-210.00
EARTH EXCAVATION			488 CU. YD.			
FURNISHED EXCAVATION			210 CU. YD.			