



TYPICAL MARKING FOR PAINTED ISLANDS



REVISED - 2-7-05


TYPICAL MARKING FOR PAINTED ISLANDS 93.4

DRAIN FOR AGGREGATE BASE COURSE



NOTES:

The rock outlets shall be constructed using CA7 and will be paid for at the contract unit price per m² (SQ. YD.) for DRAIN FOR AGGREGATE BASE COURSE. The thickness shall be the same as the adjacent sub-base material as noted on the plans and shall include the cost of the filter fabric. The Rock outlets will be measured in m² (SQ. YD.), the width being 900 (36) by the length shown above. The cost of the CA6 or CA10 under the shoulder shall be included in the contract unit price per m² (SQ. YD.) for SUB-BASE GRANULAR MATERIAL, TYPE A of the thickness specified. The filter fabric to be used shall conform to the filter fabric used for Riprap.



REVISED - 10-10-06

X0325519

DRAIN FOR AGGREGATE BASE COURSE 96.4

REVISED	REGION 2 / DISTRICT 2 STANDARD	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
REVISED		734	77-2-2 & 77-2B-1	WINNEBAGO	530	324
REVISED		CONTRACT NO. 64813				
REVISED		SCALE: 50:0000	SHEET NO. 324 OF 530 SHEETS		STA.	TO STA.

PLOT DATE = 2/2/2011