

NOTIFIED. IN NON-EMERGENCY SITUATIONS THIS NOTICE SHALL BE SENT AT LEAST TWENTY-FOUR (24) HOURS IN ADVANCE. IN CASES WHERE AN ELDERLY OR PHYSICALLY CHALLENGED PERSON NEEDS ACCESS, THE CONTRACTOR WILL IMMEDIATELY AFFORD INGRESS AND/OR EGRESS AND SHALL MAINTAIN THIS ACCESS OR FACILITATE THE RESIDENTS INGRESS AND/OR EGRESS AS NEEDED.

21. THE CITY OF GENEVA ADVISES THAT THE USE OF CITY WATER FROM A HYDRANT OR FROM THE WASTE WATER TREATMENT PLANT FOR THIS PROJECT WILL BE AT NO CHARGE TO THE CONTRACTOR. THE WATER USED FROM HYDRANTS SHALL BE METERED. THE CONTRACTOR SHALL OBTAIN A HYDRANT METER FROM THE CITY OF GENEVA'S, PUBLIC WORKS DEPARTMENT. USE OF A WATER HOSE LARGER THAN TWO (2") INCHES SHALL ONLY BE CONNECTED ONTO HYDRANTS AT THE PUBLIC WORKS FACILITY AT 1800 SOUTH STREET. THIS WATER CAN THEN BE TRUCKED TO THE LOCATION WHERE IT WILL BE USED. THE CONTRACTOR WILL BE ALLOWED UP TO A TWO (2") INCH WATER HOSE ON HYDRANT(S) SPECIFIED BY THE ENGINEER. A DEPOSIT IS REQUIRED FOR ALL METERS: \$1,000.00 FOR TWO (2") INCHES AND ABOVE AND \$200.00 FOR METERS SMALLER THAN TWO (2") INCHES. IF THE CONTRACTOR USES THE WATER WITHIN THE GUIDELINES SPECIFIED ABOVE AND RETURNS THE METER UNDAMAGED THE DEPOSIT SHALL BE REFUNDED. THE CONTRACTOR OR SUBCONTRACTOR MAY TRUCK IN WATER AT HIS OWN EXPENSE FOR ANY AND ALL USE IN THIS PROJECT. IF WATER IS TRUCKED IN, THE SOURCE OF THE WATER MUST BE DISCLOSED AND VERIFIED TO THE ENGINEER. DURING PERIODS OF HIGH DEMAND FOR POTABLE WATER OR AT OTHER TIMES THE ENGINEER MAY DIRECT TO CONTRACTOR TO USE GRAY WATER FROM THE WASTE WATER TREATMENT PLANT.
22. DETECTABLE WARNINGS SHALL BE PLACED AS DIRECTED BY THE ENGINEER. DETECTABLE WARNINGS SHALL MEET THE REQUIREMENTS OF THE STATE OF ILLINOIS, THE AMERICAN WITH DISABILITIES ACT ACCESSIBILITY GUIDELINES (ADAAG), AND/OR OTHER ACCEPTED ACCESSIBILITY GUIDELINES, AND DETAIL #424001-05 SPECIFIED ON PAGE #2 OF THE PLANSET. THEY SHALL BE INSTALLED ACCORDING TO SECTION 424 OF THE STANDARD SPECIFICATIONS (SEE ARTICLE 424.09). THE DETECTABLE WARNINGS USED ON THIS PROJECT SHALL HAVE THE FOLLOWING CERTIFICATIONS AND SHALL BE APPROVED BY THE ENGINEER PRIOR TO USE.
 - A) MANUFACTURER'S CERTIFICATION STATING THE ACCESSABILITY GUIDELINES WITH WHICH IT IS IN COMPLIANCE.
 - B) MANUFACTURER'S 5 YEAR WARRANTY.
 - C) MANUFACTURER'S SPECIFICATIONS STATING THE REQUIRED MATERIALS, EQUIPMENT, AND INSTALLATION PROCEDURES WHICH THE CONTRACTOR SHALL ADHERE TO.

PAYMENT FOR DETECTABLE WARNINGS WILL BE IN ADDITION TO THE SQUARE FOOTAGE OF THE SIDEWALK UNDERNEATH THE PANEL.
23. IF GRANULAR MATERIAL IS NEEDED FOR RE-GRADING ROADWAY, BELOW SIDEWALKS, DRIVEWAYS, AND CURB, RECYCLED MATERIAL WITH THE CORRECT GRADATION, FROM AN APPROVED SOURCE WILL BE ALLOWED.
24. THE CONTRACTOR SHALL PROTECT THE PARKWAY GRASS FROM PERMANENT DAMAGE AND RUTTING WHILE REMOVING AND REPLACING THE SIDEWALK. ALL SPOILS SHALL BE LOADED ONTO A TRUCK AS IT IS BEING REMOVED AND SHALL NOT BE STOCK PILED ON THE ROADWAY.
25. It will be the responsibility of the Contractor to protect the new concrete from the weather and from being defaced. Any section of new concrete that is deemed unacceptable by the Engineer shall be removed, disposed of, and replaced at the Contractor's expense.

CITY OF GENEVA KANE COUNTY, ILLINOIS	DESIGNED - CEO	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION ANDERSON BLVD LAPP IMPROVEMENTS	GENERAL NOTES		F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	DRAWN - HL PM	REVISED -				1678	10-00111-00-RS	KANE	15	4
	CHECKED - PB	REVISED -		JOB NO. C-91-545-10		FED. ROAD DIST. NO. C-91-545-10		CONTRACT NO. 63478		
	DATE - APRIL 2010	REVISED -		STA. 0+00 TO STA. 34+22		ILLINOIS		FED. AID PROJECT ARA-9003(679)		