

**LOCATION 1 RESURFACING SCHEDULE**

LOCATION STATION TO STATION	LENGTH (FT)	ROADWAY WIDTH (FT)	SHOULDER WIDTH (FT)	ROADWAY OR SHLD. AREA (SQ YD)	HOT-MIX ASP. SURF. REMOV. - BUTT JT. (SQ YD)	HMA SURF. REMOVAL, 1" (SQ YD)	TEMP RAMP (SQ YD)	HOT-MIX ASP. SUR. CSE., MIX C. N 90 (1 1/2") (TON)	LEVELING BINDER (MM) N90 (1") (TON)	BIT. MAT. (PRIME COAT) (GAL)	AGG. (PRIME COAT) (TON)	NOTES												
													FOR INFORMATIONAL PURPOSE ONLY											
													(FT)	(FT)	(FT)	(SQ YD)	(SQ YD)	(SQ YD)	(SQ YD)	(TON)	(TON)	(GAL)	(TON)	
<b>FAP 312 (IL 3) STA. 396+14.34 TO STA. 352+00</b>																								
396+14.34 TO 397+64.00	150	2 - 15' Lns.	8.0	500	190	500	17	42	30	90	1.5													
396+14.34 TO 397+64.00	150	11' TO 2'	8.0					9	6			Center Median												
397+64.00 TO 401+00.00	336	33' to 24'	8.0	1064		1064		90	61	192	3.2													
401+00.00 TO 424+32.12	2332	24.0	2.0	6219		6219		526	348	1119	18.7													
<b>Eq. Sta. 424+32.12 (bk) = Sta. 0+32.12 (ah)</b>																								
+32.12 TO 193+56.00	19324	24.0		51530		51530	13	4353	2885	9275	154.6													
<b>SN 039-2025 Omission - Sta. 193+56 to Sta. 194+51</b>																								
194+51.00 TO 195+00.00	49.0	24.0		131		131	13	12	8	24	0.4													
<b>Eq. Sta. 195+00 (bk) = Sta. 194+90.20 (ah)</b>																								
194+90.20 TO 225+85.96	3,095.8	24.0	2.0	8,255		8255		698	463	1486	24.8													
<b>Eq. Sta. 225+85.96 (bk) = Sta. 226+00.00 (ah)</b>																								
226+00.00 TO 271+72.54	4,572.5	24.0	2.0	12,193		12,193		1030	683	2195	36.6													
<b>Eq. Sta. 271+72.54 (bk) = Sta. 271+84.86 (ah)</b>																								
271+84.85 TO 352+00.00	8,015.2	24.0	2.0	21,373.7	80	21,374	13	1806	1197	3847	64.1													
<b>LOCATION 1 TOTALS</b>					<b>270</b>	<b>101,267</b>	<b>57</b>	<b>8566</b>	<b>5681</b>	<b>18228</b>	<b>303.8</b>													

**LOCATION 2 RESURFACING SCHEDULE**

LOCATION STATION TO STATION	LENGTH (FT)	ROADWAY WIDTH (FT)	SHOULDER WIDTH (FT)	ROADWAY OR SHLD. AREA (SQ YD)	HOT-MIX ASP. SURF. REMOV. - BUTT JT. (SQ YD)	HMA SURF. REMOVAL, 1" (SQ YD)	TEMP RAMP (SQ YD)	HOT-MIX ASP. SUR. CSE., MIX D. N 90 (1 1/2") (TON)	LEVELING BINDER (MM) N90 (1") (TON)	BIT. MAT. (PRIME COAT) (GAL)	AGG. (PRIME COAT) (TON)	NOTES												
													FOR INFORMATIONAL PURPOSE ONLY											
													(FT)	(FT)	(FT)	(SQ YD)	(SQ YD)	(SQ YD)	(SQ YD)	(TON)	(TON)	(GAL)	(TON)	
<b>FAP 312 (IL 3) STA. 195+00 TO STA. 434+55</b>																								
195+00.00 TO 244+77.00	4977	24.0	10.0	13272	147		27	1121	747	2389	39.8													
244+77.00 TO 249+90.00					147																			
<b>SN 039-0048 Omission - Sta. 244+77 to Sta. 249+90</b>																								
249+90.00 TO 266+69.60	1680	24.0	10.0	4479	147		13	379	252	806	13.4													
<b>Eq. Sta. 266+69.6 (bk) = Sta. 283+92.2 (ah)</b>																								
283+92.20 TO 286+00.00	207.8	24.0	10.0	554				47	32	100	1.7													
<b>Ex. PCC Pvt ends/ Bit. Surfaced Pvt begins - Sta. 286+00</b>																								
286+00.00 TO 327+37.00	4,137.0	24.0	2.0	11,032	80	11032	13	932	616	1986	33.1													
<b>SN 039-0067 Omission - Sta. 327+37 to Sta. 333+96</b>																								
333+96.00 TO 434+55.00	10,059.0	24.0	2.0	26,824	80	26,824	27	2266	1497	4828	80.5													
434+55.00 TO 434+55.00					80																			
<b>LOCATION 2 TOTALS</b>					<b>681</b>	<b>37,856</b>	<b>80</b>	<b>4745</b>	<b>3144</b>	<b>10109</b>	<b>168.5</b>													