



FIRST STREET



NOTE:  
 PR PCC SIDEWALKS AND RAMPS  
 TO BE 4' WIDE AND 4" THICK.  
 RAMP SLOPES 8.33% (1:12) TYP.  
 COSTS FOR INCIDENTAL EARTHWORK  
 AND SEEDING TO BE INCLUDED IN THE  
 COST FOR PCC SIDEWALK 4".  
 ALL MEASUREMENTS ON CURVES  
 ARE CHORD DISTANCES.

PR CONCRETE GUTTER = 8 FOOT  
 PR PCC SIDEWALK 4" = 67 SQ FT



PARTRIDGE PASS

**BILL OF MATERIALS**

TOTAL PCC SIDEWALK 4"	= 134 SQ FT
TOTAL SIDEWALK REMOVAL	= 92 SQ FT
TOTAL CONCRETE GUTTER	= 16 FT
TOTAL GUTTER REMOVAL	= 16 FT
DETECTABLE WARNING	= 16 SQ FT
SIGN TO BE RELOCATED	= 2 SQ FT

FILE NAME = G:\S07029-01\oad\7029-01_Ent_Detail05.dgn	USER NAME = IE Consultants	DESIGNED -	REVISED -	<b>VILLAGE OF SHERMAN</b>	<b>RAMP SIDEWALK DETAILS</b>				F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
		DRAWN -	REVISED -		SCALE:	SHEET NO.	OF	SHEETS	STA.	TO STA.	08-00014-00-SW	SANGAMON	47	41
		CHECKED -	REVISED -						CONTRACT NO. <b>93486</b>					
		DATE	REVISED -						FED. ROAD DIST. NO. [ILLINOIS] FED. AID PROJECT					