

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
9182	05-00186-07-FP	ST. CLAIR	47	5

STA.	TO STA.

FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT

CONTRACT NO. 97386

SCHEDULE OF QUANTITIES

LEVELING BINDER (MACHINE METHOD), N70

STATE ST	Thick(in)	TON
100+85.00 to 184+00.00	1.5	4040.4
184+00.00 to 206+50.00	1.5	1073.9
226+00.00 to 251+00.00	1.5	1158.9
Total		6273

HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70

STATE ST	Thick(in)	TON
100+85.00 to 184+00.00	2	5387.2
184+00.00 to 206+50.00	2	1431.8
226+00.00 to 251+00.00	2	1545.2

SIDE ROAD	SIDE	TON
45TH STREET	RT	6.1
46TH STREET	RT	5.1
47TH STREET SOUTH	RT	5.4
47TH STREET NORTH	LT	11.5
48TH STREET	RT	6.2
49TH STREET	RT	6.1
50TH STREET	RT	6.1
51ST STREET SOUTH	RT	8.9
51ST STREET NORTH	LT	2.1
52ND STREET SOUTH	RT	7.7
53RD STREET	LT	5.2
55TH STREET	LT	14.7
56TH STREET	RT	9.0
57TH STREET SOUTH	RT	6.7
57TH STREET NORTH	LT	8.8
58TH STREET SOUTH	RT	9.2
58TH STREET NORTH	LT	9.2
59TH STREET SOUTH	RT	32.2
59TH STREET NORTH	LT	29.2
60TH STREET SOUTH	RT	10.2
60TH STREET NORTH	LT	9.3
61ST STREET SOUTH	RT	13.1
61ST STREET NORTH	LT	9.4
62ND STREET	RT	13.3
63RD STREET	LT	13.5
68TH STREET	RT	11.3
TERRACE DRIVE	LT	14.6
69TH STREET	LT	4.0
70TH STREET	LT	6.5
71ST STREET	LT	3.4
72ND STREET	LT	4.0
73RD STREET NORTH	LT	6.1
73RD STREET SOUTH	RT	20.0
74TH STREET	LT	5.9
75TH STREET	LT	6.8
81ST STREET NORTH	LT	6.8
81ST STREET SOUTH	RT	5.3
82ND STREET NORTH	LT	3.5
82ND STREET SOUTH	RT	4.7
83RD STREET	LT	5.8
85TH STREET SOUTH	RT	1.7
85TH STREET NORTH	LT	6.6
86TH STREET SOUTH	LT	10.9
86TH STREET NORTH	RT	7.0
87TH STREET SOUTH	RT	4.2
87TH STREET NORTH	LT	7.4
Total		8769

HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH

STATE ST	SO YD	
100+85.00 to 184+00.00	48100	
184+00.00 to 206+50.00	12784	
226+00.00 to 251+00.00	13796	
Total		78291

PORTLAND CEMENT CONCRETE SIDEWALK 4"

Begin Station	End Station	Side	SQ FT
107+39.00		Lt	28.4
107+41.00		Rt	65.1
107+75.00		Rt	32.3
113+82.00		Rt	36.5
116+33.00		Lt	81.1
116+84.00		Lt	82.5
137+21.00		Lt	32.5
137+63.00		Lt	35.4
143+85.00		Lt	43.5
144+20.00		Lt	47.5
146+85.00		Lt	37.6
147+22.00		Rt	55.5
147+70.00		Lt	62.3
147+88.00		Rt	68.6
154+15.00		Lt	31.7
154+54.25 to 158+83.90		Lt	2121.6
184+63.00		Lt	34.8
187+85.00		Lt	40.1
188+24.00		Lt	48.1
193+01.00 to 194+10.00		Lt	552.6
194+38.00 to 196+97.00		Lt	1290.9
197+27.00 to 200+03.00		Lt	1368.5
199+85.00		Lt	22.8
199+85.00		Rt	25.6
200+41.00		Lt	27.5
201+45.00		Rt	35.2
202+05.00		Rt	41.3
203+16.00		Lt	35.3
203+56.00		Lt	37.5
206+11.00		Lt	49.1
206+45.00		Lt	50.3
226+00.00 to 228+00.00		Lt	1007.1
228+64.00 to 231+52.00		Lt	1444.0
229+96.00		Rt	41.5
231+92.00 to 235+30.00		Lt	1710.7
232+90.00		Rt	36.0
233+20.00		Rt	40.1
238+01.00 to 239+16.00		Lt	532.0
239+49.00 to 242+90.00		Lt	1723.4
243+32.00 to 246+74.00		Lt	1715.8
246+13.00		Rt	36.5
246+48.00		Rt	38.5
247+12.00 to 250+55.00		Lt	1711.7
250+93.00		Lt	35.9
Total			16595

COMBINATION CURB AND GUTTER REMOVAL

Begin Station	End Station	Side	FOOT
117+00.00 to 117+60.00		Rt	60.0
118+50.00 to 120+00.00		Rt	150.0
120+20.00 to 120+45.00		Lt	25.0
121+00.00 to 122+50.00		Lt	150.0
125+20.00 to 125+80.00		Lt	60.0
128+00.00 to 128+60.00		Lt	60.0
136+30.00 to 137+06.00		Lt	76.0
137+06.00 to 137+22.38		Lt	25.0
148+15.00 to 149+50.00		Rt	135.0
148+40.00 to 149+30.00		Lt	90.0
184+00.00 to 187+30.00		Rt	330.0
184+80.00 to 186+50.00		Lt	170.0
188+18.41 to 188+40.00		Lt	28.0
190+20.00 to 190+80.00		Rt	60.0
192+18.00 to 193+20.00		Rt	102.0
194+34.34 to 194+50.00		Lt	28.0
194+50.00 to 195+25.00		Lt	75.0
232+35.00 to 232+90.00		Lt	55.0
235+20.00 to 235+36.47		Lt	25.0
239+45.73 to 239+60.61		Lt	23.0
247+90.00 to 250+10.00		Lt	220.0
Total			1947.0

DETECTABLE WARNINGS

STATE ST	Offset	Side	SQ FT
101+29.31	31.2	RT	6
101+69.95	31.5	RT	6
107+33.04	30.6	RT	6
107+35.56	32.6	LT	6
107+39.21	35.5	RT	6
107+76.42	36.4	RT	6
110+43.74	31.7	RT	6
110+80.49	32.9	RT	6
113+50.66	33.4	RT	6
113+86.09	33.3	RT	6
116+24.93	30.6	LT	6
116+46.19	32.6	RT	6
116+81.94	30.7	LT	6
116+94.98	31.3	RT	6
137+19.02	39.6	LT	6
137+58.72	39.4	LT	6
140+59.06	41.6	LT	6
140+89.60	44.4	LT	6
143+79.41	31.7	LT	6
144+25.70	31.5	LT	6
146+85.23	31.3	LT	6
147+20.47	36.4	RT	6
147+70.87	34.6	LT	24
147+91.81	40.9	RT	24
154+17.37	42.6	LT	6
154+58.97	37.6	LT	6
158+79.03	40.8	LT	6
159+24.07	41.6	LT	6
162+74.78	73.0	LT	6
162+92.28	55.6	LT	6
163+09.33	54.1	LT	6
163+63.63	53.9	LT	6
163+80.09	57.0	LT	6
164+02.25	73.5	LT	6
173+28.21	72.1	LT	6
173+47.84	52.8	LT	6
173+64.00	53.7	LT	6
174+39.46	53.0	LT	6
174+47.74	48.8	LT	6
174+66.20	69.9	LT	6
184+18.48	39.4	LT	6
184+64.20	35.2	LT	6
187+88.38	31.6	LT	6
188+29.16	32.0	LT	6
191+18.05	34.0	LT	6
191+53.06	36.7	LT	6
194+08.40	35.3	LT	6
194+39.64	35.2	LT	6
196+93.38	34.9	LT	6
197+26.84	35.7	LT	6
199+86.46	29.6	LT	6
199+86.62	28.8	RT	6
200+00.33	35.8	LT	6
200+41.58	35.7	LT	6
201+42.84	35.3	RT	6
202+07.71	35.7	RT	6
203+15.04	36.2	LT	6
203+57.72	35.6	LT	6
206+11.51	33.6	LT	12
206+45.23	34.0	LT	12
228+13.59	34.9	LT	6
228+48.79	34.9	LT	6
229+64.05	34.7	RT	6
229+97.17	35.6	RT	6
231+50.66	34.9	LT	6
231+92.77	35.7	LT	6
232+89.52	35.5	RT	6
233+21.70	35.5	RT	6
235+31.37	36.1	LT	6
235+74.19	35.7	LT	6
239+12.85	35.4	LT	6
239+50.76	34.7	LT	6
242+93.39	35.5	LT	6
243+32.95	35.7	LT	6
246+13.71	35.9	RT	6
246+55.95	32.9	RT	6
246+73.48	36.3	LT	6
247+13.26	36.2	LT	6
250+52.64	35.6	LT	6
250+93.84	35.1	LT	6
Total			528

SIDEWALK REMOVAL

Begin Station	End Station	Side	SQ FT
107+39.00		Lt	28.4
107+41.00		Rt	65.1
107+75.00		Rt	32.3
113+82.00		Rt	36.5
116+33.00		Lt	81.1
116+84.00		Lt	82.5
137+21.00		Lt	32.5
137+63.00		Lt	35.4
143+85.00		Lt	43.5
144+20.00		Lt	47.5
146+85.00		Lt	37.6
147+22.00		Rt	55.5
147+70.00		Lt	62.3
147+88.00		Rt	68.6
154+15.00		Lt	31.7
154+54.25 to 158+83.90		Lt	2121.6
184+63.00		Lt	34.8
187+85.00		Lt	40.1
188+24.00		Lt	48.1
193+01.00 to 194+10.00		Lt	552.6
194+38.00 to 196+97.00		Lt	1290.9
197+27.00 to 200+03.00		Lt	1380.4
199+85.00		Lt	22.8
199+85.00		Rt	25.6
200+41.00		Lt	27.5
201+45.00		Rt	35.2
202+05.00		Rt	41.3
203+16.00		Lt	35.3
203+56.00		Lt	37.5
206+11.00		Lt	49.1
206+45.00		Lt	50.3
226+00.00 to 228+00.00		Lt	1007.1
228+64.00 to 231+52.00		Lt	1441.1
229+96.00		Rt	41.5
231+92.00 to 235+30.00		Lt	1710.7
232+90.00		Rt	36.0
233+20.00		Rt	40.1
238+01.00 to 239+16.00		Lt	532.0
239+49.00 to 242+90.00		Lt	1723.4
243+32.00 to 246+74.00		Lt	1715.8
246+13.00		Rt	36.5
246+48.00		Rt	38.5
247+12.00 to 250+55.00		Lt	1711.7
250+93.00		Lt	35.9
Total			16604

CLASS D PATCHES, TYPE II, 10 INCH

STATE ST	Side	SO YD
102+50.00 to 102+60.00	Lt	13.3
113+40.00 to 113+50.00	Lt	11.1
202+20.00 to 202+50.00	Lt	13.3
203+00.00 to 203+30.00	Rt	13.3
243+95.00 to 244+20.00	Lt	11.1
Total		62

CLASS D PATCHES, TYPE III, 10 INCH

STATE ST	Side	SO YD
104+80.00 to 104+90.00	Rt	15.6
137+00.00 to 137+20.00	Rt	22.2
230+80.00 to 231+20.00	Rt	22.2
237+75.00 to 238+10.00	Lt	23.3
243+00.00 to 243+15.00	Rt	20.0
247+20.00 to 247+35.00	Lt	16.7
Total		120

CLASS D PATCHES, TYPE IV, 10 INCH

STATE ST	Side	SO YD
102+80.00 to 104+80.00	Rt	111.1
103+60.00 to 104+50.00	Lt	50.0
106+30.00 to 106+90.00	Lt	33.3
107+20.00 to 109+30.00	Lt	140.0
116+87.00 to 113+00.00	Lt	50.0
120+39.07 to 120+50.00	Lt	27.8
120+63.81 to 120+83.34	Lt	1
120+83.34 to 120+83.34	Lt	1
123+82.59 to 123+82		