



Carol Stream  
© 1996 Village of Carol Stream

ENGINEERING SERVICES  
500 N. GARY AVENUE  
60188  
(630) 871 - 6220

NO.	DATE	REVISIONS DESCRIPTION

PLAN SHEET DESIGNATION  
COVER  
G - GENERAL  
H - HAZARDOUS MATERIALS  
C - CIVIL  
L - LANDSCAPE  
S - STRUCTURAL  
A - ARCHITECTURAL  
I - INTERIORS  
Q - EQUIPMENT  
F - FIRE PROTECTION  
P - PLUMBING  
M - MECHANICAL  
E - ELECTRICAL  
T - TELECOMMUNICATIONS  
R - RESOURCE




PROJECT NO.: M-8003 (662)  
DWG FILE: FULLERTON AVENUE  
SCALE: N/A  
DRAWING DATE: 9/30/05  
DESIGNED BY: FC  
DRAWN BY: FC  
CHECKED BY: BC  
PLOTTED BY: MS

VILLAGE OF CAROL STREAM  
ILLINOIS

FULLERTON AVENUE (LAPP)  
PROJECT


SHEET TITLE

IDOT DISTRICT 1  
TYPICAL PAVEMENT  
MARKINGS






TYPICAL LANE AND EDGE LINE MARKING


TYPICAL LANE AND EDGE LINE MARKING



TYPICAL CROSSWALK MARKING




TYPICAL PAINTED MEDIAN MARKING



FULL SIZE LETTERS 2.4 m (8') AND ARROWS SHALL BE USED.  
AREA = 1.5 m<sup>2</sup> (15.6 SQ. FT.) ONLY AREA = 1.9 m<sup>2</sup> (20.8 SQ. FT.)

\* TURN LANES IN EXCESS OF 120 m (400') IN LENGTH MAY HAVE AN ADDITIONAL SET OF ARROW - "ONLY" INSTALLED MIDWAY BETWEEN THE OTHER TWO SETS OF ARROW - "ONLY".

TYPICAL LEFT (OR RIGHT) TURN LANE  
TYPICAL TURN LANE MARKING



TYPICAL ISLAND MARKING

TYPE OF MARKING	WIDTH OF LINE	PATTERN	COLOR	SPACING / REMARKS
CENTERLINE ON 2 LANE PAVEMENT	100 (4')	SKIP-DASH	YELLOW	3 m (10') LINE WITH 9 m (30') SPACE
CENTERLINE ON MULTI-LANE UNDIVIDED PAVEMENT	2 @ 100 (4')	SOLID	YELLOW	280 (11') C-C
NO PASSING ZONE LINES FOR ONE DIRECTION FOR BOTH DIRECTIONS	100 (4') 2 @ 100 (4')	SOLID SOLID	YELLOW YELLOW	140 (5 1/2') C-C FROM SKIP-DASH CENTERLINE 280 (11') C-C OMIT SKIP-DASH CENTERLINE BETWEEN
LANE LINES	100 (4') 125 (5') ON FREEWAYS	SKIP-DASH SKIP-DASH	WHITE WHITE	3 m (10') LINE WITH 9 m (30') SPACE
DOTTED LINES (EXTENSIONS OF CENTER, LANE OR TURN LANE MARKINGS)	SAME AS LINE BEING EXTENDED	SKIP-DASH	SAME AS LINE BEING EXTENDED	600 (2') LINE WITH 1.8 m (6') SPACE
EDGE LINES	100 (4')	SOLID	YELLOW-LEFT WHITE-RIGHT	OUTLINE MOUNTABLE MEDIANS IN YELLOW; EDGE LINES ARE NOT USED NEXT TO BARRIER CURB
TURN LANE MARKINGS	150 (6') LINE; FULL SIZE LETTERS & SYMBOLS (2.4 m (8'))	SOLID	WHITE	SEE TYPICAL TURN LANE MARKING DETAIL
TWO WAY LEFT TURN MARKING	2 @ 100 (4') EACH DIRECTION 2.4 m (8') LEFT ARROW	SKIP-DASH AND SOLID IN PAIRS	YELLOW WHITE	3 m (10') LINE WITH 9 m (30') SPACE FOR SKIP-DASH; 140 (5 1/2') C-C BETWEEN SOLID LINE AND SKIP-DASH LINE SEE TYPICAL TWO-WAY LEFT TURN MARKING DETAIL
CROSSWALK LINES (PEDESTRIAN & LONGITUDINAL BARS (SCHOOL))	2 @ 150 (6') 300 (12') @ 45° 300 (12') @ 90°	SOLID SOLID SOLID	WHITE WHITE WHITE	NOT LESS THAN 1.8 m (6') APART 600 (2') APART 800 (31') APART SEE TYPICAL CROSSWALK MARKING DETAILS.
STOP LINES	600 (24')	SOLID	WHITE	PLACE 1.2 m (4') IN ADVANCE OF AND PARALLEL TO CROSSWALK, IF PRESENT. OTHERWISE, PLACE AT DESIRED STOPPING POINT, PARALLEL TO CROSSROAD CENTERLINE, WHERE POSSIBLE
PAINTED MEDIANS	2 @ 100 (4') WITH 300 (12') DIAGONALS @ 45° NO DIAGONALS USED FOR 1.2 m (4') WIDE MEDIANS	SOLID	YELLOW; TWO WAY TRAFFIC WHITE; ONE WAY TRAFFIC	280 (11') C-C FOR THE DOUBLE LINE SEE TYPICAL PAINTED MEDIAN MARKING.
GORE MARKING AND CHANNELIZING LINES	200 (8') WITH 300 (12') DIAGONALS @ 45°	SOLID	WHITE	DIAGONALS: 45 m (150') C-C (LESS THAN 50 km/h (30 MPH)) 6 m (20') C-C (50 km/h (30 MPH) TO 70 km/h (45 MPH)) 9 m (30') C-C (OVER 70 km/h (45 MPH))
RAILROAD CROSSING	600 (24') TRANSVERSE LINES; "RR" 15 1.8 m (6') LETTERS; 400 (16') LINE FOR "X"	SOLID	WHITE	SEE STATE STANDARD 780001 AREA OF: "R"=0.39m <sup>2</sup> (3.6 SQ. FT.) EACH "X"=5.0 m <sup>2</sup> (54.0 SQ. FT.)
SHOULDER DIAGONALS	300 (12') @ 45°	SOLID	WHITE - RIGHT YELLOW - LEFT	35 m (115') C-C (LESS THAN 50 km/h (30 MPH)) 25 m (82') C-C (50 km/h (30 MPH) TO 70 km/h (45 MPH)) 45 m (150') C-C (OVER 70 km/h (45 MPH))

FOR FURTHER DETAILS ON PAVEMENT MARKING REFER TO STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND STATE STANDARD 78000L

REVISIONS	NAME	DATE
1	EVERS	05-19-90
2	T. RAMMACHER	10-21-94
3	ALEX HOUSER	10-03-96
4	ALEX HOUSER	10-17-98
5	T. RAMMACHER	01-06-00

All dimensions are in millimeters (inches) unless otherwise shown.  
ILLINOIS DEPARTMENT OF TRANSPORTATION  
DISTRICT ONE  
TYPICAL PAVEMENT  
MARKINGS  
SCALE: NONE  
DATE: 3/25/02  
DRAWN BY: CADD  
CHECKED BY: