

SUMMARY OF QUANTITIES			100% STATE CONSTRUCTION TYPE CODE			
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	FAYETTE COUNTY 0004	EFFINGHAM COUNTY 0004	FAYETTE S.N. 026-0055 0014
35501303	HOT-MIX ASPHALT BASE COURSE, 4 3/4"	SO YD	26199	18362	7837	
35600716	HOT-MIX ASPHALT BASE COURSE WIDENING, 10"	SO YD	261			261
40600645	LEVELING BINDER (MACHINE METHOD), N90	TON	460	460		
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SO YD	2311	1733	578	
40600990	TEMPORARY RAMP	SO YD	994	861	133	
40603090	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N90	TON	89701	54985	34716	
40603153	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, STONE MATRIX ASPHALT, N80	TON	29713	18285	11428	
40603243	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, FG, N90	TON	31979	19597	12382	
40603345	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90	TON	730	730		
42001430	BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE)	SO YD	95			95
44000100	PAVEMENT REMOVAL	SO YD	26331	18363	7836	132
44000155	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	SO YD	3161	3161		
44000157	HOT-MIX ASPHALT SURFACE REMOVAL, 2"	SO YD	4383	3820	563	

SUMMARY OF QUANTITIES			100% STATE CONSTRUCTION TYPE CODE			
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	FAYETTE COUNTY 0004	EFFINGHAM COUNTY 0004	FAYETTE S.N. 026-0055 0014
44000161	HOT-MIX ASPHALT SURFACE REMOVAL, 3"	SO YD	4355	1653	2702	
44000165	HOT-MIX ASPHALT SURFACE REMOVAL, 4"	SO YD	2178	2178		
44000173	HOT-MIX ASPHALT SURFACE REMOVAL, 6"	SO YD	200480	121107	79373	
44004250	PAVED SHOULDER REMOVAL	SO YD	75789	45839	29950	
44200620	CLASS A PATCHES, TYPE II, 14 INCH	SO YD	43	43		
44201043	CLASS B PATCHES, TYPE II, 16 INCH	SO YD	1289	561	728	
44201047	CLASS B PATCHES, TYPE III, 16 INCH	SO YD	108	40	68	
44201048	CLASS B PATCHES, TYPE IV, 16 INCH	SO YD	113	60	53	
44201299	DOWEL BARS 1 1/2"	EACH	2920	1300	1620	
44213000	PATCHING REINFORCEMENT	SO YD	264	143	121	
44213200	SAW CUTS	FOOT	7826	3636	4190	
44213208	TIE BARS 1 1/4"	EACH	60	35	25	
48102100	AGGREGATE WEDGE SHOULDER, TYPE B	TON	21993	13238	8755	
48203049	HOT-MIX ASPHALT SHOULDERS, 13"	SO YD	94736	57299	37437	

REVISÉD 7-21-14

FILE NAME =	USER NAME =	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
o:\p\work\p\p\dot\k\war\teru\0186577\0774	469-shr-sag.dgn	DRAWN -	REVISED -			TO	(26-5.26-5-1.25-1-1R)	*	92	4	
	PLOT SCALE = 1/8" = 1' / 31.25'	CHECKED -	REVISED -			SCALE: NA		SHEET NO. 1 OF 5 SHEETS		STA.	TO STA.
	PLOT DATE = 6/9/2014	DATE -	REVISED -			ILLINOIS FED. AID PROJECT CONTRACT NO. 74469					

EFFINGHAM & FAYETTE

SUMMARY OF QUANTITIES			100% STATE CONSTRUCTION TYPE CODE			
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	FAYETTE COUNTY 0004	EFFINGHAM COUNTY 0004	FAYETTE S.N. 026-0055 0014
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	178514	112576	65938	
70300240	TEMPORARY PAVEMENT MARKING - LINE 6"	FOOT	21070	12820	8250	
70300250	TEMPORARY PAVEMENT MARKING - LINE 8"	FOOT	2573	2573		
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	50 FT	5284	3304	1980	
70400100	TEMPORARY CONCRETE BARRIER	FOOT	12487.5	8350	3587.5	550
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	12487.5	8350	3587.5	550
70600240	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 2	EACH	2			2
70600251	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE, NARROW), TEST LEVEL 3	EACH	10	6	4	
70600340	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 2	EACH	2			2
70600352	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE, NARROW), TEST LEVEL 3	EACH	10	6	4	
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	178514	112576	65938	
* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	2573	2573		

SUMMARY OF QUANTITIES			100% STATE CONSTRUCTION TYPE CODE			
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	FAYETTE COUNTY 0004	EFFINGHAM COUNTY 0004	FAYETTE S.N. 026-0055 0014
* 78003130	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 6"	FOOT	21070	12820	8250	
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	2772	1948	824	
* 78200410	GUARDRAIL MARKERS, TYPE A	EACH	129	74	51	4
* 78201000	TERMINAL MARKER - DIRECT APPLIED	EACH	39	20	15	4
78300100	PAVEMENT MARKING REMOVAL	50 FT	28096	17106	10990	
* 02002972	EVERGREEN, PINUS STROBUS (EASTERN WHITE PINE), 6' HEIGHT, BALLED AND BURLAPPED	EACH	52	26	26	
X0322278	RODENT SHIELDS	EACH	431	267	164	
X0325279	CLASS SI CONCRETE (MISCELLANEOUS)	CU YD	647	401	246	
X0327487	TRIAXIAL GEOGRID REINFORCEMENT, TYPE I	50 YD	26199	18363	7836	
X2020410	EARTH EXCAVATION (SPECIAL)	CU YD	12407	8689	3718	
X3112900	SUBBASE GRANULAR MATERIAL (SPECIAL)	CU YD	11644	8161	3483	
X4060110	BITUMINOUS MATERIALS (PRIME COAT)	POUND	320149	199717	120432	

* SPECIALTY ITEM

△ REVISED 7-21-14

EFFINGHAM & FAYETTE

FILE NAME =	USER NAME = swartz	DESIGNED -	REVISED -
o:\p\work\p\idots\swartz\d0186577\077	469-dts-aaq.dgn	DRAWN -	REVISED -
	PLOT SCALE = 1/8" = 1' / 1/4"	CHECKED -	REVISED -
	PLOT DATE = 6/5/2014	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

F.A.J. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
70	(26-5,26-5-1,25-1-1)R		92	7
SCALE: NA			SHEET NO. 4 OF 5 SHEETS STA. TO STA.	
CONTRACT NO. 74469				

ILLINOIS FED. AID PROJECT

REMOVAL SCHEDULE

STATION TO STATION	LENGTH	PAVED SHOULDER REMOVAL	HOT-MIX ASPHALT SURFACE REMOVAL, 6"	PAVEMENT REMOVAL	EARTH EXCAVATION (SPECIAL)	HOT-MIX ASPHALT SURFACE REMOVAL, 2"	HOT-MIX ASPHALT SURFACE REMOVAL, 3"	HOT-MIX ASPHALT SURFACE REMOVAL, 4"	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT
	FOOT	SO YD	SO YD	SO YD	CU YD	SO YD	SO YD	SO YD	SO YD	SO YD	SO YD
EB I-70											
1036+00.00 TO 1043+44.00	744.0	661.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1043+44.00 TO 1045+19.00	175.0	155.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	288.9
1045+19.00 TO 1056+45.00	1126.0	1000.9	3002.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056+45.00 TO 1057+45.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057+45.00 TO 1068+15.00	1070.0	951.1	2853.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068+15.00 TO 1077+95.00	980.0	871.1	0.0	2613.3	1179.6	1088.9	0.0	0.0	0.0	0.0	0.0
1077+95.00 TO 1086+30.00	835.0	742.2	2226.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1086+30.00 TO 1087+30.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1087+30.00 TO 1100+60.00	1330.0	1182.2	3546.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1100+60.00 TO 1101+60.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1101+60.00 TO 1124+80.00	2320.0	2062.2	6186.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1124+78.00 TO 1131+51.00	673.0	598.2	2618.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1131+51.00 TO 1138+90.00	739.0	656.9	1970.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1138+90.00 TO 1148+70.00	980.0	871.1	0.0	2613.3	1324.8	0.0	0.0	1088.9	0.0	0.0	0.0
1148+70.00 TO 1152+32.00	362.0	321.8	965.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1152+32.00 TO 1153+50.00	118.0	104.9	314.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1153+50.00 TO 1154+50.00	100.0	88.9	451.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1154+50.00 TO 1163+19.00	869.0	772.4	3240.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1163+19.00 TO 1167+85.00	466.0	414.2	1242.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1167+85.00 TO 1169+40.00	155.0	137.8	413.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1169+40.00 TO 1170+70.00	130.0	115.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	288.9
1170+70.00 TO 1173+20.00	250.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1173+20.00 TO 1174+50.00	130.0	115.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	288.9
1174+50.00 TO 1176+05.00	155.0	137.8	413.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1176+05.00 TO 1217+20.00	4115.0	3657.8	10973.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1217+20.00 TO 1218+20.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1218+20.00 TO 1237+65.00	1945.0	1728.9	5186.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1237+65.00 TO 1247+45.00	980.0	871.1	0.0	2613.3	1179.6	1088.9	0.0	0.0	0.0	0.0	0.0
1247+45.00 TO 1269+70.00	2225.0	1977.8	5933.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1269+70.00 TO 1270+70.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1270+70.00 TO 1278+05.00	735.0	653.3	1960.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

△ REVISED SHEET 7-21-14

EFFINGHAM & FAYETTE

FILE NAME : c:\pwwork\p\dos\stef\enn\103186977\14469\sh+sch.dgn	USER NAME : stef\enn	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES			F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	PLOT SCALE : 1/8" = 100.000' / 1" = 100.000'	CHECKED -	REVISED -					70	(26-5,26-5-1,25-1-1R)	-	92	18	
	PLOT DATE : 7/16/2014	DATE -	REVISED -		SCALE: NA	SHEET NO. 4 OF 16 SHEETS	STA.	TO STA.	CONTRACT NO. 74469				
								ILLINOIS FED. AID PROJECT					

REMOVAL SCHEDULE (CONTINUED)

STATION TO STATION	LENGTH FOOT	PAVED SHOULDER REMOVAL SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL, 6" SQ YD	PAYEMENT REMOVAL SQ YD	EARTH EXCAVATION (SPECIAL) CU YD	HOT-MIX ASPHALT SURFACE REMOVAL, 2" SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL, 3" SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL, 4" SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2" SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT SQ YD
EB I-70 (CONTINUED)											
1278+05.00 TO 1279+05.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1279+05.00 TO 1285+05.00	600.0	533.3	1600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1285+05.00 TO 1286+86.00	181.0	160.9	482.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1286+86.00 TO 1294+95.00	809.0	719.1	2157.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1294+95.00 TO 1300+02.98	508.0	451.5	0.0	1354.6	649.1	0.0	564.4	0.0	0.0	0.0	0.0
1300+02.98 TO 1304+75.00	472.0	419.6	0.0	1258.7	603.1	0.0	524.5	0.0	0.0	0.0	0.0
1304+75.00 TO 1314+50.00	975.0	866.7	2600.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1314+50.00 TO 1315+50.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1315+50.00 TO 1361+00.00	4550.0	4044.4	12133.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1361+00.00 TO 1362+00.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1362+00.00 TO 1383+15.00	2115.0	1880.0	5640.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1383+15.00 TO 1384+45.00	130.0	115.6	346.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1384+45.00 TO 1399+50.00	1505.0	1337.8	4013.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1399+50.00 TO 1400+50.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1400+50.00 TO 1409+80.00	930.0	826.7	2480.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1409+85.00 TO 1410+85.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1410+85.00 TO 1414+20.00	335.0	297.8	893.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1414+20.00 TO 1418+38.64	418.6	372.1	0.0	1116.4	534.9	0.0	465.2	0.0	0.0	0.0	0.0
1418+38.64 BK= 1418+38.81AH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1418+38.81 TO 1424+00.00	561.2	498.8	0.0	1496.5	717.1	0.0	623.5	0.0	0.0	0.0	0.0
1424+00.00 TO 1436+50.00	1250.0	1111.1	3333.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1436+50.00 TO 1437+50.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1437+50.00 TO 1449+50.00	1200.0	1066.7	3200.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1449+50.00 TO 1450+50.00	100.0	88.9	266.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1450+50.00 TO 1461+85.00	1135.0	1008.9	3026.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1461+85.00 TO 1462+63.50	78.5	69.8	209.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1462+63.50 BK= 1521+78.59AH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1521+78.59 TO 1522+55.00	76.4	67.9	203.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1522+55.00 TO 1523+85.00	130.0	115.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	288.9
EB I-70 TOTALS		37881.5	99019.9	13066.2	6188.3	2177.8	2177.6	1088.9	0.0	0.0	1155.6

△ REVISED SHEET 7-21-14

EFFINGHAM & FAYETTE

FILE NAME -	USER NAME - stelfenn	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES			F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\pwwork\pwwork\stelfenn\ad0186577\07	4469-shrs-sch.dgn	DRAWN -	REVISED -					70	(26-5,26-5-1,25-1-1)R		92	19
	PLOT SCALE = 1/8" = 1' in.	CHECKED -	REVISED -		SCALE: NA	SHEET NO. 5 OF 16 SHEETS	STA.	TO STA.	CONTRACT NO. 74469			
	PLOT DATE = 7/16/2014	DATE -	REVISED -		ILLINOIS FED. AID PROJECT							

REMOVAL SCHEDULE (CONTINUED)

STATION TO STATION	LENGTH FOOT	PAVED SHOULDER REMOVAL SO YD	HOT-MIX ASPHALT SURFACE REMOVAL, 6" SO YD	PAVEMENT REMOVAL SO YD	EARTH EXCAVATION (SPECIAL) CU YD	HOT-MIX ASPHALT SURFACE REMOVAL, 2" SO YD	HOT-MIX ASPHALT SURFACE REMOVAL, 3" SO YD	HOT-MIX ASPHALT SURFACE REMOVAL, 4" SO YD	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH SO YD	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2" SO YD	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT SO YD
RAMP D											
8+41.17 TO 9+84.00	142.8	0.0	484.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9+84.00 TO 11+04.00	120.0	0.0	186.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11+04.00 TO 20+00.00	896.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2588.4	0.0	0.0
20+00.00 TO 20+50.00	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	144.4	0.0
20+50.00 TO 21+43.00	93.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	655.7	0.0
RAMP C											
0+13.00 TO 1+10.00	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	623.1	0.0
1+10.00 TO 1+60.00	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	160.6	0.0
1+60.00 TO 10+93.00	933.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2695.3	0.0	0.0
10+93.00 TO 12+13.00	120.0	0.0	186.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12+13.00 TO 13+42.77	129.8	0.0	362.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RAMP A											
0+00.00 TO 1+30.00	130.0	0.0	362.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1+30.00 TO 2+50.00	120.0	0.0	186.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2+50.00 TO 11+75.00	925.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2672.2	0.0	0.0
11+75.00 TO 12+25.00	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	154.6	0.0
12+25.00 TO 13+30.00	105.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	630.5	0.0
RAMP B											
0+11.00 TO 1+00.00	89.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	647.5	0.0
1+00.00 TO 1+50.00	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	144.4	0.0
1+50.00 TO 10+50.00	900.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2600.0	0.0	0.0
10+50.00 TO 11+70.00	120.0	0.0	186.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11+70.00 TO 13+12.76	142.8	0.0	483.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RAMP TOTALS											
TOTALS		75789.0	200480.0	26199.0	12407.0	4383.0	4355.0	2178.0	10556.0	3161.0	2311.0

▲ REVISED SHEET 7-21-14

EFFINGHAM & FAYETTE

FILE NAME - c:\pwwork\pwwork\stoffs\m\l\0186577\07	USER NAME - stoffm	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES			F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	4459+sh+sgn.dgn	DRAWN -	REVISED -		70	(26-5,26-5-1,25-1-1R)		92	22			
	PL07 SCALE = 100.0000' / 1"	CHECKED -	REVISED -		SCALE: NA		SHEET NO. 8 OF 16 SHEETS	STA.	TO STA.	CONTRACT NO. 74469		
	PLD7 DATE = 7/16/2014	DATE -	REVISED -		ILLINOIS FED. AID PROJECT							

RESURFACING SCHEDULE

STATION TO STATION	LENGTH FOOT	HOT-MIX ASPHALT SHOULDERS, 13" SQ YD	RUBBLIZING PORTLAND CEMENT CONCRETE PAVEMENT SQ YD	TRIAXIAL GEOGRID REINFORCEMENT, TYPE 1 SQ YD	SUBBASE GRANULAR MATERIAL (SPECIAL) CU YD	BITUMINOUS MATERIALS (PRIME COAT) POUND	HOT-MIX ASPHALT BASE COURSE, 4 3/4" SQ YD	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N90 TON	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0 FG, N105 TON	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, STONE MATRIX ASPHALT, N80 TON	LEVELING BINDER (MACHINE METHOD), N90 TON	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90 TON	HOT-MIX ASPHALT SHOULDERS TON	AGGREGATE WEDGE SHOULDER, TYPE B TON	SHOULDER RUMBLE STRIPS, 16 INCH FOOT	TEMPORARY RAMP SQ YD	MATERIAL TRANSFER DEVICE TON
EB I-70																	
1036+00.00 TO 1043+44.00	744.0	826.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1488.0	0.0	0.0
1043+44.00 TO 1045+19.00	175.0	194.4	0.0	0.0	0.0	735.0	0.0	8.5	20.7	60.7	0.0	0.0	46.3	50.4	350.0	66.7	81.4
1045+19.00 TO 1056+45.00	1126.0	1251.1	3002.7	0.0	0.0	2026.8	0.0	1202.2	422.7	390.3	0.0	0.0	400.2	324.2	2252.0	0.0	813.0
1056+45.00 TO 1057+45.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1057+45.00 TO 1068+15.00	1070.0	1188.9	2853.3	0.0	0.0	3852.0	0.0	1142.4	401.7	370.9	0.0	0.0	352.9	308.0	2140.0	0.0	772.6
1068+15.00 TO 1077+95.00	980.0	1088.9	0.0	2613.3	1161.5	3724.0	2613.3	1024.4	367.9	339.7	0.0	0.0	195.1	37.2	1960.0	0.0	707.6
1077+95.00 TO 1086+30.00	835.0	927.8	2226.7	0.0	0.0	3006.0	0.0	891.5	313.4	289.5	0.0	0.0	275.4	240.4	1670.0	0.0	602.9
1086+30.00 TO 1087+30.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1087+30.00 TO 1100+60.00	1330.0	1477.8	3546.7	0.0	0.0	4788.0	0.0	1420.1	499.3	461.1	0.0	0.0	438.6	382.9	2660.0	0.0	960.4
1100+60.00 TO 1101+60.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1101+60.00 TO 1124+80.00	2320.0	2577.8	6186.7	0.0	0.0	8352.0	0.0	2477.1	870.9	804.3	0.0	0.0	765.1	667.9	4640.0	0.0	1675.2
1124+78.00 TO 1131+51.00	673.0	747.8	1794.7	0.0	0.0	3164.1	0.0	1041.5	367.9	340.4	0.0	0.0	221.9	193.7	673.0	0.0	708.3
1131+51.00 TO 1138+90.00	739.0	821.1	1970.7	0.0	0.0	2660.4	0.0	789.0	277.4	256.2	0.0	0.0	243.7	212.7	1478.0	0.0	533.6
1138+90.00 TO 1148+70.00	980.0	1088.9	0.0	2613.3	1161.5	3724.0	2613.3	1046.4	367.9	339.7	0.0	0.0	195.1	37.2	1960.0	0.0	707.6
1148+70.00 TO 1152+32.00	362.0	402.2	965.3	0.0	0.0	1303.2	0.0	386.5	135.9	125.5	0.0	0.0	119.4	104.2	724.0	0.0	261.4
1152+32.00 TO 1153+50.00	118.0	131.1	314.7	0.0	0.0	424.8	0.0	126.0	44.3	40.9	0.0	0.0	38.9	34.0	118.0	0.0	85.2
1153+50.00 TO 1154+50.00	100.0	111.1	0.0	0.0	0.0	628.3	0.0	179.4	63.5	58.7	0.0	0.0	33.0	28.8	100.0	0.0	122.2
1154+50.00 TO 1163+19.00	869.0	965.6	2317.3	0.0	0.0	3959.4	0.0	1289.8	455.5	421.3	0.0	0.0	286.6	250.2	869.0	0.0	876.8
1163+19.00 TO 1167+85.00	466.0	517.8	1242.7	0.0	0.0	1677.6	0.0	497.6	174.9	161.5	0.0	0.0	153.7	134.2	932.0	0.0	336.4
1167+85.00 TO 1169+40.00	155.0	172.2	0.0	0.0	0.0	651.0	0.0	91.6	58.2	53.7	0.0	0.0	51.1	44.6	310.0	0.0	111.9
1169+40.00 TO 1170+70.00	130.0	144.4	0.0	0.0	0.0	546.0	0.0	7.4	24.4	45.1	0.0	0.0	34.4	37.4	260.0	66.7	69.5
1170+70.00 TO 1173+20.00	250.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.0
1173+20.00 TO 1174+50.00	130.0	144.4	0.0	0.0	0.0	546.0	0.0	7.4	24.4	45.1	0.0	0.0	34.4	37.4	260.0	66.7	69.5
1174+50.00 TO 1176+05.00	155.0	172.2	0.0	0.0	0.0	651.0	0.0	91.6	58.2	53.7	0.0	0.0	51.1	44.6	310.0	0.0	111.9
1176+05.00 TO 1217+20.00	4115.0	4572.2	10973.3	0.0	0.0	14814.0	0.0	4393.6	1544.7	1426.5	0.0	0.0	1385.9	1184.7	8230.0	0.0	2971.2
1217+20.00 TO 1218+20.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1218+20.00 TO 1237+65.00	1945.0	2161.1	5186.7	0.0	0.0	7002.0	0.0	2076.7	730.1	674.3	0.0	0.0	641.4	559.9	3890.0	0.0	1404.4
1237+65.00 TO 1247+45.00	980.0	1088.9	0.0	2613.3	1161.5	3724.0	2613.3	1024.4	365.9	339.7	0.0	0.0	195.1	37.2	1960.0	0.0	705.6
1247+45.00 TO 1269+70.00	2225.0	2472.2	5933.3	0.0	0.0	8010.0	0.0	2375.6	835.2	771.3	0.0	0.0	733.8	640.5	4450.0	0.0	1606.5
1269+70.00 TO 1270+70.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1270+70.00 TO 1278+05.00	735.0	816.7	1960.0	0.0	0.0	2646.0	0.0	784.8	275.9	254.8	0.0	0.0	242.4	211.6	1470.0	0.0	530.7

REVISD SHEET 7-21-14 • EFFINGHAM & FAYETTE

FILE NAME c:\work\p\idoc\stef\form\l0186577.dwg	USER NAME stef\form	DESIGNED - DRAWN -	REVISED - REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES			F.A.I. RTE. 70	SECTION (26-5,26-5-1,25-1-1R)	COUNTY *	TOTAL SHEETS 92	SHEET NO. 23
PL01 SCALE = 100,0000' / 1"	CHECKED -	REVISED -	SCALE: NA		SHEET NO. 9	OF 16 SHEETS	STA. TO STA.	ILLINOIS FED. AID PROJECT				
PL01 DATE = 7/16/2014	DATE -	REVISED -										
CONTRACT NO. 74469												

RESURFACING SCHEDULE (CONTINUED)

STATION TO STATION	LENGTH FOOT	HOT-MIX ASPHALT SHOULDERS, 13" SQ YD	RUBBLIZING PORTLAND CEMENT CONCRETE PAVEMENT SQ YD	TRIAXIAL GEOGRID REINFORCEMENT, TYPE I SQ YD	SUBBASE GRANULAR MATERIAL (SPECIAL) CU YD	BITUMINOUS MATERIALS (PRIME COAT) POUND	HOT-MIX ASPHALT BASE COURSE, 4 3/4" SQ YD	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N90 TON	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0 FG, N105 TON	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, STONE MATRIX ASPHALT, N80 TON	LEVELING BINDER (MACHINE METHOD), N90 TON	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90 TON	HOT-MIX ASPHALT SHOULDERS TON	AGGREGATE WEDGE SHOULDER, TYPE B TON	SHOULDER RUMBLE STRIPS, 16 INCH FOOT	TEMPORARY RAMP SQ YD	MATERIAL TRANSFER DEVICE TON
EB 1-70 (CONTINUED)																	
1278+05.00 TO 1279+05.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1279+05.00 TO 1285+05.00	600.0	666.7	1600.0	0.0	0.0	2160.0	0.0	640.6	225.2	208.0	0.0	0.0	197.9	172.7	1200.0	0.0	433.2
1285+05.00 TO 1286+86.00	181.0	201.1	0.0	0.0	0.0	760.2	0.0	193.3	67.9	62.7	0.0	0.0	59.7	52.1	362.0	0.0	130.6
1286+86.00 TO 1294+95.00	809.0	898.9	2157.3	0.0	0.0	2912.4	0.0	863.8	303.7	280.5	0.0	0.0	266.8	232.9	1618.0	0.0	584.2
1294+95.00 TO 1300+02.98	508.0	564.4	0.0	1354.6	602.1	1930.3	1354.6	531.0	189.6	176.1	0.0	0.0	101.1	19.3	1016.0	0.0	365.7
1300+02.98 TO 1304+75.00	472.0	524.5	0.0	1258.7	559.4	1793.7	1258.7	493.4	176.2	163.6	0.0	0.0	94.0	17.9	944.0	0.0	339.8
1304+75.00 TO 1314+50.00	975.0	1083.3	2600.0	0.0	0.0	3510.0	0.0	1041.0	366.0	338.0	0.0	0.0	321.5	280.7	1950.0	0.0	704.0
1314+50.00 TO 1315+50.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1315+50.00 TO 1361+00.00	4550.0	5055.6	12133.3	0.0	0.0	16380.0	0.0	4858.1	1708.0	1577.3	0.0	0.0	1529.4	1309.9	9100.0	0.0	3285.3
1361+00.00 TO 1362+00.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1362+00.00 TO 1383+15.00	2115.0	2350.0	5640.0	0.0	0.0	7614.0	0.0	2258.2	793.9	733.2	0.0	0.0	697.5	608.9	4230.0	0.0	1527.1
1383+15.00 TO 1384+45.00	130.0	144.4	0.0	0.0	0.0	546.0	0.0	138.8	48.8	45.1	0.0	0.0	42.9	37.4	260.0	0.0	93.9
1384+45.00 TO 1399+50.00	1505.0	1672.2	4013.3	0.0	0.0	5418.0	0.0	1606.9	564.9	521.7	0.0	0.0	496.3	433.3	3010.0	0.0	1086.6
1399+50.00 TO 1400+50.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1400+50.00 TO 1409+80.00	930.0	1033.3	2480.0	0.0	0.0	3348.0	0.0	993.0	349.1	322.4	0.0	0.0	306.7	267.7	1860.0	0.0	671.5
1409+85.00 TO 1410+85.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1410+85.00 TO 1414+20.00	335.0	372.2	893.3	0.0	0.0	1206.0	0.0	357.7	125.8	116.1	0.0	0.0	110.5	96.4	670.0	0.0	241.9
1414+20.00 TO 1418+38.64	418.6	465.2	0.0	1116.4	496.2	1590.8	1116.4	437.6	156.3	145.1	0.0	0.0	83.4	15.9	837.3	0.0	301.4
1418+38.64 BK= 1418+38.81AH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1418+38.81 TO 1424+00.00	561.2	623.5	0.0	1496.5	665.1	2132.5	1496.5	586.6	209.5	194.5	0.0	0.0	111.7	21.3	1122.4	0.0	404.0
1424+00.00 TO 1436+50.00	1250.0	1388.9	3333.3	0.0	0.0	4500.0	0.0	1334.6	469.2	433.3	0.0	0.0	412.2	359.9	2500.0	0.0	902.5
1436+50.00 TO 1437+50.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1437+50.00 TO 1449+50.00	1200.0	1333.3	3200.0	0.0	0.0	4320.0	0.0	1281.2	450.5	416.0	0.0	0.0	395.7	345.5	2400.0	0.0	866.5
1449+50.00 TO 1450+50.00	100.0	111.1	0.0	0.0	0.0	420.0	0.0	106.8	37.5	34.7	0.0	0.0	33.0	28.8	200.0	0.0	72.2
1450+50.00 TO 1461+85.00	1135.0	1261.1	3026.7	0.0	0.0	4086.0	0.0	1211.8	426.1	393.5	0.0	0.0	374.3	326.8	2270.0	0.0	819.6
1461+85.00 TO 1462+63.50	78.5	87.2	0.0	0.0	0.0	329.7	0.0	45.5	45.5	27.2	0.0	0.0	25.9	22.6	157.0	0.0	72.7
1462+63.50 BK= 1521+78.59AH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1521+78.59 TO 1522+55.00	76.4	84.9	0.0	0.0	0.0	320.9	0.0	44.2	44.2	26.5	0.0	0.0	25.2	22.0	152.8	0.0	70.7
1522+55.00 TO 1523+85.00	130.0	144.4	0.0	0.0	0.0	546.0	0.0	7.4	24.4	45.1	0.0	0.0	34.4	37.4	260.0	66.7	69.5
EB 1-70 TOTALS		47351.9	91552.0	13066.2	5807.2	153060.1	13066.2	44581.8	15895.7	14767.2	0.0	0.0	13218.6	10841.1	83473.5	266.7	30662.9

REVISD SHEET 7-21-14

EFFINGHAM & FAYETTE

FILE NAME -	USER NAME - steffernk	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES			F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\p\work\p\doc\stef\forms\ad0186977\07	4469-ehs-scd.dgn	DRAWN -	REVISED -		SCALE: NA	SHEET NO. 10 OF 16 SHEETS	STA.	TO STA.	70	(26-5,26-5-1,25-1-1)R	92	24
	PLOT SCALE = 100,0000' / 1"	CHECKED -	REVISED -		CONTRACT NO. 74469							
	PLOT DATE = 7/16/2014	DATE -	REVISED -		ILLINOIS FED. AID PROJECT							

RESURFACING SCHEDULE (CONTINUED)

STATION TO STATION	LENGTH FOOT	HOT-MIX ASPHALT SHOULDERS, 13" SQ YD	RUBBLIZING PORTLAND CEMENT CONCRETE PAVEMENT SQ YD	TRIAXIAL GEOGRID REINFORCEMENT, TYPE I SQ YD	SUBBASE GRANULAR MATERIAL (SPECIAL) CU YD	BITUMINOUS MATERIALS (PRIME COAT) POUND	HOT-MIX ASPHALT BASE COURSE, 4 3/4" SQ YD	HOT-MIX ASPHALT BINDER COURSE, 1L-19.0, N90 TON	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, 1L-19.0 FG, N105 TON	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, STONE MATRIX ASPHALT, N80 TON	LEVELING BINDER (MACHINE METHOD), N90 TON	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90 TON	HOT-MIX ASPHALT SHOULDERS TON	AGGREGATE WEDGE SHOULDER, TYPE B TON	SHOULDER RUMBLE STRIPS, 16 INCH FOOT	TEMPORARY RAMP SQ YD	MATERIAL TRANSFER DEVICE TON
RAMP D																	
8+41.17 TO 9+84.00	142.8	0.0	0.0	0.0	0.0	630.6	0.0	189.9	67.8	63.0	0.0	0.0	58.7	8.8	0.0	0.0	0.0
9+84.00 TO 11+04.00	120.0	0.0	0.0	0.0	0.0	318.0	0.0	0.0	0.0	0.0	53.6	13.1	34.7	0.0	0.0	0.0	0.0
11+04.00 TO 20+00.00	896.0	0.0	0.0	0.0	0.0	1747.2	0.0	0.0	0.0	0.0	58.5	117.1	150.5	55.3	0.0	0.0	0.0
20+00.00 TO 20+50.00	50.0	0.0	0.0	0.0	0.0	97.5	0.0	0.0	0.0	0.0	1.6	6.5	7.0	3.1	0.0	0.0	0.0
20+50.00 TO 21+43.00	93.0	0.0	0.0	0.0	0.0	295.1	0.0	0.0	0.0	0.0	0.0	44.7	10.4	0.0	0.0	127.8	0.0
RAMP C																	
0+13.00 TO 1+10.00	97.0	0.0	0.0	0.0	0.0	280.4	0.0	0.0	0.0	0.0	0.0	41.5	10.9	0.0	0.0	105.6	0.0
1+10.00 TO 1+60.00	50.0	0.0	0.0	0.0	0.0	108.4	0.0	0.0	0.0	0.0	2.0	7.9	7.0	3.1	0.0	0.0	0.0
1+60.00 TO 10+93.00	933.0	0.0	0.0	0.0	0.0	1819.4	0.0	0.0	0.0	0.0	61.0	121.9	156.7	57.6	0.0	0.0	0.0
10+93.00 TO 12+13.00	120.0	0.0	0.0	0.0	0.0	318.0	0.0	0.0	0.0	0.0	53.6	13.1	34.7	14.8	0.0	0.0	0.0
12+13.00 TO 13+42.77	129.8	0.0	0.0	0.0	0.0	485.2	0.0	142.0	50.7	47.1	0.0	0.0	53.3	8.0	0.0	0.0	0.0
RAMP A																	
0+00.00 TO 1+30.00	130.0	0.0	0.0	0.0	0.0	276.5	0.0	69.2	24.7	22.9	0.0	0.0	53.4	8.0	0.0	0.0	0.0
1+30.00 TO 2+50.00	120.0	0.0	0.0	0.0	0.0	318.0	0.0	0.0	0.0	0.0	53.6	13.1	34.7	14.8	0.0	0.0	0.0
2+50.00 TO 11+75.00	925.0	0.0	0.0	0.0	0.0	1803.8	0.0	0.0	0.0	0.0	60.4	120.9	155.4	57.1	0.0	0.0	0.0
11+75.00 TO 12+25.00	50.0	0.0	0.0	0.0	0.0	104.4	0.0	0.0	0.0	0.0	1.8	7.4	7.0	3.1	0.0	0.0	0.0
12+25.00 TO 13+30.00	105.0	0.0	0.0	0.0	0.0	283.7	0.0	0.0	0.0	0.0	0.0	41.2	11.8	0.0	0.0	100.0	0.0
RAMP B																	
0+11.00 TO 1+00.00	89.0	0.0	0.0	0.0	0.0	291.4	0.0	0.0	0.0	0.0	0.0	44.4	10.0	0.0	0.0	127.8	0.0
1+00.00 TO 1+50.00	50.0	0.0	0.0	0.0	0.0	97.5	0.0	0.0	0.0	0.0	1.6	6.5	7.0	3.1	0.0	0.0	0.0
1+50.00 TO 10+50.00	900.0	0.0	0.0	0.0	0.0	1755.0	0.0	0.0	0.0	0.0	58.8	117.6	151.2	55.5	0.0	0.0	0.0
10+50.00 TO 11+70.00	120.0	0.0	0.0	0.0	0.0	318.0	0.0	0.0	0.0	0.0	53.6	13.1	34.7	14.8	0.0	0.0	0.0
11+70.00 TO 13+12.76	142.8	0.0	0.0	0.0	0.0	399.8	0.0	109.4	39.1	36.3	0.0	0.0	58.6	8.8	0.0	0.0	0.0
RAMP TOTALS		0.0	0.0	0.0	0.0	11747.9	0.0	510.5	182.3	169.3	460.1	730.0	1047.7	315.8	0.0	461.1	0.0
TOTALS		94736.0	182549.0	26199.0	11644.0	320149.0	26199.0	89701.0	31979.0	29713.0	460.0	730.0	27274.0	21993.0	167011.0	994.0	61340.0

△ REVISED SHEET 7-21-14

EFFINGHAM & FAYETTE

FILE NAME : c:\pwork\p10105\stef\effm\101060577\07	USER NAME : stef	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES			F.A.I. RTE. 70	SECTION (26-5.26-5-1.25-1-1R)	COUNTY *	TOTAL SHEETS 92	SHEET NO. 27
	PLD ¹ SCALE : 1/8"=1'-0"	CHECKED -	REVISED -		SCALE: NA	SHEET NO. 13 OF 16 SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT		CONTRACT NO. 74469	
	PLD ² DATE : 7/16/2014	DATE -	REVISED -									