

MIXTURE REQUIREMENTS

Location(s):	Hot-Mix Asphalt Surface Course
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix. C, N90
AD/PG:	PG64-22
ABR%(Max):	SEE SPECIAL PROVISIONS
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition: (Gradation)	IL-9.5mm
Friction Aggregate:	C Surface
Quality Management Program:	QCP

Location(s):	Hot-Mix Asphalt Leveling Binder
Mixture Use(s):	Hot-Mix Asphalt Leveling Binder Course, N90, IL-9.5mm Fine-Graded
AD/PG:	PG64-22
ABR%(Max):	SEE SPECIAL PROVISIONS
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition: (Gradation)	IL-9.5mm Fine Graded
Friction Aggregate:	None
Quality Management Program:	QCP

Location(s):	Pavement Patching
Mixture Use(s):	Hot-Mix Asphalt Binder Course, N90, IL-19.0mm Fine Graded
AD/PG:	PG64-22
ABR%(Max):	SEE SPECIAL PROVISIONS
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition: (Gradation)	IL-19.0mm Fine Graded
Friction Aggregate:	None
Quality Management Program:	QC/OA

MTD CROSSING RESTRICTIONS TABLE

SN & CENTERLINE STATION ROUTE FAS 726 (IL 37)	EXISTING FILL HEIGHT OVER BOX CULVERT	THICKNESS OF EXISTING PAVEMENT OVER BOX CULVERT	MTD CROSSING RESTRICTIONS
	FOOT	FOOT	
SN 044-0011 (STA. 1209+00)			Pending
SN 044-012 (STA. 1492+87.6)			Pending
SN 044-2006 (STA. 1403+10)	2.0'	1'	Pending
SN 044-7023 (STA. 1260+20)	3.3'	1'	Pending
SN 044-7022 (STA. 1307+76)	2.0'	1'	Pending
SN 044-7021 (STA. 1398+06)	4.4'	1'	Pending
SN 044-7020 (STA. 1449+69)	1.5'	1'	Pending
SN 044-7019 (STA. 1460+87)	2.3'	1'	Pending
SN 044-7018 (STA. 1526+54)	2.7'	1'	Pending
SN 044-7017 (STA. 1557+63)	3.1'	1'	Pending
SN 044-7016 (STA. 1591+91)	2.0'	1'	Pending
SN 044-7015 (STA. 1614+18)	2.5'	1'	Pending