

**ROADWAY SCHEDULE**

LOCATION	STATION	TO	STATION	TREE TRUNK PROTECTION	TOPSOIL FURNISH AND PLACE, 4"	SODDING, SALT TOLERANT	SUBBASE GRANULAR MATERIAL, TYPE B, 4"	SUBBASE GRANULAR MATERIAL, TYPE B, 6"	PORTLAND CEMENT CONCRETE BASE COURSE 9"	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	HOT-MIX ASPHALT BINDER COURSE, IL-19.0 N70	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	INCIDENTAL HOT-MIX ASPHALT SURFACING	PAVEMENT FABRIC	PROTECTIVE COAT	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH	CLASS B PATCHES, TYPE III, 14 INCH	CLASS B PATCHES, TYPE IV, 14 INCH	SAW CUTS	TIE BARS 3/4"	CONCRETE CURB, TYPE B
				EACH	SO YD	SO YD	SO YD	SO YD	SO YD	TON	TON	TON	TON	TON	SO YD	SO YD	SO YD	SO FT	SO FT	SO YD	SO YD	FOOT	EACH	FOOT
MORGAN STREET	3602+45	TO	3606+85	-	-	186	-	939	858	0.5	1.8	108	72	-	857	546	-	1347.5	1598.2	-	-	-	-	46.0
MORGAN STREET - UIC DRIVEWAY	3602+88	TO	3603+20	-	-	-	-	86	86	0.1	0.2	11	7	-	86	-	41	-	-	-	-	-	-	26.5
MORGAN STREET - CONDO DRIVEWAY	3606+35	TO	3606+52	-	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	-	-
CONGRESS PARKWAY	3305+50	TO	3306+63	5	186	-	63	419	353	0.2	0.8	45	30	0.1	352	209	-	921.4	-	-	-	-	-	5.1
MORGAN STREET EXIT RAMP	1002+45	TO	1005+95	-	484	-	400	-	-	-	-	-	-	-	55	552	-	-	-	15	40	114	40	-
I-290 WESTBOUND	338+11	TO	343+93	-	268	-	615	-	-	-	-	-	-	-	74	676	-	-	-	17	58	138	58	-
I-290 EASTBOUND	338+25	TO	340+60	-	610	-	140	-	-	-	-	-	-	-	199	280	-	-	-	-	199	255	102	-
TOTAL				5	1548	186	1218	1444	1297	0.8	2.8	164	109	0.1	1623	2263	59	2268.9	1598.2	32	297	508	201	77.6
ROUNDED TOTAL				5	1548	186	1218	1444	1297	0.8	3	164	109	0.1	1623	2263	59	2269.0	1598.5	32	297	508	201	78.0

LOCATION	STATION	TO	STATION	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6, 24	CONCRETE BARRIER, SINGLE FACE, 42 INCH HEIGHT	CONCRETE BARRIER TRANSITION	CONCRETE BARRIER BASE	SHOULDER RUMBLE STRIPS, 16 INCH	IMPACT ATTENUATORS (FULLY REDIRECTIVE, NARROW), TEST LEVEL 3	CHAIN LINK FENCE, 6'	BARRIER WALL MARKERS, TYPE C	COARSE SAND PLACEMENT	DETECTABLE WARNINGS (SPECIAL)	COMBINATION CONCRETE CURB AND GUTTER, TYPE B (SPECIAL)	CONCRETE BARRIER WALL (SPECIAL)	BICYCLE RACKS	TEMPORARY PAVEMENT	BRIDGE APPROACH PAVEMENT CONNECTOR (SPECIAL)
				FOOT	FOOT	FOOT	FOOT	FOOT	EACH	FOOT	EACH	SO YD	SO FT	FOOT	FOOT	EACH	SO YD	SO YD
MORGAN STREET	3602+45	TO	3606+85	-	-	-	-	-	-	-	-	323	72	442.7	-	1	-	49
MORGAN STREET - UIC DRIVEWAY	3602+88	TO	3603+20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORGAN STREET - CONDO DRIVEWAY	3606+35	TO	3606+52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGRESS PARKWAY	3305+50	TO	3306+63	-	-	-	-	-	-	135	-	103	8	317.2	-	-	-	-
MORGAN STREET EXIT RAMP	1002+45	TO	1005+95	296.2	275	-	275	-	1	-	6	-	-	-	-	-	298	-
I-290 WESTBOUND	338+11	TO	343+93	-	-	60	181	427	-	-	6	-	-	-	121	-	615	-
I-290 EASTBOUND	338+25	TO	340+60	-	134	60	321	60	-	-	4	-	-	-	127	-	140	-
TOTAL				296.2	409	120	777	487	1	135	16	426	80	759.9	248	1	1053	49
ROUNDED TOTAL				296.5	409	120	777	487	1	135	16	426	80	760.0	248	1	1053	49

**NOTES:**

1. DETECTABLE WARNINGS (SPECIAL) ON THIS SCHEDULE DOES NOT INCLUDE QUANTITY FOR THE BRIDGE. REFER TO THE STRUCTURAL PLANS.
2. TEMPORARY PAVEMENT FOR THE MORGAN STREET EXIT RAMP WILL BE PORTLAND CEMENT CONCRETE PAVEMENT 8" AND ALL THE SHOULDERS ALONG I-290 WILL BE PORTLAND CEMENT CONCRETE PAVEMENT 12".
3. SEE ADDITIONAL QUANTITIES IN THE ROADWAY DETAIL SHEET 6 FOR THE FLUTED KNEE WALL (SPECIAL) ALONG CONGRESS PARKWAY.



DI60W25-sht-Schedule-02  
 USER NAME = chitua  
 PLOT SCALE = 50.0000' / in.  
 PLOT DATE = 6/14/2013

DESIGNED - AFC  
 DRAWN - AFC  
 CHECKED - DBM  
 DATE - 6/17/2013

REVISED -  
 REVISED -  
 REVISED -  
 REVISED -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**SCHEDULE OF QUANTITIES**

SCALE: SHEET 2 OF 3 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
90/94/290	2013-007R	COOK	317	32
ILLINOIS FED. AID PROJECT			CONTRACT NO. 60W25	