



REMOVAL PLAN

Existing south end section of 6' x 5' reinforced concrete box culvert - Sta 866+20.95




<u>PLAN</u>

Showing new sheet pile wingwalls




SECTION A-A

Existing reinforced concrete wingwall to be removed




ELEVATION

Existing reinforced concrete wingwall to be removed




WINGWALL ELEVATION

The sheet piling for the wingwalls shall conform to the special provision Permanent Steel Sheet Piling. The minimum effective section modulus for the Permanent Steel Sheet Piling shall be 3.3 in 3 /ft.




SECTION C-C

Fabricated steel cap



WINGWALL PLAN

Showing connection of fabricated steel cap to Permanent Steel Sheet Piling



<u>DETAIL B</u>

Note: Fabric reinforced elastomeric mat and geosynthetic filter fabric shall not be paid for separately but shall be included in the cost of Permanent Steel Sheet Piling.



	USER NAME = hferstl	DESIGNED	-	DLS	REVISED	-
١.		CHECKED	-	AEU	REVISED	-
	PLOT SCALE =	DRAWN	-	DLS	REVISED	-
	PLOT DATE = 3/20/2013	CHECKED	-	AEU	REVISED	-

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

BOX CULVERT END SECTION DETAILS — STA. 866 + 20.95 LT. STRUCTURE NO. 081-1054							
	SI	HEET NO	o . 5	OF	6	SHEETS	

F.A.P. RTE.	SEC.	COUNTY		TOTAL SHEETS	SHEET NO.			
599	(83MFT &	103MFT)W	ROCK	ISLAND	340	157	
		CONTRACT NO. 64H11						
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT								