


ANTICIPATED PROBABLE CONSTRUCTION ACTIVITIES SCHEDULE													
NO.	ITEM DESCRIPTION	WEEK											
		1	2	3	4	5	6	7	8	9	10	11	12
1	INSTALL SEDIMENT/EROSION CONTROLS	█											
2	CLEARING AND GRADING		█	█	█	█	█	█	█	█	█	█	█
3	EXCAVATION AND EMBANKMENT			█	█	█	█	█	█	█	█	█	█
4	TURFING												
5	MAINTAIN SEDIMENT/EROSION CONTROL	█	█	█	█	█	█	█	█	█	█	█	█
6	CLEAN-UP												█

STORM WATER MANAGERS					
	NAME	ADDRESS	TELEPHONE NUMBER		SIGNATURE
			WORK	HOME	
CONTRACTOR					
SUBCONTRACTOR					
SUBCONTRACTOR					

EROSION AND SEDIMENT CONTROL MEASURES		
ITEM	LOCATION	SPECIAL PROVISION/ PAY ITEM
TEMPORARY DITCH CHECKS	RUNWAY 31, STA. 87+00, RT; RUNWAY 31, STA. 88+40, RT. AND TAXIWAY B, STA. 182+60, LT.	156500
TEMPORARY SILT FENCE	AT ALL SEDIMENT TRAP & DITCH CHECK LOCATIONS. ALSO AT RUNWAY 31 LEFT, STA. 87+80 TO STA. 89+60 AND RUNWAY 31 LEFT, STA. 92+05 TO STA. 94+25	156500
TEMPORARY SEDIMENT TRAPS	RNWX. 31, STA. 84+45.5, LT.; RNWX. 31, STA. 84+57, RT.; TXWY. K, STA. 371+14, LT.; TXWY. K, STA. 371+30, LT.; TXWY. K STA. 377+24, RT. AND TXWY. K STA. 377+24, LT.	156500
EXCELSIOR BLANKET	TO BE DETERMINED BY THE RESIDENT ENGINEER IN THE FIELD AT THE TIME OF CONSTRUCTION.	908520




WEST TAXIWAY K AREA PLAN

NOTE:

SEE SHEET 21 FOR STORM WATER POLLUTION PREVENTION GENERAL NOTES.

- LEGEND:
- EXTG. EDGE LIGHT
  - EXTG. GUIDANCE SIGN
  - EXTG. ELECTRICAL CABLE
  - EXTG. STORM SEWER OR UNDERDRAIN
  - EXTG. INLET
  - EXTG. OUTLET
  - EXTG. MANHOLE
  - EXTG. DRAINAGE DITCH
  - PROPOSED CONSTRUCTION, SEEDING, AND GRADING LIMITS
  - EXISTING FENCE
  - EXISTING OR PROPOSED DRAINAGE SWALE
  - PROPOSED SILT FENCE
  - PROPOSED TEMPORARY STRAW BALE DITCH CHECK
  - PROPOSED SEDIMENT TRAP



NOTES:

1. INSTALL PROPOSED SETTLEMENT PLATES PRIOR TO INSTALLING THE EMBANKMENT SURCHARGE SOILS.
2. SEE SPECIFICATIONS FOR ADDITIONAL INSTALLATION DETAILS. PLATES TO BE INSTALLED IN THE LOCATIONS SELECTED BY THE ENGINEER.
3. INSTALL ADDITIONAL 3' LONG PIPE SECTIONS AS REQUIRED.

PROPOSED SETTLEMENT PLATES  
 (5 EACH REQ'D)