


**PROPOSED TYPICAL SECTION 1**

LOCATION 6  
STA. 212+70 TO STA. 221+36




**PROPOSED TYPICAL SECTION 4**

LOCATION 6  
STA. 236+70 TO STA. 239+31




2 1/4" HMA SURFACE REMOVAL  
3/4" POLYMERIZED LEVELING BINDER (MM), N50  
1 1/2" POLYMERIZED HMA SURFACE CSE, MIX D, N90



**PROPOSED TYPICAL SECTION 2**

LOCATION 6  
STA. 221+36 TO STA. 234+48  
STA. 236+00 TO STA. 236+70




**PROPOSED TYPICAL SECTION 5**

LOCATION 6  
STA. 239+31 TO STA. 241+88


URBAN MIXTURES TABLE		
	LOCATION POLYMERIZED HMA LEVEL BINDER	LOCATION POLYMERIZED HMA SURFACE
PG GRADE	SBS PG70-22	SBS PG70-22
DESIGN AIR VOIDS	4.0% e N50	4.0% e N90
MIXTURE COMPOSITION	IL 4.75	IL 9.5
FRICTION AGGREGATE		MIXTURE D
DENSITY TEST METHOD	CORES	CORES

•• STATION EQUATION  
STA. 249+19.06 BK. =  
STA. 3+83.36 AH.



**PROPOSED TYPICAL SECTION 3**

LOCATION 6  
STA. 234+48 TO STA. 236+00



**PROPOSED TYPICAL SECTION 6**

LOCATION 6  
STA. 241+88 TO STA. \*\*249+19.06 BK.