

SCHEDULE OF QUANTITIES

DRAINAGE ITEMS

LOCATION		PIPE CULVERT, CLASS A, TYPE 2 36" 542A1081 (FOOT)	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 36" 54213681 (EACH)	METAL END SECTIONS 12" 54215547 (EACH)	CONCRETE COLLAR 54248510 (CU YD)	INSERTION CULVERT LINER 36" 54390230 (FOOT)	PIPE DRAINS 12" 60100945 (FOOT)	INLETS TO BE ADJUSTED WITH NEW TYPE 8 GRATE 60261000 (EACH)	FRAMES AND GRATES TO BE ADJUSTED 60300105 (EACH)	REMOVING INLETS 60500060 (EACH)	CLASS SI CONCRETE (OUTLET) 60600095 (CU YD)	CONCRETE THRUST BLOCKS 60900515 (EACH)	PIPE DRAIN REMOVAL X0323586 (FOOT)	TYPE E INLET BOX 610001SPL X6100120 (EACH)
STATION	OFFSET													
339+50	CL							1.0						
LEG "A":														
LEG "C":														
45+00	28' RT.								1.0					
46+89	28' RT.								1.0					
46+89	28' LT.								1.0					
46+97	28' RT.								1.0					
46+97	28' LT.								1.0					
49+23	28' RT.								1.0					
49+25	28' LT.								1.0					
49+31	28' RT.								1.0					
51+03	28' LT.								1.0					
52+36	29' RT.								1.0					
52+90	29' LT.								1.0					
61+60	29' LT.								1.0					
62+85.6	40.4' RT.										2.08			
63+94.35	35.85' LT.-48.10' RT.					83.95								
63+94.35	35.85' LT.				0.69									
63+94.35	35.85' LT.-43.85' LT.	8.0												
63+94.35	43.85' LT.				0.69									
63+94.35	52.0' LT.		1.0											
63+94.35	48.10' RT.				0.69									
63+94.35	48.10' RT.-56.10' RT.	8.0												
63+94.35	56.10' RT.				0.69									
63+94.35	64.25' RT.		1.0											
65+20	29' LT.								1.0					
65+75	34' RT.													1.0
65+75	42' RT.						20.0							
65+75	53' RT.			1.0										
65+75	35' RT.				0.03									
65+75	51' RT.											1.0		
68+60	29' RT.								1.0					
68+60	29' LT.								1.0					
71+10	29' RT.								1.0					
71+10	29' LT.								1.0					
75+78	28' LT.								1.0					
75+87	28' LT.								1.0					
76+16	28' RT.								1.0					
76+23	28' RT.								1.0					
80+80	29' RT.								1.0					
80+80	29' LT.								1.0					
84+76	29' RT.								1.0					
84+76	29' LT.								1.0					
87+33	29' LT.								1.0					
87+46.39	29' RT.								1.0					
89+35.79	35.2' RT.										2.08			
89+37.79	36.3' LT.										2.08			
NW RAMP:														
10+75	30' LT.								1.0					
10+69	12' RT.								1.0					
15+00	8.5' RT.								1.0					
SE RAMP:														
10+80	16' RT.								1.0					
NE RAMP:														
11+75	8.5' RT.									1.0	0.98		10.0	
13+75	8.5' RT.									1.0	0.98		12.0	
15+65	8.5' RT.									1.0	0.98		14.0	
16+93	29' LT.								1.0					
TOTAL =		16.0	2.0	1.0	2.79	83.95	20.0	1.0	32.0	3.0	9.18	1.0	36.0	1.0
ROUND TO:		16.0	2.0	1.0	2.8	84	20.0	1.0	32.0	3.0	9.2	1.0	40.0	1.0