

HOT-MIX ASPHALT SURFACE REMOVAL BUTT JOINT	
LOCATION	SQ. YD.
JOBSITE	74
TOTAL	74

PORTLAND CEMENT CONCRETE PAVEMENT 8"	
LOCATION	SQ. YD.
JOBSITE	2118
TOTAL	2118

PRIME COAT CONVERSION FACTORS		
SURFACE TYPE	BIT PR COAT	AGG PR COAT
	(GAL/SQ YD)	(LB/SQ YD)
COLD MILLED SURFACES	0.1	4
EXISTING PAVEMENT	0.05	4
NEW BITUMINOUS COURSES	0.03	2

HOT-MIX ASPHALT SURFACE REMOVAL VARIABLE DEPTH	
LOCATION	SQ. YD.
JOBSITE	2187
TOTAL	2187

PAVEMENT FABRIC	
LOCATION	SQ. YD.
JOBSITE	2118
TOTAL	2118

BITUMINOUS & AGGREGATE CONVERSION FACTORS	
BIT. SURF. COURSES	112 LB /SQ YD/IN
ALL OTHER BIT.	112 LB /SQ YD/IN
AGGREGATE SHOULDERS	2.05 TONS/CUYD

POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT)	
LOCATION	TON
JOBSITE	9.6
TOTAL	9.6

PROTECTIVE COAT	
LOCATION	SQ. YD.
JOBSITE	2118
TOTAL	2118

HOT-MIX ASPHALT SURFACE COURSE MIX "D" N70	
LOCATION	TON
JOBSITE	538
TOTAL	538

EARTH EXCAVATION	
LOCATION	CU. YD.
JOBSITE	145
TOTAL	145

\*\* 4" TOTAL DEPTH TO BE PLACED IN 2 LIFTS, 2" EACH\*\*

FILE NAME = Wyoming3.dgn	USER NAME = longsr	DESIGNED - ---	REVISED - ---
		DRAWN - ---	REVISED - ---
		PLOT SCALE = 40:0.0010 1" / IN.	REVISED - ---
		PLOT DATE = 7/27/2010	REVISED - ---

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

SCALE: \_\_\_\_\_ SHEET NO. \_\_\_ OF \_\_\_ SHEETS STA. \_\_\_\_\_ TO STA. \_\_\_\_\_

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
N/A	04 MAINT. YRD. REPAIRS 2011	STARK	9	3
CONTRACT NO. 68A06			ILLINOIS FED. AID PROJECT	