




(1) modified urethane PM - letters and symbols
MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
3 MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
8) MODIFIED URETHANE PM - LINE 6" (4" SKIP-2" DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
() MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(3) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(5) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6" SKIP-2" DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"




FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT













- 1. PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

LIN ENGINEERING, LTD.	USER NAME = Plotted by Lin21	DESIGNED - KU DRAWN - KU	REVISED - REVISED -	STATE OF ILLINOIS		FAP 595 (JOHN DEE PAVEMENT MARKING AND
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		FAVEMENT MARKING AND
 Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 27 OF 66 SHEETS





$\widehat{(1)}$ modified urethane PM - letters and symbols
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
3 MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4" SKIP-2" DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
(10) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"


NOTES:

1. PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.


-EX ¢ FAP 595

- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.


	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			FAP 595 (JOHN DEER
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		PAVEMENT MARKING AND S
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 28 OF 66 SHEETS S




N



IN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		PAVEMI
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET N






$\widehat{(1)}$ MODIFIED URETHANE PM - LETTERS AND SYMBOLS
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
9 MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(2) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(5) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"


NOTES:

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			41ST STREET		F.A.P.	SECTION	COUNTY TOTAL SHEET
		DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STATE OF ILLINUIS PAVEMENT MARKING AND SIGNING PLANS			595	(142-1, 142)R	ROCK ISLAND 1353 809
Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -							CONTRACT NO. 64B83
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20"	SHEET NO. 31 OF 66 SHEETS STA. 62	25+10.46 TO STA. 628+50.00	FED. ROAD D	IST. NO. 2 ILLINOIS FED.	. AID PROJECT



MATCH SEE




2

6

627+90.84 57.74' RT





(1) modified urethane PM - letters and symbols
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4" SKIP-2" DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
10 MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"


EX ₡ 41ST STREET—


NOTES:

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			41ST STREE	ст
LIN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		PAVEMENT MARKING AND	
Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	r r	AVENIENT MARKING AND	· •
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 32 OF 66 SHEETS	

>-{ŵ→ Z






 MODIFIED URETHANE PM - LETTERS AND SYMBOLS
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) modified urethane PM - line 6" (Solid white)
(8) MODIFIED URETHANE PM - LINE 6" (4" SKIP-2" DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
(1) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
 MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"


- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.


	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			41ST STREET		F.A.P. RTE.	SECTION	COUNTY TOTAL SHEET SHEETS NO.	
		DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION SCA	PAVEMENT MARKING AND SIGNING PLANS		SIGNING PLANS	595	(142-1, 142)R	ROCK ISLAND 1353 811	
	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -		DEPARTMENT OF TRANSPORTATION						CONTRACT NO. 64B83
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 33 OF 66 SHEETS S	TA. 633+50.00 TO STA. 638+50.00	FED. ROAD D	IST. NO. 2 ILLINOIS FED.	AID PROJECT	



() M	ODIFIED	URETHANE	РМ	-	LETT	ERS	AND	S١	MBOL	.s	
2 M	ODIFIED	URETHANE	ΡM	-	LINE	4''	(SOL	ID	YELL	OW)	
3 M	ODIFIED	URETHANE	ΡM	-	LINE	4''	(DOU	BLE	YEL	LOW)	
(4) M	ODIFIED	URETHANE	ΡM	-	LINE	4''	(SOL	ID	₩НІТІ	<u>=</u>)	
(5) M	ODIFIED	URETHANE	ΡM	-	LINE	4''	(30'	SK	IP-10	' DASH	I, YELLO
6 M	ODIFIED	URETHANE	ΡM	-	LINE	4''	(30'	SK	IP-10	′ DASH	, WHITE)
(7) м	ODIFIED	URETHANE	ΡM	-	LINE	6″	(SOL	ID	WHIT	E)	
8 M	ODIFIED	URETHANE	ΡM	-	LINE	6′′	(4' \$	SKIF	2′ I	DASH,	WHITE)
9 м	ODIFIED	URETHANE	ΡM	-	LINE	8''	(SOL	ID	YELL	OW)	
(10) M	ODIFIED	URETHANE	ΡM	-	LINE	8''	(SOL	ID	WHITI	Ξ)	
(11) M	ODIFIED	URETHANE	ΡM	-	LINE	12''	(\$0	LID	YELL	.OW)	
(12) M	ODIFIED	URETHANE	ΡM	-	LINE	12''	(\$0	LID	WHIT	Έ)	
(13) M	ODIFIED	URETHANE	ΡM	-	LINE	24′	' (SO	LID	WHI.	TE)	
(14) R	AISED R	EFLECTIVE	РМ	(0	NE-WA	Y C	CRYS	TAL)		
(15) R	AISED R	EFLECTIVE	РМ	(T	WO-W/	AY /	AMBE	R)			
(16) M	ODIFIED	URETHANE	РM	-	LINE	4''	(10′	SKI	P-3'	DASH,	YELLOW
(17) M	ODIFIED	URETHANE	ΡM	-	LINE	6′′	(30′	SK	IP-10	′ DAS⊦	H, WHITE)
(18) M	ODIFIED	URETHANE	РM	-	LINE	8''	(6' \$	SKIF	2′ I	DASH,	WHITE)
(19) S	HOULDER	RUMBLE S	TRIF	S	16''						


- MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND
- HIGHWAY STANDARD 720006 AND AS DIRECTED BY
- PROVISIONS FOR SIGN RELOCATION AND REMOVAL






E		USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -		41ST STREE PAVEMENT MARKING AND		
	Consulting Engineers		DRAWN - KU	REVISED -	STATE OF ILLINOIS			
		PLOT SCALE = 40.0000 '/ in.	CHECKED - ST	REVISED -	DEPARTMENT OF TRANSPORTATION			
	Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 34 OF 66 SHEETS	






		USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			44CT CTDF
			DRAWN - KU	REVISED -	STATE OF ILLINOIS		41ST STREI PAVEMENT MARKING AND
	Consulting Engineers	PLOT SCALE = 40.0000 ' / 10.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
	Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 35 OF 66 SHEETS










- () MODIFIED URETHANE PM LETTERS AND SYMBOLS
- (2) MODIFIED URETHANE PM LINE 4" (SOLID YELLOW)
- (3) MODIFIED URETHANE PM LINE 4" (DOUBLE YELLOW)
- (4) MODIFIED URETHANE PM LINE 4" (SOLID WHITE)
 (5) MODIFIED URETHANE PM LINE 4" (30' SKIP-10' DASH, YELLOW)
- (6) MODIFIED URETHANE PM LINE 4" (30' SKIP-10' DASH, WHITE)
- (7) MODIFIED URETHANE PM LINE 6" (SOLID WHITE)
- (8) MODIFIED URETHANE PM LINE 6" (4' SKIP-2' DASH, WHITE)
- (9) MODIFIED URETHANE PM LINE 8" (SOLID YELLOW)
- 10 MODIFIED URETHANE PM LINE 8" (SOLID WHITE)
- (1) MODIFIED URETHANE PM LINE 12" (SOLID YELLOW)
- (2) MODIFIED URETHANE PM LINE 12" (SOLID WHITE)
- (13) MODIFIED URETHANE PM LINE 24" (SOLID WHITE)
- (14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
- (15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
 (16) MODIFIED URETHANE PM LINE 4" (10' SKIP-3' DASH, YELLOW)
- (17) MODIFIED URETHANE PM LINE 6" (30' SKIP-10' DASH, WHITE)
- (18) MODIFIED URETHANE PM LINE 8" (6' SKIP-2' DASH, WHITE)
- (19) SHOULDER RUMBLE STRIPS 16"

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.



	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -		41ST STREET PAVEMENT MARKING AND S		
		DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION			
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -				
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 38 OF 66 SHEETS	






(1) modified urethane PM - letters and symbols
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
9 MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
() MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(5) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"
Ŭ,


	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -				
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS	r r	53RD STREET PAVEMENT MARKING AND	
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	FAVEIVIENT WARKING AND		
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 39 OF 66 SHEETS	


>∼ŵ→ z




- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.


		USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -				ет
			DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	53RD STREET PAVEMENT MARKING AND S		
	Consularing Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -				
	Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 40 OF 66 SHEETS	ST





LIN ENGINEERING, LTD	USER NAME = Plotted by Lin21	DESIGNED - KU DRAWN - KU	REVISED - REVISED -	STATE OF ILLINOIS	F	53RD STR PAVEMENT MARKING AN
Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	í -	///
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 41 OF 66 SHEETS






	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			53RD STREE	т	F.A.P.	SECTION	COUNTY TOTAL SHEET
LIN ENGINEERING,L Consulting Engineers	ID.	DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION SCAL	DAVENENT MARKING AND CIONING DIANC			595	(142-1, 142)R	ROCK ISLAND 1353 821
	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -		I AVENIENT MARKING AND SIGNING LEANS				CONTRACT NO. 64B83	
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 43 OF 66 SHEETS	STA. 704+00.00 TO STA. 707+27.00	FED. ROAD DIS		



PROJECT/IMPROVEMENT ENDS STA 707+27.00


(1) MODIFIED URETHANE PM - LETTERS AND SYMBOLS
MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
3 MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5) MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
(0) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
 MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(3) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
() SHOULDER RUMBLE STRIPS 16"




NOTES:

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.


	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -		60TH STREE PAVEMENT MARKING AND		
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS			
Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION			
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 44 OF 66 SHEETS	




STA. 736+31.80 TO STA. 741+00.00 FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT



LIN ENGINEERING, LTD		DRAWN - KU	REVISED -	STATE OF ILLINOIS	r	60TH ST PAVEMENT MARKING A
Consulting Engineers	PLOT SCALE = 40.0000 ' / 10.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	r.	AVEINENT MARKING A
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20"	SHEET NO. 45 OF 66 SHEET






- 1. PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- 2. ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- 3. REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.


	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			60TH STRE	ст.	F.A.P.	SECTION	COUNTY TOTAL SHEET
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PAVEMENT MARKING AND SIGNING PLANS			595	(142-1, 142)R	ROCK ISLAND 1353 825
Consulting Engineers Chatham, Illinois	PLOT SCALE = 40.0000 ' / 10.	CHECKED - AG	REVISED -					_		CONTRACT NO. 64B83
Chatham, Innois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 47 OF 66 SHEETS	STA. 753+00.00 TO STA. 758+07.44	FED. ROAD	DIST. NO. 2 ILLINOIS FED.	AID PROJECT






1	MODIFIED	URETHANE	РМ	-	LETT	ERS	AND	SY	MBOLS	5	
2	MODIFIED	URETHANE	РМ	-	LINE	4′′	(SOL	١D `	rello	W)	
3	MODIFIED	URETHANE	ΡM	-	LINE	4′′	(DOU	BLE	YELL	.OW)	
4	MODIFIED	URETHANE	ΡM	-	LINE	4′′	(SOL	ID N	VHITE)	
5	MODIFIED	URETHANE	РМ	-	LINE	4′′	(30′	SKI	P-10'	DASH,	YELLO
6	MODIFIED	URETHANE	РМ	-	LINE	4′′	(30'	SKI	P-10'	DASH,	WHITE
$\overline{7}$	MODIFIED	URETHANE	РМ	-	LINE	6"	(SOL	ID۱	WHITE)	
8	MODIFIED	URETHANE	РМ	-	LINE	6"	(4' \$	SKIP	-2′D	ASH, W	HITE)
9	MODIFIED	URETHANE	РM	-	LINE	8′′	(SOL	ID `	rello	W)	
10	MODIFIED	URETHANE	РМ	-	LINE	8''	(SOL	ID N	WHITE)	
(11)	MODIFIED	URETHANE	РM	-	LINE	12'	(\$0	LID	YELL	CWC	
(12)	MODIFIED	URETHANE	РМ	-	LINE	12'	(\$0	LID	WHITE	=)	
(13)	MODIFIED	URETHANE	РМ	-	LINE	24′	′ (SO	LID	WHIT	E)	
Ū4	RAISED R	EFLECTIVE	РМ	(0	NE-W4	AY (CRYS	TAL)			
(15)	RAISED R	EFLECTIVE	РM	(T	WO-W	4Υ .	AMBE	R)			
(16)	MODIFIED	URETHANE	РМ	-	LINE	4′′	(10'	SKI	P-3′ (DASH,	YELLOW
(17)	MODIFIED	URETHANE	ΡМ	-	LINE	6''	(30′	SKI	P-10'	DASH,	WHITE
(18)	MODIFIED	URETHANE	ΡМ	-	LINE	8′′	(6' \$	SKIP	-2′ D	ASH, W	HITE)
(19)	SHOULDER	RUMBLE S	TRI	۶	16′′						
-											






- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT 1. MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- 2. ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- 3. REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS	DAVE	70TH STREET
Consulting Engineers	PLOT SCALE = 40.0000 ' / 10.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	PAVE	MENT MARKING AND SIGN
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 48 OF 66 SHEETS



LIN ENGINEERING,LTD.	USER NAME = Plotted by Lin21	DESIGNED - KU DRAWN - KU	REVISED - REVISED -	STATE OF ILLINOIS	DAVE	70TH STREET
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	PAVE	MENT MARKING AND SIGN
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 49 OF 66 SHEETS


						ŀ	F.A. RTE	Р.		SEC	TION		COI	JNTY	TOTAL SHEETS	SHEET NO.
SIG	IGNING PLANS					595	5	(142-1,	142)R		ROCK	ISLAND	1353	827	
											CONT	RACT	NO. F	64B83		
	STA.	797+50.00	TO ST	Ά. 8	303+00.00) F	ED.	ROAD	DIST. 1	NO. 2	ILLINOIS F	ED. AI	D PROJ	ECT		



	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -					F
LIN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		70TH STRE		Ľ
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		PAVEMENT MARKING AND	SIGNING PLANS	-
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 50 OF 66 SHEETS	STA. 803+00.00 TO STA. 808+50.00	F




FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT




 MODIFIED URETHANE PM - LETTERS AND SYMBOLS
(2) MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
3 MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
(10) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(3) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
LIN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		70TH STREET
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		PAVEMENT MARKING AND
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 51 OF 66 SHEETS S



> 2





PAVEMENT MARKING LEGEND

1	MODIFIED	URETHANE	PM -	LETT	ERS AND SYMBOLS
2	MODIFIED	URETHANE	PM -	LINE	4" (SOLID YELLOW)
3	MODIFIED	URETHANE	PM -	LINE	4" (DOUBLE YELLOW)
4	MODIFIED	URETHANE	PM -	LINE	4" (SOLID WHITE)
(5)	MODIFIED	URETHANE	PM -	LINE	4" (30' SKIP-10' DASH, YELLOW)
Ō	MODIFIED	URETHANE	PM -	LINE	4" (30' SKIP-10' DASH, WHITE)
$\overline{(7)}$	MODIFIED	URETHANE	PM -	LINE	6" (SOLID WHITE)
(8)	MODIFIED	URETHANE	PM -	LINE	6" (4' SKIP-2' DASH, WHITE)
9	MODIFIED	URETHANE	PM -	LINE	8" (SOLID YELLOW)
10	MODIFIED	URETHANE	PM -	LINE	8" (SOLID WHITE)
11	MODIFIED	URETHANE	PM -	LINE	12" (SOLID YELLOW)
(12)	MODIFIED	URETHANE	PM -	LINE	12" (SOLID WHITE)
(13)	MODIFIED	URETHANE	PM -	LINE	24" (SOLID WHITE)
(14)	RAISED R	EFLECTIVE	PM (DNE-WA	AY CRYSTAL)
(15)	RAISED R	EFLECTIVE	PM (TWO-WA	AY AMBER)
(16)	MODIFIED	URETHANE	PM -	LINE	4" (10' SKIP-3' DASH, YELLOW)
(17)	MODIFIED	URETHANE	PM -	LINE	6" (30' SKIP-10' DASH, WHITE)
18	MODIFIED	URETHANE	PM -	LINE	8" (6' SKIP-2' DASH, WHITE)
(19)	SHOULDER	RUMBLE S	TRIPS	5 16''	
-					


- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

ſ		USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
	LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		70TH STREET PAVEMENT MARKING AND
	Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		PAVEIMENT MARKING AND
	Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 52 OF 66 SHEETS






REET	F.A.P. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
ND SIGNING PLANS	595	(142-1, 142)R	ROCK ISLAND	1353	831
			CONTRACT	NO. 6	4B83
STA. 818+75.00 TO STA. 824+63.75	FED. RO.	AD DIST. NO. 2 ILLINOIS FED. A	D PROJECT		



E	LIN ENGINEERING, LTD. Consulting Engineers _{Chatham} , Illnois	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -		1	COALTOW	
			DRAWN - KU	REVISED -	STATE OF ILLINOIS	PAVEMENT MARKING		
		PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION			
		PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 54 OF 66 SHEETS	



SCALE: 1"=20' SHEET NO. 55 OF 66 SHEETS STA. 45+50.00 TO STA. 51+00.00

Chatham, Illinois


PLOT DATE = 12/18/2014

DATE

06/20/2014

REVISED

FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT



REVISED

- 06/20/2014


DATE

PLOT DATE = 12/18/2014

SCALE: 1"=20' SHEET NO. 56 OF 66 SHEETS

1 MODIFIED URETHANE PM - LETTERS AND SYMBOLS
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
9 MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
() MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(1) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(5) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
$(\widetilde{18})$ modified urethane PM - line 8" (6' skip-2' dash, white)
(19) SHOULDER RUMBLE STRIPS 16"
•


ROAD ND SIGNING PLANS		F.A.P. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
		595	(142-1, 142)R	ROCK ISLAND	1353	834	
				CONTRACT I	NO. 6	4B83	
	STA. 51+00.00 TO STA. 35+50.00	FED. RO.	AD DIST. NO. 2 ILLINOIS FED. AI	D PROJECT			




COALTOWN PAVEMENT MARKING AN




 MODIFIED URETHANE PM - LETTERS AND SYMBOLS
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
8 MODIFIED URETHANE PM - LINE 6" (4" SKIP-2" DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
(10) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
 MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(6) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"



ROAD ND SIGNING PLANS		F.A.P. RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
		595	(142-1, 142)R	ROCK ISLAND	1353	835	
				CONTRACT I	NO. 6	4B83	
	STA. 35+50.00 TO STA. 37+00.00	FED. RO	AD DIST. NO. 2 ILLINOIS FED. AI	D PROJECT			



$\widehat{(1)}$ MODIFIED URETHANE PM - LETTERS AND SYMBOLS
2 MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
\bigcirc MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4" SKIP-2" DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
10 MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
 MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
13 MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"






30''×36''

CTR-TS-15 64+41 EB

NOTES:


- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		COALTOWN R
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		PAVEIVIENT WARKING AND
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 59 OF 66 SHEETS



~

(1)	MODIFIED	URETHANE	ΡМ	-	LETTERS AND SYMBOLS
2	MODIFIED	URETHANE	РМ	-	LINE 4" (SOLID YELLOW)
3	MODIFIED	URETHANE	РМ	-	LINE 4" (DOUBLE YELLOW)
4	MODIFIED	URETHANE	РМ	-	LINE 4" (SOLID WHITE)
5	MODIFIED	URETHANE	ΡМ	-	LINE 4" (30' SKIP-10' DASH, YELLO
6	MODIFIED	URETHANE	РМ	-	LINE 4" (30' SKIP-10' DASH, WHITE
7	MODIFIED	URETHANE	РМ	-	LINE 6" (SOLID WHITE)
8	MODIFIED	URETHANE	РМ	-	LINE 6" (4' SKIP-2' DASH, WHITE)
9	MODIFIED	URETHANE	ΡМ	-	LINE 8" (SOLID YELLOW)
10	MODIFIED	URETHANE	РМ	-	LINE 8" (SOLID WHITE)
(11)	MODIFIED	URETHANE	РМ	-	LINE 12" (SOLID YELLOW)
(12)	MODIFIED	URETHANE	РМ	-	LINE 12" (SOLID WHITE)
(13)	MODIFIED	URETHANE	РМ	-	LINE 24" (SOLID WHITE)
(14)	RAISED RE	FLECTIVE	РМ	(0	DNE-WAY CRYSTAL)
(15)	RAISED RE	EFLECTIVE	РМ	(Т	(WO-WAY AMBER)
(16)	MODIFIED	URETHANE	РМ	-	LINE 4" (10' SKIP-3' DASH, YELLOW
(17)	MODIFIED	URETHANE	РМ	-	LINE 6" (30' SKIP-10' DASH, WHITE
(18)	MODIFIED	URETHANE	РМ	-	LINE 8" (6' SKIP-2' DASH, WHITE)
			TOTO	~	100




	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
LIN ENGINEERING,LTD. Consulting Engineers		DRAWN - KU	REVISED -	STATE OF ILLINOIS	,	COALTOWN RO PAVEMENT MARKING AND
	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	"	FAVEWIENT WARKING AND
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20"	SHEET NO. 60 OF 66 SHEETS

(1	MODIFIED	URETHANE	ΡМ	-	LETT	ERS	AND) SY	MBOI	LS		
(2	MODIFIED	URETHANE	РМ	-	LINE	4''	(SOL	ID Y	ſELL	OW)		
(3)	MODIFIED	URETHANE	РМ	-	LINE	4′′	(DOL	JBLE	YEL	LOW)		
(4	MODIFIED	URETHANE	РМ	-	LINE	4′′	(SOL	.ID N	∨ніт	E)		
(5)	MODIFIED	URETHANE	РМ	-	LINE	4"	(30′	SKI	P-10)' DAS	н,	YELLC
(6	MODIFIED	URETHANE	РМ	-	LINE	4''	(30′	SKI	P-10)' DAS	Н,	WHITE
(7	MODIFIED	URETHANE	РМ	-	LINE	6′′	(SOL	ID \	VHIT	E)		
(8	MODIFIED	URETHANE	РМ	-	LINE	6′′	(4′	SKIP	-2'	DASH,	WH	HITE)
(9	MODIFIED	URETHANE	РМ	-	LINE	8′′	(SOL	ID Y	ſELL	OW)		
(10	MODIFIED	URETHANE	РМ	-	LINE	8′′	(SOL	ID V	∀НІТ	E)		
(11)	MODIFIED	URETHANE	РМ	-	LINE	12''	' (SO	LID	YEL	LOW)		
(12)	MODIFIED	URETHANE	РМ	-	LINE	12''	' (SO	LID	WHI	TE)		
(13)	MODIFIED	URETHANE	РМ	-	LINE	24′	ʻ (SC	DLID	WHI	TE)		
(14)	RAISED R	EFLECTIVE	ΡМ	(0	NE-WA	AY C	CRYS	TAL)				
(15)	RAISED R	EFLECTIVE	ΡМ	(T	WO-W	4Y /	AMBE	R)				
(16	MODIFIED	URETHANE	РМ	-	LINE	4''	(10'	SKI	⊃-3′	DASH	, Y	ELLOW
(17)	MODIFIED	URETHANE	РМ	-	LINE	6′′	(30′	SKI	P-10)' DAS	Н,	WHITE
(18)	MODIFIED	URETHANE	ΡМ	-	LINE	8′′	(6′	SKIP	-2'	DASH,	WH	HITE)
(19	SHOULDER	RUMBLE S	TRI	۶	16''							

NOTES:

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.


4—



PROJECT/IMPROVEMENT BEGINS STA 78+50.00

F	LIN ENGINEERING,LTD.	USER NAME = Plotted by Lin21	DESIGNED - KU DRAWN - KU	REVISED - REVISED -	STATE OF ILLINOIS	COALTOWN RO
	Consulting Engineers Chatham, Illinois	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	PAVEMENT MARKING AND
	Gratian, minus	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20' SHEET NO. 61 OF 66 SHEETS

STA. 78+50.00 TO STA. 83+75.00 FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT



E		USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -		Í	COALTOWN R
	LIN ENGINEERING, LTD		DRAWN - KU	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PAVEMENT MARKING A	
	Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -		PAVEIVIENT WARKING A	
	Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 62 OF 66 SHEETS


								C	CONTRACT	NO	. 6	54B83
STA. 94+50.00 TO STA. 98+00.00	FED. RC	DAD	DIST.	N0.	2	ILLINOIS	FED.	AID	PROJECT		_	

(1) modified urethane Pm - letters and symbols
② MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
(5) MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
$\overbrace{0}^{\sim}$ MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
(8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
9 MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
() MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(5) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE)
() SHOULDER RUMBLE STRIPS 16"


- NOTES:
- 1. PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- 2. ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL 3. PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

STREET 38 T H


38	-	38TH	STREET
41	-	41ST	STREET
53	-	53RD	STREET
60	-	60TH	STREET
70	-	70TH	STREET
CTF	۲.	- COAL	TOWN RC



E		USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			COALTOWN RO	
	LIN ENGINEERING, LTD		DRAWN - KU	REVISED -	STATE OF ILLINOIS	PAVEMENT MARKING A		
	Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	F	AVEINENT MARKING AND	
	Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 63 OF 66 SHEETS	



ROAD JDR - JOHN DEERE ROAD




1 MODIFIED URETHANE PM - LETTERS AND SYMBOLS
② MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW)
(3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW)
(4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE)
5 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW)
6 MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE)
(7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE)
8 MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE)
(9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW)
(10) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE)
(1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW)
(12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE)
(13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE)
(14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL)
(15) RAISED REFLECTIVE PM (TWO-WAY AMBER)
(16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW)
(17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE)
(18) MODIFIED URETHANE PM - LINE 8" (6" SKIP-2" DASH, WHITE)
(19) SHOULDER RUMBLE STRIPS 16"

NOTES:

- PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -				
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		MULTI-USE P PAVEMENT MARKING AND	
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	r r	AVENIENT MARKING AND	1 3
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 64 OF 66 SHEETS	ST



(1) MODIFIED URETHANE PM - LETTERS AND SYMBOLS (2) MODIFIED URETHANE PM - LINE 4" (SOLID YELLOW) (3) MODIFIED URETHANE PM - LINE 4" (DOUBLE YELLOW) (4) MODIFIED URETHANE PM - LINE 4" (SOLID WHITE) (5) MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, YELLOW) (6) MODIFIED URETHANE PM - LINE 4" (30' SKIP-10' DASH, WHITE) (7) MODIFIED URETHANE PM - LINE 6" (SOLID WHITE) (8) MODIFIED URETHANE PM - LINE 6" (4' SKIP-2' DASH, WHITE) (9) MODIFIED URETHANE PM - LINE 8" (SOLID YELLOW) (10) MODIFIED URETHANE PM - LINE 8" (SOLID WHITE) (1) MODIFIED URETHANE PM - LINE 12" (SOLID YELLOW) (12) MODIFIED URETHANE PM - LINE 12" (SOLID WHITE) (13) MODIFIED URETHANE PM - LINE 24" (SOLID WHITE) (14) RAISED REFLECTIVE PM (ONE-WAY CRYSTAL) (15) RAISED REFLECTIVE PM (TWO-WAY AMBER) (16) MODIFIED URETHANE PM - LINE 4" (10' SKIP-3' DASH, YELLOW) (17) MODIFIED URETHANE PM - LINE 6" (30' SKIP-10' DASH, WHITE) (18) MODIFIED URETHANE PM - LINE 8" (6' SKIP-2' DASH, WHITE) (19) SHOULDER RUMBLE STRIPS 16"

×~00

EX ¢ COALTOWN ROAD


└── PR ₿ MULTI-USE PATH


NOTES:


- 1. PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO DISTRICT STANDARD 41.1 AND HIGHWAY STANDARDS 780001 AND 781001.
- ALL SIGNS SHOULD BE ERECTED IN ACCORDANCE WITH HIGHWAY STANDARD 720006 AND AS DIRECTED BY THE ENGINEER.
- REFER TO SCHEDULE OF QUANTITIES AND SPECIAL PROVISIONS FOR SIGN RELOCATION AND REMOVAL DETAILS.

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -				
LIN ENGINEERING,LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		MULTI-USE P/ PAVEMENT MARKING AND	•
Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	r	FAVEINENT MARKING AND	
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 65 OF 66 SHEETS	5










	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -		i	
LIN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS	i i	MULTI-USE PAVEMENT MARKING AND
	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	i i	FAVEIVIENT WARKING AND
Chatham, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 66 OF 66 SHEETS

5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		st St	5 1 1 44tt	-0" 	91 53	-0" - 		-0" - 		<u>-0"-</u> -	<u>-</u> 	1'-6" TOP						-0"-1
D3-1 36''×12''		3-1 '×12''	D3 36**		D3 36**		D3 36**		I- 24''>			1-1 '×18''		R) 30'':			R) 36‴:	
NAME STATION CTR-TS-12 60+74 WB CTR-TS-19 81+90 WB	NAME 41-TS-04	STATION 200+80 WB	NAME 41-TS-05 53-TS-04 53-TS-07	STATION 200+80 WB 479+37 EB 480+62 WB	NAME 53-TS-03 53-TS-06 CTR-TS-11	STATION 479+37 EB 480+62 WB 60+74 WB	NAME CTR-TS-18	STATION 81+90 WB	NAME JDR-TS-18 JDR-TS-30	STATION 290+05 EB 310+40 WB	NAME 70-TS-02 CTR-TS-30	STATION 804+42 WB 10+03 WB	NAME 38-TS-05 41-TS-06 53-TS-01 53-TS-05 53-TS-08	STATION 157+59 EB 200+80 WB 693+75 WB 479+37 EB 480+62 WB	NAME CTR-TS-20 CTR-TS-22 CTR-TS-23 CTR-TS-24 CTR-TS-25	STATION 81+90 WB 96+25 EB 96+40 SB 97+08 NB 97+06 WB	NAME 38-TS-06	STATION 160+82 SB
			3;	-0" .	3'	-0"							65-WP-01 CTR-TS-09 CTR-TS-13 CTR-TS-16		CTR-TS-27	100+90 SB		
						EED AIT 5	-9- -0- -0-											
R2-1 30''×36''		2-1 ×36''	R2 36''	?-1 ′×48′′	R2 361	?-1 ′×48′′	R3 30'':		R3 30'':	-5 ×36''		3-7 '×36''		3-8b 'x30''	36''	×30''	60''	×30′′
NAME STATION 53-TS-12 698+20 SB	NAME CTR-TS-02 CTR-TS-07	STATION 44+60 WB 52+75 EB	NAME JDR-WP-04 JDR-WP-14	STATION 270+00 WB 282+00 EB	NAME JDR-WP-43 JDR-WP-48	STATION 338+00 EB 350+00 WB	NAME 38-TS-13 38-TS-15	STATION 160+84 SB 157+95 EB	NAME 38-TS-01	STATION 156+50 NB	NAME JDR-TS-09 JDR-TS-81	STATION 273+03 EB 295+75 EB	NAME 53-TS-10 53-TS-14	STATION 697+40 NB 701+50 SB	NAME 60-TS-09	STATION 754+40 SB	NAME 60-TS-02	STATION 747+32 NB
	CTR-TS-08 CTR-TS-15	58+50 WB 64+41 EB	JDR-WP-22 JDR-WP-29 JDR-WP-36	295+00 WB 306+01 EB 329+25 WB		360+00 EB 373+50 WB 386+25 EB	CTR-TS-32						60-TS-06	751+50 SB				
	T T							² .9	<u></u>		-0-4 -0-4 		Τ.	2'-6" NOT NTER	ې س س س س س س س س س س س س س س س س س س س		0-7 ₩R ₩	-0" -1 ONG AY
48''×30''	36''	×30′′	60":	×30′′	96''	×48'′		R4 24''>				4-7 '×48''		5-1 '×30''		5-1 ×36''		-1a x24''
NAME STATION 41-TS-08 645+25 NB	NAME 41-TS-18 41-TS-19	STATION 645+25 NB 653+50 SB	NAME 41-TS-12	STATION 653+75 SB	NAME JDR-WP-03 JDR-WP-15	STATION 270+00 EB 283+00 WB	NAME 41-TS-02 41-TS-03	STATION 642+60 NB 644+08 SB	NAME 53-TS-13 60-TS-04	STATION 699+10 SB 748+75 SB	NAME JDR-WP-25 JDR-WP-26	STATION 301+07 WB 303+04 EB	NAME CTR-TS-28	STATION 100+90 SB	NAME 38-TS-10 38-TS-11	STATION 160+70 SB 160+95 SB	NAME JDR-TS-78 JDR-TS-79	STATION 277+50 EB 372+50 EB
							41-TS-07 41-TS-10 41-TS-11 41-TS-13 41-TS-14	644+80 NB 648+99 SB 651+00 NB 653+90 SB 655+01 NB	60-TS-05 60-TS-07 60-TS-08 70-TS-01 70-TS-03	750+77 NB 751+52 SB 752+50 NB 800+93 NB 805+25 NB	JDR-WP-39 JDR-WP-40 JDR-WP-55 JDR-WP-56 JDR-WP-72	334+33 WB 336+12 EB 355+10 WB 356+97 EB 382+50 WB			CTR-TS-31	96+92 SB		
LIN ENGINEERING,LTD. Consulting Engineers	ISER NAME = Plotted LOT SCALE = 6.8788 / LOT DATE = 12/18/20	/ 1n.	DESIGNED - KU DRAWN - KU CHECKED - AG DATE - 10/0		REVISED - REVISED - REVISED - REVISED - REVISED -		53-TS-02 53-TS-09 DEPAR1	696+40 SB 697+50 NB STATE OF I	ILLINOIS RANSPORTAT	ION	SCALE: N/A		SNING DETAILS				I2)R ROCK IS	Sheers NO. SLAND 1353 845 ACT NO. 64B83

	-O" I IOR IGLES		-6" - NE AY →				1 9 1 1 1 1 1 1 1 1 1 1 1	-O" NO NAGE SUBJECT		τ φ τ μ Γ Α	-0" 0 KING	.0°.Z	-0"	LIS /	$\mathbf{\hat{F}}$			2.6	
	5-3 'x24''		-2R ×24''	R6-: 24''×				-13 /×18′′		R8 12">			-6R ×24''		2-2R ×48''	¥3 48**>	3-3 ×48′′		3-3 '×30''
NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION
70-TS-04	804+55 EB	38-TS-12	160+82 SB	CTR-TS-34	100+05 EB	41-TS-01	640+50 NB	CTR-TS-04	45+25 EB	60-TS-01	745+60 NB	CTR-TS-29	101+00 SB	JDR-WP-01	267+00 EB	JDR-WP-20	291+00 EB	41-PM-17	657+35 SB
		38-TS-14	157+59 EB			41-TS-09	645+75 NB	CTR-TS-05	46+50 WB							JDR-WP-32	314+00 WB		
		CTR-TS-33	96+40 SB			53-TS-11	697+40 NB									JDR-WP-34	321+00 EB		
						53-TS-20	706+00 SB									JDR-WP-44	344+00 EB		
						60-TS-03	747+40 SB									JDR-WP-46	345+00 WB		
						60-TS-10	754+70 SB									JDR-WP-64	367+50 WB		
						60-TS-11	756+70 SB									JDR-WP-66	372+25 EB		
						CTR-TS-01	43+25 EB												
						CTR-TS-03	44+60 WB									+			
	5								-6" TRAFFE NOT STOP	RIG LA EN	HT NE DS	3 ⁵ RIG LA EA	GHT NE NDS	55	X	25		UPA DI-D	0 ASSING DNE
w:	3-5	w4-	·2R	W4-2	2R	W4	-3R	w4-	1100	W9-	-1R	w9	-1R	w1	1-2	W1:	1-8	w	/14-3
	×48′′	48''×		36"×3			×48″		×18''	48''×		36":			'×36''	36">			48''×36''
-						_													
NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION
JDR-WP-51	332+00 WB	JDR-WP-77	393+00 EB	41-TS-16	656+60 NB	JDR-WP-80	278+00 EB	CTR-TS-10	59+64 EB	JDR-WP-76	391+00 EB	41-TS-15	655+22 NB	53-TS-16	702+30 NB	CTR-TS-06	51+25 EB	CTR-TS-26	99+00 WB
		JDR-WP-90	393+00 EB	53-TS-15	703+00 NB	JDS-WP-82	382+80 WB	CTR-TS-14	60+74 WB	JDR-WP-89	391+00 EB			53-TS-18	702+68 SB				
								CTR-TS-17	80+73 EB										
								CTR-TS-21	81+90 WB										
																_			
1	_0"												-0"	-3	<u>-0"</u>		2'	0"	
	<u>→</u> +		<u>-0"</u>			0 	<u></u>		·		-0"		RSTATE 4		\sim				
<u>1</u> 4		<u>-</u> 38	th St	<u>°</u> 41st	St	₹53	d St	2⊥_60	th St	÷70t	h St	j 	'4 /	3:-0	6)		□ □ □ □ □	5	
														<u> </u>	\sim				
W16	-7PL	w16	-8P	W16-	-8P	W16	-8P	w16	5-8P	W16	-8P	M	1-1	м	1-4		M1-	100	
21"		48''		48''×		48"		48''	×12''	48''>		36"			×36''		24";		
NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION
53-TS-17	702+30 NB	JDR-WP-02	267+00 EB	JDR-WP-21	291+00 EB	JDR-WP-35	321+00 EB	JDR-WP-45	344+00 EB	JDR-WP-67	372+25 EB	JDR-WP-06	271+97 WB	JDR-WP-08	271+97 WB	38-TS-03	157+00 NB	JDR-TS-58	357+50 EB
53-TS-19	702+68 SB			JDR-WP-33	314+00 WB	JDR-WP-47	345+00 WB	JDR-WP-65	367+50 WB							38-TS-08	162+00 SB	JDR-TS-71	380+25 WB
																JDR-TS-11	273+50 WB	JDR-TS-74	385+00 EB
																JDR-TS-13	280+50 EB		
																JDR-TS-24	299+00 WB		
																JDR-TS-28	304+76 EB		
																JDR-TS-38	334+00 WB		
																JDR-TS-42	336+35 EB		
		1				1	1						1			JDR-TS-54	354+40 WB		
			l				_												
	GINEERING,LTD.	JSER NAME = Plotted b	by Lin21	DESIGNED - KU DRAWN - KU		EVISED - EVISED -			STATE OF					GNING DETAILS		F.A RT	A.P. SECTIO		JILLIS NO.
Consu		JSER NAME = Plotted & PLOT SCALE = 6.8788 '. PLOT DATE = 12/18/201	/ .n.	DESIGNED - KU DRAWN - KU CHECKED - AG DATE - 10/07	R	EVISED - EVISED - EVISED - EVISED - EVISED -		DEPAR	STATE OF	ILLINOIS RANSPORTAT	ION	SCALE: N/A		GNING DETAILS		F.A RT		2)R ROCK IS	TOTAL SHEET SHEETS NO. SLAND 1353 846 RACT NO. 64B83

							0"	4	'_9"	1'	-9"	1'	-9"		3'-0"			
	-6"		-6"						<u></u>	[τ−1 τ−1 τ−1 τ−1 τ−1 τ−1 τ−1 τ−1	- <u>-</u> •		 					
<u>ال</u> ا	СТ	ل ا‡	СТ	₹ L Ľ	<u>ast</u> j	₹ <u>i</u> LW	51	₽ <u>⊥</u> ∟	➡	│ ∻⊥ └■	▶			÷1 ON				
M2 30''>		M2 30'':			7-0		R_ A		_1D	M6			-1L /15//	_	10			
(BL		(WH)			3-2 'x12''	M3 24''		M6 21''	5-1R ×15″	21''> (GRE		21'': (GRI			5-1R '×12''			
NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION	NAME	STATION			
JDR-WP-05	271+97 WB	JDR-WP-07	271+97 WB	38-TS-02 JDR-TS-12	157+00 NB 280+50 EB	38-TS-07	162+00 SB 273+50 WB	38-TS-04 38-TS-09	157+00 NB 162+00 SB	JDR-TS-31	310+40 WB	JDR-TS-19	290+05 EB	38-TS-16	159+35 NB			
					304+76 EB	JDR-TS-23		30-13-03	162+00 36									
				JDR-TS-41	336+35 EB	JDR-TS-37	334+00 WB											
				JDR-TS-57	357+50 EB	JDR-TS-53	354+40 WB											
				JDR-TS-73	385+00 EB	JDR-TS-70	380+25 WB											
	•		•													·		
									1									
LIN ENG	INEERING,LTD.	JSER NAME = Plotted b		DESIGNED - KU DRAWN - KU		EVISED - EVISED -			STATE OF I				510	GNING DETAILS		F.A.P. SECTI		ITY TOTAL SHEET SHEETS NO.
Consul		PLOT SCALE = 6.8788 //	/ in.	CHECKED - AG	RI	EVISED -		DEPAR	TMENT OF T			504 F 114				595 (142-1, 1	CONTR	SLAND 1353 847 RACT NO. 64B83
	F	PLOT DATE = 12/18/201	4	DATE - 10/0	77/2014 R	EVISED -						SCALE: N/A	SHEET NO. 3 OF	TA PHEF12 ST	A. N/A TO STA. N/A	FED. ROAD DIST. NO. 2 II	INOIS FED. AID PROJEC	Т




	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -					F.A.P.	SECTION	COUNTY	TOTAL SHE	ET
		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DETAILS		595	(142-1, 142)R	ROCK ISLAN	ID 1353 84	48
Springfield, Illinois	PLOT SCALE = 6.8788 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRACT		83
spingleid, minois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 4 OF 19 SHEETS STA. N/A	TO STA. N/A	FED. ROAD DIS	ST. NO. 2 ILLINOIS FED. AI	D PROJECT		

SIGN NUMBER	JDR-OHT-83					
WIDTH X HGHT.	15'-6" x 10'-0"					
BORDER WIDTH	2"					
CORNER RADIUS	12"					
MOUNTING	Overhead					
BACKGROUND	TYPE: Reflective					
	COLOR: Yellow, Green					
LEGEND/BORDER	TYPE: Reflective					
	COLOR: Black,White/White					

SYMBOL	ROT	Х	Y	WID	ΗT
M1_1	0	16.3	70	36	36
M1_4	0	68.3	70	36	36
ARMED	45	81.2	6.8	12	19

LENGTH SERIES/SIZE											
		EM 2000									
	49.8	15,12									
		ClearviewHwy–5–W									
	135.3	16/13									
		EM 2000									
	30.8	10									
		EM 2000									
	39.8	10									



PLOT DATE = 12/18/2014


DATE - 10/07/2014

SIGN NUMBER	JDR-OHT-84
WIDTH X HGHT.	15'6" x 10'0"
BORDER WIDTH	2"
CORNER RADIUS	12"
MOUNTING	Overhead
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	Х	Y	WID	HT
M1_1	0	17.3	69	36	36
M1_4	0	69.3	69	36	36

			LENGTH	I SERIES/SIZE
				EM 2000
			47.9	15,12
				ClearviewHwy-5-W
			132.5	16⁄13
				EM 2000
			134.2	12

					F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	:	SIGNING DET	AILS		595	(142-1, 142)R	ROCK ISLAND	1353	849
							CONTRACT	NO. 6	54B83
SCALE: N/A	SHEET NO. 5 (OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROA	D DIST. NO. 2 ILLINOIS FED. A	D PROJECT		




	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
LIN ENGINEERING,LTD		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DET
	PLOT SCALE = 6.8788 // .n.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 6 OF 19 SHEETS

SIGN NUMBER	JDR-OHT	-85
WIDTH X HGHT.	13'6" x 8	'–6"
BORDER WIDTH	2"	
CORNER RADIUS	12"	
MOUNTING	Overhead	
BACKGROUND	TYPE:	Reflective
	COLOR:	Green
LEGEND/BORDER	TYPE:	Reflective
	COLOR:	White/White

SYMBOL	ROT	Х	Y	WID	HT

LENGTH SERIES/SIZE
ClearviewHwy-5-W-R
124 16/13
ClearviewHwy-5-W-R
87 16/13
EM 2000,E 2000
134.2 12
1

			F.A.P RTE	• SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
ET,	AILS		595	(142-1, 142)R	ROCK ISLAND	1353	850
_					CONTRACT	NO. 6	4B83
	STA. N/A	TO STA. N/A	FED. R	OAD DIST. NO. 2 ILLINOIS FED. AID	PROJECT		



PLOT DATE = 12/18/2014

DATE - 10/07/2014

JDR-OHT-86
12'-0" x 5'-0"
1.25"
7.5"
Overhead
TYPE: Reflective
COLOR: Green
TYPE: Reflective
COLOR: White/White

SYMBOL	ROT	Х	Y	WID	HT

	LENGTH	SERIES/SIZE
		EM 2000
	123.6	13.4⁄10
		EM 2000
	107.2	12
		,

			F.A. RTE	P	SECT	LION		COL	JNTY	TOTA SHEET		
ET,	AILS		59	5	(142-1,	142)R		ROCK	ISL AN(1353	85	1
								CONT	RACT	NO.	64B8	3
	STA. N/A	TO STA. N/A	FED.	ROAD	DIST. NO. 2	ILLINOIS	FED. AI	D PROJE	ECT			

	Panel Style: guide_con_destination_edit.ssi M.U.T.C.D.: guide_con_destination_edit.ssi M.U.T.C.D.: 22'EM 11.2" Panel Style: guide_con_destination_edit.ssi M.U.T.C.D.: 20'E T Leter locations are penel																							
Panel Style: gukle_con_destination_odit.st Dimensions are in in thesater the Panel Style: gukle_con_destination_edit.ssi M.U.T.C.D: 2009 Edition LETTER POSITIONS (X) J C J C A H E A H E	1/2 Image: provide con_destination_edit.sd: Image: provide con_destination_edit.sd: <th></th> <th> </th> <th></th> <th></th> <th></th>																				 			
Panel Style: gukle_con_destination_odit.st Dimensions are in in thesater the Panel Style: gukle_con_destination_edit.ssi M.U.T.C.D: 2009 Edition LETTER POSITIONS (X) J C J C A H E A H E	1/2 Image: state provide con_destination_edit.ssi memotors are in																							
Panel Style: gukle_con_destination_odit.st Dimensions are in in thesater the Panel Style: gukle_con_destination_edit.ssi M.U.T.C.D: 2009 Edition LETTER POSITIONS (X) J C J C A H E A H E	1/2 Image: state provide con_destination_edit.ssi memotors are in									 											 			<u> </u>
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: middle_con_destination_edit.ssi MUT.c.D.: 2009 Edition 1/2 0 1/2 0 1/2 0 1/2 0 1/2 0 1/2 0 1/2 0.0 1/2										 													
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: middle_con_destination_edit.ssi MUT.c.D.: 2009 Edition 1/2 0 1/2 0 1/2 0 1/2 0 1/2 0 1/2 0 1/2 0.0 1/2																							
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: wide_con_destination_edit.ssi: Con																							
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: wide_con_destination_edit.ssi: Con																			=				1
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: wide_con_destination_edit.ss: Con																			\rightarrow				+
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: wide_con_destination_edit.ss: Con		<u> </u>																	\rightarrow				+
Panel Style: guide_con_destination_edit.ssi Dimensions are in interference Value interfere Value <td>1/2 -7-0° <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-+</td><td> </td><td></td><td></td><td>+</td></td<></td>	1/2 -7-0° -0° <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-+</td><td> </td><td></td><td></td><td>+</td></td<>																			-+	 			+
Panel Style: guide_con_destination_edit.ssi Dimensions are in interference Value interfere Value <td>1/2 Image: provide condestination editasis Method in the sector Image: provide condestination editasis Image: provide condest</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td> <td> </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>\rightarrow</td> <td><u> </u></td> <td></td> <td></td> <td>+</td>	1/2 Image: provide condestination editasis Method in the sector Image: provide condestination editasis Image: provide condest	-								 	 									\rightarrow	<u> </u>			+
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Y FreedBigVer: wide_con_destination_edit.ss: Con										 									-+	 			<u> </u>
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion V T	125 Image: state of the state o									 	 										 <u> </u>			<u> </u>
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Image: provide con_destination_edit.ssi membrors are in									 											 			<u> </u>
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Image: provide con_destination_edit.ssi membrors are in																			\square				\downarrow
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/2 Image: provide con_destination_edit.sci Image: provide con_destination_edit.sci <td></td>																							
Panel Style: guide_con_destination_edit.ssi Dimensions are in inclusion Value incl	1/25 Image: state of the state																							
Panel Style: guide_con_destination_edit.ssi MU.T.C.D.: guide_con_destination_edit.ssi MU.T.C.D.: Con_destination_edit.ssi MU.T.C.D.: Con_destination_edit.ssi MU.T.C.D.: </td <td>173 Image: state of the state o</td> <td></td> <td>1</td>	173 Image: state of the state o																							1
Panel Style: guide_con_destination_edit.sel Dimensions are in indextentes Panel Style: guide_con_destination_edit.sel Dimensions are in indextentes Letter locations are part Letter locations are part Letter locations are in indextentes Letter locations are in indextentes Letter locations are in indextentes Letter location and indextentes Letter location are particular and indextentes Letter location and indextentes Letter location are particular and indextentes Letter location are particular and indextentes Letter location are particular and indextentes Letter location are particular and indextentes Letter location are particular and indextentes Letter location and indextentes Letter location and indextentes Letter location are particular and indextentes Letter location are particular and indextentes Letter location and indextentes Letter location are particular and indextentes Letter location and indextentes Letter location are particular and indextentes Letter location and indextentes Letter location and indextentes Letter location and indextentes Letter location and indextentes Letter location and indextentes <td>175 Image: state of the state o</td> <td></td> <td>+</td>	175 Image: state of the state o																							+
Panel Style: guide_con_destination_edit.sel Dimensions are in indextended V T <tr< td=""><td>175 Image: state of the state iter iter iter iter iter iter iter it</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>\rightarrow</td><td></td><td></td><td></td><td>+</td></tr<>	175 Image: state of the state iter iter iter iter iter iter iter it																			\rightarrow				+
Panel Style: guide_con_destination_edit.ssi Dimensions are in Inches.tenths Letter locations are parent in Inch	175 Image: system in the starting and	I																		-+	 			+
Panel Style: guide_con_destination_edit.ssl Dimensions are in inches.tenths	1:75 Image: state of the state				•															\rightarrow	<u> </u>			+
Panel Style: guide_con_destination_edit.ssi Dimensions are in Inches.tenths Letter locations are panel Letter locations are panel	1:75 To " To "									 	 										 			<u> </u>
Panel Style: guide_con_destination_edit.ssi Dimensions are in Inches.tenths Letter locations are pa	1:75 T-0" T-0" T-0" T-0" T0" T0" T0" T0" T0" T0" T0" T			1	1	,	T	 	 	 						LETT	ER	POSITIONS	3 (X)		 			
Panel Style: guide_con_destination_edit.ssi MULT_C.D.: 2009 Edition	1:75 EVALUATE: The set of the s							 	 	 	 										 			
$\begin{array}{c} \textbf{JCT}\\ \textbf{JCT}\\ \textbf{JCT}\\ \textbf{AHEAD}\\ \textbf{AHEAD}\\ \textbf{I1.2"} \textbf{G1.6"}\\ \textbf{I1.2"}\\ \textbf{HEAD}\\ \textbf{I1.2"}\\ Finite of the set of$	1:75	Panel St Dimens	tyle: ions are				dit.ssi						M.U	.T.C.D.:	2009 E	dition						Let	ter location:	s are pa
$ \begin{array}{c} $	1:75 $\begin{array}{c} & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ $	- ·											Pan	el Style:	guide_c	con_de	stinati	on_edit.ssi						
JCT JCT Impressive JCT	1.75																							
JCT JCT INTERSTATE 7.5" G 9" HEAD 12"EM 11.5" 11.5"	1:75												11.2"	61.6	" <u>1</u> 1.2	2"								
JCT JCT 10"EM 7.5" 36" 9" 12"EM	1:75											_				/ <u>_</u> 11.	.5"							
JCT JCT 10"EM 10"EM 7.5" 36"	1:75													١HE	AD	12	"EM							
	1:75											ω Ι			+ /									
	1:75											, o												
	1:75												Ĭ				"EM 5"							
7'-0"	1:75											-		. 0			33							
														7'–0										


	i i				
SIGN NUMBER	JDR-OHT-87				
WIDTH X HGHT.	7'0" x 8'0"				
BORDER WIDTH	1.25"				
CORNER RADIUS	10.5"				
MOUNTING	Overhead				
BACKGROUND	TYPE: Reflective				
	COLOR: Green				
LEGEND/BORDER	TYPE: Reflective				
	COLOR: White White				

SYMBOL	ROT	Х	Y	WID	ΗT
M1_1	0	24	32.5	36	36

o lower left corner

			LENGTH		SERIES/SIZE
				EM	2000
			26.7	10	
				EM	2000
			61.6	12	

			F.A. RTE	Ρ.	SECT	ION		CO	UNTY	TOT A SHEE		SHEET NO.
T.	AILS		59	5	(142-1,	142)R		ROCK	ISLAN	ID 135	3	852
_			_					CON	[RAC]	NO.	64	4B83
	STA. N/A	TO STA. N/A	FED.	ROAD	DIST. NO. 2	ILLINOIS	FED. AI	D PROJ	ECT			




LIN ENGINEERING.LTD.	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -					F.A.P.	SECTION	COUNTY	TOTAL	SHEET
-		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DETAILS		595	(142-1, 142)R	ROCK ISLAN	D 1353	853
Consulting Engineers Springfield, Illinois	PLOT SCALE = 6.8788 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRACT	NO. (64B83
opringitala, innois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 9 OF 19 SHEETS STA. N	/A TO STA. N/A	FED. ROAD	DIST. NO. 2 ILLINOIS FED. AI	D PROJECT		

SIGN NUMBER	JDR-OHT-88
WIDTH X HGHT.	11'-0" x 7'-0"
BORDER WIDTH	2"
CORNER RADIUS	10.5"
MOUNTING	Overhead
BACKGROUND	TYPE: Reflective
	COLOR: Yellow
LEGEND/BORDER	TYPE: Reflective
	COLOR: Black/Black

SYMBOL	ROT	Х	Y	WID	ΗT

			LENGTH		SERIES/SIZE
				EM	2000
			110.2	13.3	
				ΕM	2000
			51.5	13.3	
				EM	2000
			33.3	10	
				ΕM	2000
			22	15	




	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -					F.A.P. RTF.	SECTION	N COUNTY	TOTAL SHEETS	L SHEET
LIN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DETAILS	6	595	(142-1, 14	12)R ROCK ISLA	AND 1353	8 854
Consulting Engineers Springfield, Illinois	PLOT SCALE = 4.5855 // in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRAC	T NO.	64B83
opingiou, infoo	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 10 OF 19 SHEETS ST	A. N/A TO STA. N/A	FED. ROAD DI	ST. NO. 2 ILL	INOIS FED. AID PROJECT		-

ſ					
SIGN NUMBER	JDR-TS-69				
WIDTH X HGHT.	6'0" x 3'0"				
BORDER WIDTH	0.625"				
CORNER RADIUS	1.875"				
MOUNTING	Ground				
BACKGROUND	TYPE: Reflective				
	COLOR: Brown				
LEGEND/BORDER	TYPE: Reflective				
	COLOR: White/White				

SYMBOL	ROT	Х	Y	WID	HT
ARLONG	180	29.1	5	6	13.8

LENGTH SERIES/SIZE
D 2000
58 6/4.5
D 2000
42.3 6⁄4.5





Panel Style: guide_con_destination_edit.ssi M.U.T.C.D.: 2009 Edition

Panel Style: guide_con_destination_edit.ssi Dimensions are in inches.tenths

Letter locations are paneledge to lower left corner


													LETTER	POSITION	S (X)	 	 	 		LENGT	H SERIE:
В	I	a	с	k	н	а	w	k													D 2000
20.1	25.1	27	31.3	35.6	45.5	50.6	54.6	62.1												45.8	6⁄4.5
С	0	1	1	е	g	е															D 2000
30.1	35.1	39.8				52.5														26	6⁄4.5
																					-
																					-
																					-
															-						-
																					_
									<u> </u>										 	 	
																					1
																					-

	USER NAME = Plotted by Lin21	DESIGNED - KU		REVISED -						F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
Consulting Engineers		DRAWN - KU		REVISED -	STATE OF ILLINOIS		SIGNING DET	AILS		595	(142-1, 142)R	ROCK ISLAND	ID 1353 855
Springfield, Illinois	PLOT SCALE = 4.5855 // in.	CHECKED - AG		REVISED -	DEPARTMENT OF TRANSPORTATION							CONTRACT	NO. 64B83
	PLOT DATE = 12/18/2014	DATE - 10/07/	/2014	REVISED -		SCALE: N/A	SHEET NO. 11 OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROAD DIS	ST. NO. 2 ILLINOIS FED. A	D PROJECT	

(
SIGN NUMBER	JDR-TS-50
WIDTH X HGHT.	6'0" x 2'6"
BORDER WIDTH	0.75"
CORNER RADIUS	1.875"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	Х	Y	WID	HT
ARMED	180	6	12	6	9.5





Panel Style: guide_con_destination_edit.ssi M.U.T.C.D.: 2009 Edition

Panel Style: guide_con_destination_edit.ssi Dimensions are in inches.tenths

Letter locations are paneledge to lower left corner


	LETTER POSITIONS (X) LENGTH SERIES/SIZE																										
В	Ι	а	с	k	Н	а	w	k																			D 2000
6	11	12.8				36.4	40.5	48								 					6⁄4.5						
С	о	I	I	е	g	е																					D 2000
15.9	21	25.6	27.7	29.7	33.8	38.4											 		 	 	 	 				26	6⁄4.5
																							-				
																 	_										
																 							_				
																 		_									

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -				
		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DETA	AI
Consulting Engineers	PLOT SCALE = 4.5854 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION			
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 12 OF 19 SHEETS	

SIGN NUMBER	JDR-TS-61
WIDTH X HGHT.	6'0" x 2'6"
BORDER WIDTH	0.75"
CORNER RADIUS	1.875"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	Х	Y	WID	HT
ARMED	0	56.6	12	6	9.5

_			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
T.	AILS		595	(142-1, 142)R	ROCK ISLAND	1353	856
			_		CONTRACT	NO. 6	4B83
	STA. N/A	TO STA. N/A	FED. ROA	AD DIST. NO. 2 ILLINOIS FED. A	D PROJECT		




	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			F.A.P. SECT	TION COUNTY TOTAL SHEET
LIN ENGINEERING, LTD.		DRAWN - KU	REVISED -	STATE OF ILLINOIS	SIGNING DETAILS	595 (142-1,	142)R ROCK ISLAND 1353 857
Consulting Engineers Springfield, Illinois	PLOT SCALE = 4.5855 ' / In.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION			CONTRACT NO. 64B83
opingreiu, innois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A SHEET NO. 13 OF 19 SHEETS STA. N/A TO STA. N/A	FED. ROAD DIST. NO. 2	ILLINOIS FED. AID PROJECT

r	
SIGN NUMBER	JDR-TS-49
WIDTH X HGHT.	6'0" x 3'0"
BORDER WIDTH	0.625"
CORNER RADIUS	1.875"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	Х	Y	WID	HT
Type D Ext.	90	27	4.5	6	18

	 	 	LENGTH	SERIES/SIZE
				D 2000
			48.2	6⁄4.5
				D 2000
			59.6	6⁄4.5
 I				




	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -						F.A.P. RTE.	SECTION	COUNTY TOTAL S	HEET NO.
Consulting Engineers		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DET	TAILS		595	(142-1, 142)R	ROCK ISLAND 1353	858
Springfield, Illinois	PLOT SCALE = 4.5855 // in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION			1		_		CONTRACT NO. 64	383
	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 14 OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROAD	DIST. NO. 2 ILLINOIS FED. A	D PROJECT	

	,
SIGN NUMBER	JDR-TS-63
WIDTH X HGHT.	6'0" x 3'0"
BORDER WIDTH	0.625"
CORNER RADIUS	1.875"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Brown
LEGEND/BORDER	TYPE: Reflective
	COLOR: WhiteWhite

SYMBOL	ROT	Х	Y	WID	HT
Type D Ext.	90	27	4.5	6	18

LENGTH SERIES/SIZE
D 2000
48.2 6/4.5
D 2000
59.6 6/4.5





Panel Style: guide_con_destination_edit.ssi M.U.T.C.D.: 2009 Edition

Panel Style: guide_con_destination_edit.ssi Dimensions are in inches.tenths

Letter locations are paneledge to lower left corner


	1	а		k	н	_																		2000
2	19.1	21	25.3	29.6	39.5	44.6	48.7	56.2														45	5.9 6	4.5
	0	1	I	е	g	e																	D	2000
1	29.1	33.8	35.9	37.8	42	46.5																2	26 6	4.5
																 							-	
																 	 						_	
																							_	
																	 						_	
																 	 	 					-	
_																 	 	 					_	
_										<u> </u>						 	 							
												1				 	 	 						
																 	 	 	_					

	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -			
).	DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DETA
Consulting Engineers	PLOT SCALE = 4.5855 ' / In.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 15 OF 19 SHEETS

r	
SIGN NUMBER	60-WP-12
WIDTH X HGHT.	5'6" x 2'6"
BORDER WIDTH	0.75"
CORNER RADIUS	1.875"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: Green
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/White

SYMBOL	ROT	Х	Y	WID	HT
ARMED	90	6	10.3	6	9.5

			F.A.P RTE.	SECTIO	ом	COUNTY	TOTAL SHEETS	SHEET NO.
T	AILS		595	(142-1, 1	42)R R	OCK ISLAND	1353	859
					C	ONTRACT	NO. 6	4B83
	STA. N/A	TO STA. N/A	FED. R	DAD DIST. NO. 2 IL	LINOIS FED. AID	PROJECT		



DRAWN - KU

Consulting Engineers

Springfield, Illinois

PLOT SCALE = 4.5855 // in.

PLOT DATE = 12/18/2014


STATE OF ILLINOIS REVISED CHECKED - AG DATE - 10/07/2014 REVISED DEPARTMENT OF TRANSPORTATION REVISED SCALE: N/A SHEET NO. 16 OF 19 SHEETS

SIGN NUMBER	JDR-WP-03, JDR-WP-15
WIDTH X HGHT.	8'-0" x 4'-0"
BORDER WIDTH	1.25"
CORNER RADIUS	3"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: Black/Black

SYMBOL	ROT	Х	Y	WID	ΗT
Through Arrow	0	8.5	14	9.25	30
Through Arrow	0	31.7	14	9.25	30
Through Arrow	0	54.6	14	9.25	30
Right Turn	0	76.5	14	16.2	19.5

			LENGTH		SERIES/SIZE
				D 2	2000
			19.6	6	
				D 2	2000
			19.6	6	
				D 2	2000
			19.6	6	
				D 2	2000
			19.6	6	

			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
SIGNING DET	AILS		595	(142-1, 142)R	ROCK ISLAND	1353	860
					CONTRACT	NO. 6	4B83
6 OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROA	D DIST. NO. 2 ILLINOIS FED. AI	D PROJECT		



	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -	1	
IN ENGINEERING, LTD		DRAWN - KU	REVISED -	STATE OF ILLINOIS	
Consulting Engineers	PLOT SCALE = 4.5855 // in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A

SIGN NUMBER	41–TS–08
WIDTH X HGHT.	4'0" x 2'6"
BORDER WIDTH	1.25"
CORNER RADIUS	3"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/Black

SYMBOL	ROT	Х	Y	WID	ΗT
Through Arrow	0	5.6	8.4	6.8	18.8
Through Arrow	0	20.6	8.4	6.8	18.8
Right Turn	0	33.7	8.4	10	12

	 		LENGTH	SERIES/SIZE
				D 2000
			12.3	4
				D 2000
			12.3	4
				D 2000
			12.3	4

			F.A.P. RTE	SEC	LION	COUNTY	TOTAL SHEETS	SHEET NO.
SIGNING DET	AILS		595	(142-1,	142)R	ROCK ISLAND	1353	861
						CONTRACT	NO. 6	4B83
7 OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROA	D DIST. NO. 2	ILLINOIS FED. AI	D PROJECT		

											BORE R = 1.1 TH = 0	15" 15" 15" DER 375" .5" ↓ 0.75" .5" 2	.75 - 2" 32	5.47 16.1: 1.3.7 3.95" ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5" =	4"D								
Panel Si Dimens			si inches	tenths					 	 			Panel S M.U.T.C	tyle: R3–8.ssi C.D.: 2009 Ec	lition							 Letter	ocations	s ar
														LE	TER	POSI	TIONS	G (X)						
0	N	L	Y																					Τ
2.9	6	9.1	11.7																					\Box
0	N	L	Y																					
20.9	24	27.2	29.7			<u> </u>	<u> </u>			<u> </u>					<u> </u>			<u> </u>		<u> </u>		 <u> </u>		
												_												
																								-
																								-
																				<u> </u>	<u> </u>	<u> </u>		+
																								+
																								\downarrow
																					-			_
							<u> </u>																	+
																								_
															<u> </u>			<u> </u>						+
																								+
																								+
																								+
																								T
														I	+	1	1	1	1	1	-		1	+


	USER NAME = Plotted by Lin21	DESIGNED - KU	REVISED -						F.A.P.	SECTION	COUNTY		SHEET
 LIN ENGINEERING,LTD. Consulting Engineers 		DRAWN - KU	REVISED -	STATE OF ILLINOIS		SIGNING DET	AILS		595	(142-1, 142)R	ROCK ISLAND	1353	862
Springfield, Illinois	PLOT SCALE = 4.5855 // in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		1					CONTRACT N	NO. 64	IB83
op.n.g.aac, annae	PLOT DATE = 12/18/2014	DATE - 10/07/2014	REVISED -		SCALE: N/A	SHEET NO. 18 OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROAD	DIST. NO. 2 ILLINOIS FED. AI	PROJECT		

SIGN NUMBER	41–TS–18, 41–TS–19
WIDTH X HGHT.	3'0" x 2'6"
BORDER WIDTH	0.75"
CORNER RADIUS	1.875"
MOUNTING	Ground
BACKGROUND	TYPE: Reflective
	COLOR: White
LEGEND/BORDER	TYPE: Reflective
	COLOR: White/Black

SYMBOL	ROT	Х	Y	WID	HT
Left Turn	0	2	8.4	14	16.2
Left Turn	0	20	8.4	14	16.2

to lower left corner

LENGTH SERIES/SIZE
D 2000
12.3 4
D 2000
12.3 4



DEPARTMENT OF TRANSPORTATION

DRAWN - KU

CHECKED - AG

DATE - 10/07/2014

Consulting Engineers

Springfield, Illinois

PLOT SCALE = 4.5855 // in.

PLOT DATE = 12/18/2014

REVISED


REVISED


r			
SIGN NUMBER	41–TS–12		
WIDTH X HGHT.	6'0" x 2'6"		
BORDER WIDTH	1.25"		
CORNER RADIUS	3"		
MOUNTING	Ground		
BACKGROUND	TYPE: Reflective		
	COLOR: White		
LEGEND/BORDER	TYPE: Reflective		
	COLOR: White/Black		

SYMBOL	ROT	Х	Y	WID	ΗT
Through Arrow	0	5.6	8.4	6.8	18.8
Through Arrow	0	20.6	8.4	6.8	18.8
Right Turn	0	39.3	8.4	10	12
Right Turn	0	56.6	8.4	10	12

 LENGTH SERIES/SIZE
D 2000
12.3 4

				F.A.P. SECTION		COUNTY	TOTAL SHEETS	SHEET NO.		
	SIGNING DETAILS			595	(142-1,	142)R	ROCK ISLAND	1353	863	
								CONTRACT	NO. 6	64B83
	SCALE: N/A	SHEET NO. 19 OF 19 SHEETS	STA. N/A	TO STA. N/A	FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT					






SCALE: 1"=20' SHEET NO. 2 OF 56 SHEETS


Springfield, Illinois PLOT DATE = 12/18/2014


DATE


- 06/20/2014

EERE ROAD)		SECTION	COUNTY	TOTAL SHEETS	SHEET NO.		
AND LANDSCAPING PLANS	595	(142-1, 142)R	ROCK ISLAND	1353	865		
			CONTRACT	NO. 6	4B83		
STA. 259+00.00 TO STA. 264+00.00	FED. ROAD DIST. NO. 2 ILLINOIS FED. AID PROJECT						





























































· · · · · · · · · · · · · · · · · · ·	USER NAME = Plotted by Lin21	DESIGNED - JAH	REVISED -			FAP
LIN ENGINEERING, LTD.		DRAWN - JAH	REVISED -	STATE OF ILLINOIS	PERMAN	
	PLOT SCALE = 40.0000 ' / 10.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO.














			DESIGNED - JAH	REVISED -			FAP 595 (JOHN DEE	
LIN ENGINEERING,LT Consulting Engineers Springfield, Illinois	LIN ENGINEERING, LTD		DRAWN - JAH	REVISED -	STATE OF ILLINOIS	PERMANENT EROSION CONTROL		
		PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	I LIIWANL	ENT ENGSION CONTINUE AN	
	Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 25 OF 56 SHEETS	





	DRAWN -	JAH	REVISED -	STATE OF ILLINOIS	DE
SCALE = 40.0000 // in.	CHECKED -	AG	REVISED -	DEPARTMENT OF TRANSPORTATION	
DATE = 12/18/2014	DATE -	06/20/2014	REVISED -		SCALE: 1"=2



LANDSCAPING LEGEND


SEEDING, CLASS 2 SEEDING, CLASS 2A EROSION CONTROL BLANKET SODDING, SALT TOLERANT HEAVY DUTY EROSION CONTROL BLANKET

TURF REINFORCEMENT MAT


ARTICULATED BLOCK REVETMENT MAT

RIPRAP


	USER NAME = Plotted by Lin21	DESIGNED - JAH	REVISED -	
LIN ENGINEERING,LTD.		DRAWN - JAH	REVISED -	STATE OF ILLINOIS
	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -	




MATCH LINE STA 407+50 SEE SHEET 891					
	USER NAME = Plotted by Lin21 PLOT SCALE = 40.0000 '/ in. PLOT DATE = 12/18/2014	DESIGNED - JAH DRAWN - JAH CHECKED - AG DATE - 06/20/2014	REVISED - REVISED - REVISED - REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	FAP 595 (JOHN D PERMANENT EROSION CONTROL A SCALE: 1''=20' SHEET NO. 29 OF 56 SHEETS




°		50'	100′	- 1″=	20'
EERE ROAD)	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
AND LANDSCAPING PLANS	595	(142-1, 142)R	ROCK ISLAND	1353	892
			CONTRACT	NO. 6	4B83
STA. 407+50.00 TO STA. 409+75.00	FED. RO	AD DIST. NO. 2 ILLINOIS FE	ED. AID PROJECT		







	USER NAME = Plotted by Lin21	DESIGNED - JAH	REVISED -			41ST STREE
LIN ENGINEERING, LTD.		DRAWN - JAH	REVISED -	STATE OF ILLINOIS	PERMANE	
Consulting Engineers	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION	FLNWANL	INT ENUSION CONTROL AI
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 31 OF 56 SHEETS





	USER NAME = Plotted by Lin21	DESIGNED - JAH	REVISED -			41ST ST
LIN ENGINEERING, LTD.		DRAWN - JAH	REVISED -	STATE OF ILLINOIS	PERMAN	
	PLOT SCALE = 40.0000 ' / in.	CHECKED - AG	REVISED -	DEPARTMENT OF TRANSPORTATION		
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 32 OF 56 SHEET

E










											1" = 20'
	USER NAME = Plotted by Lin21	DESIGNED -	JAH	REVISED -			41ST STREE	T	F.A.P. RTF.	SECTION	COUNTY TOTAL SHEET SHEETS NO.
		DRAWN -	JAH	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PERMANENT EROSION CONTROL AND LANDSCAPING PLANS			595	(142-1, 142)R	ROCK ISLAND 1353 898
Consulting Engineers Springfield, Illinois	PLOT SCALE = 40.0000 ' / in.	CHECKED -	AG	REVISED -							CONTRACT NO. 64B83
Springreid, IIIII0is	PLOT DATE = 12/18/2014	DATE -	06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 35 OF 56 SHEETS	STA. 658+00.00 TO STA. 659+05.00	FED. ROAD DIS	ST. NO. 2 ILLINOIS FED.	AID PROJECT






SEEDING, CLASS 2 SEEDING, CLASS 2A EROSION CONTROL BLANKET SODDING, SALT TOLERANT HEAVY DUTY EROSION CONTROL BLANKET TURF REINFORCEMENT MAT ARTICULATED BLOCK REVETMENT MAT

RIPRAP

50'

100



LIN ENGINEERING,LTD.	USER NAME = Plotted by Lin21	DESIGNED - JAH DRAWN - JAH	REVISED -	STATE OF ILLINOIS	1	53RD STREE
Consulting Engineers	PLOT SCALE = 40.0000 '/ in.	CHECKED - AG	REVISED - REVISED -	DEPARTMENT OF TRANSPORTATION	PERMANE	ENT EROSION CONTROL AN
Springfield, Illinois	PLOT DATE = 12/18/2014	DATE - 06/20/2014	REVISED -		SCALE: 1"=20'	SHEET NO. 36 OF 56 SHEETS

