



SANITARY STRUCTURE SCHEDULE

STRUCTURE NUMBER	STATION	OFFSET	STRUCTURE TYPE		DIA. (FT.)	FRAME & LID	TOP OF FRAME	N INV.	E INV.	S INV.	W INV.
			MH/FES/SHW	CB							
S1	144+26.67	274.08 LT	S		4	TIF CL	F.V.		660.67		660.67
S2	144+65.59	274.30 LT	DRP		4	TIF CL	F.V.	656.60		656.60	660.56
S3	144+66.42	10.29 RT	S		4	TIF CL	671.60	655.39		655.39	
S4	145+36.81	54.88 RT	S		4	TIF CL	669.02		655.11		655.11
S5	148+93.09	58.00 RT	S		4	TIF CL	665.36		654.05		654.05
S6	NOT USED	-	-								

SANITARY SEWER SCHEDULE

PIPE NUMBER	UPSTREAM STATION	DOWNSTREAM STATION	TYPE	DIA. (IN.)	LENGTH (FT)	SLOPE (%)	T.B. (CU.YD)
S1	144+26.67	144+65.59	DIP	10	15	0.73	5.6
S2	144+65.59	144+66.42	DIP(A&J)	10	260	0.47	-
S3	144+66.42	145+36.81	DIP	10	92	0.30	167.3
S4	145+36.81	148+93.09	DIP	10	353	0.30	549.8
S5	148+93.1	149+03.4	DIP	10	26	0.33	34.1
S6	145+31.99	144+65.59	DIP	10	74	0.33	27.4

LEGEND:

— P SEWER PLUG

F.V. FIELD VERIFY

STORM SEWER REMOVAL

(SY) PROPOSED SANITARY SEWER NUMBER (S=SAN. SEWER, Y=PIPE NO.)

(SY) PROPOSED STRUCTURE NUMBER (S=SAN. SEWER, Y=STRUCTURE NO.)

REVISIONS	
NAME	DATE

INTERSECTION IMPROVEMENT
WASHINGTON STREET - 75th STREET
SANITARY SEWER RELOCATION
SEWER PROFILES & SCHEDULES
SHEET 2 OF 2

CONSULTANT
TYLIN INTERNATIONAL

City of **Naperville**

DRAWN: CBS
CHECKED: DAJ
APPROVED: _____
DATE: APRIL 11, 2008
SCALE: _____
JOB NO.: P-91-494-00 PROJECT NO.: M-CMM-7003 (985)

10:43:35 AM 4/11/2008