

SCHEDULE CONTINUED

SHOULDER IMPROVEMENTS																						
BITUMINOUS MATERIAL (PRIME COAT) RATE - 0.05 LB / SQ FT										20200600	40600285	48203100	44000152	44000155	44000157	44004250	48102100	48203029	64200116	X0320157	X0322279	X4820110
BITUMINOUS SURFACE / BINDER (112 LBS) RATE - 0.056 T / SY • IN										EXC & GRAD EX SHOULDER	POLY BIT MATERIALS (PRIME COAT)	HMA SHOULDERS	HMA SURFACE REMOVAL, 3/4"	HMA SURFACE REMOVAL, 1 1/2"	HMA SURFACE REMOVAL, 2"	PAVED SHOULDER REMOVAL	AGG WEDGE SHLD TY, B	HMA SHOULDERS, 8"	SHLD RUMB STRIP, 16 INCH	CLEAN UNDER-DRAIN OUTLETS (THEOR) EACH	OUTLET MARKERS (THEOR) EACH	HMA SHLD REM & REPL (SPECIAL) (ANTICIPATED) SQ YD
AGGREGATE (SURFACE, BASE, SUBBASE) RATE - 2.05 T / CY											MIX "C", N50 d = 2"											
LOCATION		LENGTH	HMA		HMA REM	AGGREGATE		UNIT	POUND	TON	SQ YD	SQ YD	SQ YD	SQ YD	TON	SQ YD	FOOT	EACH	EACH	SQ YD		
STATION TO STATION		FOOT	WIDTH FOOT	AREA SQ YD	DEPTH INCH	WIDTH FOOT	DEPTH INCH															
SB CROSSOVERS & WIDENING (I55, A004)																						
STA 487+07.05	TO STA 490+22.77	MEDIAN TURNLANE	315.72	4.0	140.32	1.5	-	-	3.16	63.14	15.72	-	140.32	-	-	-	140.32	-	-	-	-	
STA 490+22.77	TO STA 491+46.77	MEDIAN TURNLANE	124.00	4.0 TO 0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-	
STA 486+58.77	TO STA 487+22.77	MEDIAN CROSSOVER	64.00	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.00)	-	-	-	
STA 620+01.86	TO STA 623+21.48	MEDIAN TURNLANE	319.62	4.0	142.05	1.5	-	-	3.20	63.92	15.91	-	142.05	-	-	-	142.05	-	-	-	-	
STA 623+21.48	TO STA 624+47.93	MEDIAN TURNLANE	126.45	4.0 TO 0	28.10	1.5	-	-	1.26	12.64	3.15	-	28.10	-	-	-	28.10	-	-	-	-	
STA 619+52.01	TO STA 620+16.01	MEDIAN CROSSOVER	64.00	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.00)	-	-	-	
STA 671+42.36	TO STA 674+61.52	MEDIAN TURNLANE	319.16	4.0	141.85	1.5	-	-	3.19	63.83	15.89	-	141.85	-	-	-	141.85	-	-	-	-	
STA 674+61.52	TO STA 675+85.52	MEDIAN TURNLANE	124.00	4.0 TO 0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-	
STA 670+92.52	TO STA 671+56.52	MEDIAN CROSSOVER	64.00	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.00)	-	-	-	
STA 762+90.42	TO STA 766+08.08	MEDIAN TURNLANE	317.66	4.0	141.18	1.5	-	-	3.18	63.53	15.81	-	141.18	-	-	-	141.18	-	-	-	-	
STA 766+08.08	TO STA 767+33.54	MEDIAN TURNLANE	125.46	4.0 TO 0	27.88	1.5	-	-	1.25	12.55	3.12	-	27.88	-	-	-	27.88	-	-	-	-	
STA 762+40.61	TO STA 763+04.77	MEDIAN CROSSOVER	64.16	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.16)	-	-	-	
STATION EQUATION: 790+97.12 BK = STA 184+93.00 AH																						
STA 250+97.52	TO STA 254+02.84	MEDIAN TURNLANE	305.32	4.0	135.70	1.5	-	-	3.05	61.06	15.20	-	135.70	-	-	-	135.70	-	-	-	-	
STA 254+02.84	TO STA 255+26.84	MEDIAN TURNLANE	124.00	4.0 TO 0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-	
STA 250+25.42	TO STA 251+12.37	MEDIAN CROSSOVER	86.95	-	160.00	1.5	-	-	-	72.00	17.92	-	160.00	-	-	-	-	(86.95)	-	-	-	
STA 435+73.48	TO STA 438+78.81	MEDIAN TURNLANE	305.33	4.0	135.70	1.5	-	-	3.05	61.07	15.20	-	135.70	-	-	-	135.70	-	-	-	-	
STA 438+78.81	TO STA 440+03.06	MEDIAN TURNLANE	124.25	4.0 TO 0	27.61	1.5	-	-	1.24	12.43	3.09	-	27.61	-	-	-	27.61	-	-	-	-	
STA 435+01.39	(RT) 435+88.33	MEDIAN CROSSOVER	86.94	-	160.00	1.5	-	-	-	72.00	17.92	-	160.00	-	-	-	-	(86.94)	-	-	-	
BUSINESS 55 INTERCHANGE																						
RAMP A (R101)																						
ARC		OUTSIDE	77.33	6.0	51.55	0.75	3.0	3.0	-	23.20	5.77	51.55	-	-	-	4.40	-	-	-	-	-	
STA 00+75.25	TO STA 37+25.11	OUTSIDE	3,649.86	6.0	2,433.24	0.75	3.0	3.0	-	1,094.96	272.52	2,433.24	-	-	-	207.84	-	-	7	7	-	
STA 37+25.11	TO STA 38+95.57	OUTSIDE	170.46	6.0 TO 10.0	151.52	0.75	3.0	3.0	-	68.18	16.97	151.52	-	-	-	9.71	-	-	-	-	-	
STA 01+25.30	TO STA 27+59.81	INSIDE	2,634.51	4.0	1,170.89	0.75	3.0	3.0	-	526.90	131.14	1,170.89	-	-	-	150.02	-	-	5	5	-	
RAMP B (R102)																						
ARC		OUTSIDE	114.58	6.0	76.39	0.75	3.0	3.0	-	34.37	8.56	76.39	-	-	-	6.52	-	-	-	-	-	
STA 31+28.46	TO STA 02+31.21	OUTSIDE	2,897.25	6.0	1,931.50	0.75	3.0	3.0	-	869.18	216.33	1,931.50	-	-	-	164.98	-	-	6	6	-	
STA 31+30.93	TO STA 06+16.65	INSIDE	2,514.28	4.0	1,117.46	0.75	3.0	3.0	-	502.86	125.16	1,117.46	-	-	-	143.17	-	-	5	5	-	
RAMP C (R103)																						
ARC		OUTSIDE	76.74	6.0	51.16	0.75	3.0	3.0	-	23.02	5.73	51.16	-	-	-	4.37	-	-	-	-	-	
STA 00+73.54	TO STA 18+72.73	OUTSIDE	1,799.19	6.0	1,199.46	0.75	3.0	3.0	-	539.76	134.34	1,199.46	-	-	-	102.45	-	-	4	4	-	
STA 01+25.16	TO STA 14+31.87	INSIDE	1,306.71	4.0	580.76	0.75	3.0	3.0	-	261.34	65.05	580.76	-	-	-	74.41	-	-	3	3	-	
RAMP D (R104)																						
ARC		OUTSIDE	156.63	6.0	104.42	0.75	3.0	3.0	-	46.99	11.70	104.42	-	-	-	8.92	-	-	-	-	-	
STA 22+02.83	TO STA 00+42.67	OUTSIDE	2,160.16	6.0	1,440.11	0.75	3.0	3.0	-	648.05	161.29	1,440.11	-	-	-	123.01	-	-	4	4	-	
STA 00+42.67	TO STA 00+00.00	OUTSIDE	42.67	6.0 TO 10.0	37.93	0.75	3.0	3.0	-	17.07	4.25	37.93	-	-	-	2.43	-	-	-	-	-	
STA 22+51.58	TO STA 06+48.91	INSIDE	1,602.67	4.0	712.30	0.75	3.0	3.0	-	320.53	79.78	712.30	-	-	-	91.26	-	-	3	3	-	
ATLANTA INTERCHANGE																						
RAMP A (R201)																						
STA 00+00.00	TO STA 00+91.42	OUTSIDE	91.42	10.0 TO 6.0	81.26	0.75	3.0	3.0	-	36.57	9.10	81.26	-	-	-	5.21	-	-	-	-	-	
STA 00+91.42	TO STA 09+29.00	OUTSIDE	837.58	6.0	558.39	0.75	3.0	3.0	-	251.27	62.54	558.39	-	-	-	47.70	-	-	2	2	-	
STA 09+29.00	TO STA 09+50.00	OUTSIDE	21.00	6.0	14.00	0.75	3.0	3.0	-	6.30	1.57	14.00	-	-	14.00	1.20	14.00	-	-	-	-	
STA 09+50.00	TO STA 11+53.28	OUTSIDE	203.28	6.0	135.52	0.75	3.0	3.0	-				-	-				-	-	-	-	
STA 11+53.28	TO STA 18+37.62	OUTSIDE	684.34	6.0	456.23	0.75	3.0	3.0	-	205.30	51.10	456.23	-	-	456.23	38.97	456.23	-	-	-	-	
STA 18+37.62	TO STA 22+74.34	OUTSIDE	436.72	6.0	291.15	0.75	3.0	3.0	-	131.02	32.61	291.15	-	-	-	24.87	-	-	-	-	-	
ARC		OUTSIDE	162.00	6.0	108.00	0.75	3.0	3.0	-	48.60	12.10	108.00	-	-	-	9.23	-	-	-	-	-	
STA 06+43.73	TO STA 23+26.10	INSIDE	1,682.37	4.0	747.72	0.75	3.0	3.0	-	336.47	83.74	747.72	-	-	-	95.80	-	-	3	3	-	
ARC		INSIDE	51.93	4.0	23.08	0.75	3.0	3.0	-	10.39	2.58	23.08	-	-	-	2.96	-	-	-	-	-	
RAMP A SHOULDER WIDENING																						
STA 11+53.28	TO STA 12+94.69	OUTSIDE	141.41	1.0 TO 4.0	39.28	0.75	-	-	1.41	17.68	4.40	39.28	-	-	-	0.00	-	-	0	0	-	
STA 12+94.69	TO STA 17+00.00	OUTSIDE	405.31	4.0	180.14	0.75	-	-	4.05	81.06	20.18	180.14	-	-	-	-	180.14	-	-	-	-	
STA 17+00.00	TO STA 18+37.62	OUTSIDE	137.62	4.0 TO 1.0	38.23	0.75	-	-	1.38	17.20	4.28	38.23	-	-	-	-	38.23	-	-	-	-	

SCHEDULE CONTINUED ON NEXT SHEET

FILE NAME =	USER NAME = sparksgw	DESIGNED - DMS	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES				F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
Default	es:\pwork\pwork\sparksgw\0215133\0672041-sht-schedule.dgn	DRAWN - DMS	REVISED -						•	**	LOGAN	108	12
	PLOT SCALE = 100.0000' / 1".	CHECKED -	REVISED -		SCALE: SHEET 5 OF SHEETS STA. TO STA.				ILLINOIS FED. AID PROJECT		CONTRACT NO. 72D41		
	PLOT DATE = Jul-14-2014 03:36:45PM	DATE -	REVISED -		** (54-4,54-5)RS-3, (54-6)RS-2								