

FAP 885 (IL 146) PAVEMENT RESURFACING SCHEDULE

| LOCATION | STATION TO STATION | | LENGTH | ROADWAY WIDTH | ROADWAY AREA | HOT-MIX ASP. SURF. REMOV. 2 1/4" | TEMP RAMP | HOT-MIX ASP. SUR. CSE., MIX C, N 90 (1 1/2") | LEVELING BINDER (MM), IL-9.5mm, N90 (1") | BIT. MAT. (PRIME COAT) | | |
|---|--------------------|----|--------------------------------|---------------|--------------|----------------------------------|-----------|---|---|-------------------------|-------|--|
| | | | FOR INFORMATIONAL PURPOSE ONLY | | | | | | | | | |
| | | | (FT) | (FT) | (SQ YD) | (SQ YD) | (SQ YD) | (TON) | (TON) | (LBS) | | |
| FAP 885 (IL 146) - STA. 593+00 to STA. 1266+10 | | | | | | | | | | | | |
| | 9+79.61 | TO | 11+05.80 | 126.19 | 26 | 365 | 365 | 15 | 31 | 16 | 246 | |
| EQ STA 11+05.80 (BK) = STA 1188+43.20 (AH) | | | | | | | | | | | | |
| | 1188+43.20 | TO | 1210+60.52 | 2217 | 26 | 6406 | 6406 | | 541 | 271 | 4324 | |
| HARDIN/POPE COUNTY LINE - STA. 1210+60.52 | | | | | | | | | | | | |
| | 1210+60.52 | TO | 1236+95.78 | 2635 | 26 | 7613 | 7613 | | 643 | 322 | 5145 | |
| EQ STA 1236+95.78 (BK) = STA 1240+34.48 (AH) | | | | | | | | | | | | |
| | 1240+34.48 | TO | 1254+76.55 | 1442 | 26 | 4166 | 4166 | | 352 | 176 | 2813 | |
| EQ STA 1254+76.55 (BK) = STA 1254+66.55 (AH) | | | | | | | | | | | | |
| | 1254+66.55 | TO | 1257+67.00 | 300 | 26 | 868 | 868 | 15 | 74 | 37 | 586 | |
| OMIT SN 076-0031 - STA 1257+67 TO STA 1262+55 | | | | | | | | | | | | |
| | 1262+55.00 | TO | 1274+14.98 | 1160 | 26 | 3351 | 3351 | 15 | 283 | 142 | 2262 | |
| EQ STA 1274+14.98 (BK) = STA 1274+02.49 (AH) | | | | | | | | | | | | |
| | 1274+02.49 | TO | 1292+05.50 | 1803 | 26 | 5209 | 5209 | | 440 | 221 | 3516 | |
| EQ STA 1292+05.50 (BK) = STA 1292+20.63 (AH) | | | | | | | | | | | | |
| | 1292+20.63 | TO | 1312+98.58 | 2078 | 26 | 6003 | 6003 | | 507 | 254 | 4053 | |
| EQ STA 1312+98.58 (BK) = STA 1312+94.18 (AH) | | | | | | | | | | | | |
| | 1312+94.18 | TO | 1367+91.97 | 5498 | 26 | 15883 | 15883 | | 1341 | 671 | 10721 | |
| EQ STA 1367+91.97 (BK) = STA 1367+92.48 (AH) | | | | | | | | | | | | |
| | 1367+92.48 | TO | 1372+42.50 | 450 | 26 | 1300 | 1300 | 15 | 110 | 55 | 876 | |
| OMIT SN 076-0030 - STA 1372+42.50 TO STA 1374+09.50 | | | | | | | | | | | | |