09-19-2025 LETTING ITEM 031

AND HIGHWAY STANDARDS, SEE SHEET NO.2

FOR INDEX OF SHEETS

0


0

 \circ

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

PROPOSED HIGHWAY PLANS

FAP 505 (IL 75) & FAP 525 (SPRINGFIELD AVE.) SECTION 111STY HSIP-J80E(818) INTERSECTION SAFETY IMPROVEMENTS **STEPHENSON & WINNEBAGO COUNTIES**



D-92-121-25 **LOCATION OF SECTION INDICATED THUS: -**STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** SUBMITTED June 17 20 25

RLINDIS CONTRACT NO. 64U45

* FAP 505 (IL 75) & FAP 525 (SPRINGFIELD AVE)

MEGIONAL ENGINEER

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

PROJECT ENGINEER - ROB BATES PHONE #815-284-5464

CONTRACT NO. 64U45

OR 811

INDEX OF SHEETS

| 1 | COVER SHEET | 000001-08 | STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS |
|---------|-------------------------------------|-----------|---|
| 2 | INDEX OF SHEETS AND STATE STANDARDS | 001006 | DECIMAL OF AN INCH AND OF A FOOT |
| 3 | GENERAL NOTES | 701001-02 | OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' (4.5M) AWAY |
| 4 | SUMMARY OF QUANTITIES | 701006-05 | OFF-RD OPERATIONS, 2L, 2W, 15' (4.5M) TO 24' (600MM) FROM PAVEMENT EDGE |
| 5 - 6 | SCHEDULE OF QUANTITIES | 701201-05 | LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS ≥ 45 MPH |
| 7 - 10 | PLAN AND SIGNING SHEETS | 701301-04 | LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS |
| 11 | SIGN DESIGN - ROCK CITY ROAD | 701901-10 | TRAFFIC CONTROL DEVICES |
| 12 - 15 | WORK ZONE SIGN DETAILS (34.1) | 720001-01 | SIGN PANEL MOUNTING DETAILS |
| 16 - 20 | TYPICAL PAVEMENT MARKINGS (41.1) | 720006-04 | SIGN PANEL ERECTION DETAILS |
| | | 728001-01 | TELESCOPING STEEL SIGN SUPPORT |
| | | 780001-05 | TYPICAL PAVEMENT MARKINGS |

USER NAME = Ryan.Renkes DESIGNED -REVISED -REVISED -DRAWN - Ryan.Renkes CHECKED -REVISED -PLOT DATE = 5/16/2025 DATE

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SECTION INDEX / HIGHWAY STANDARDS 111STY CONTRACT NO. 64U45 SHEET 1 OF 1 SHEETS STA. TO STA.

HIGHWAY STANDARDS

OUNTY SHEETS NO.

* 20 2

GENERAL NOTES

The contractor shall notify Traffic Operations a minimum of 5 working days prior to placing permanent pavement marking or signing.

The following listed utilities located within the project limits or immediately adjacent to the project construction limits are members of JULIE:

| Nicor Gas Co. | 630-388-3019 |
|-------------------------------|--------------|
| Rockford Water Department | 815-967-7060 |
| Comcast Cable | 815-509-8653 |
| Mediacom | 815-716-0582 |
| Village of Rock City | 815-865-5631 |
| Wisconsin Independent Network | 715-838-4012 |
| Frontier (North) | 309-853-6297 |
| AT&T | 630-573-5465 |
| ComEd | 779-231-1027 |

IDOT is not a member of JULIE. If you are near any overhead lighting, intersection lighting or traffic signals, contact the IDOT Traffic Office at 815/284-5469 at least 48 hours prior to work.

Changeable Message Signs shall be placed the same day as new stop signs are placed on IL 75 and Springfield Ave. (four total message signs), and remain in place for two weeks, with the following messages:

- NEW TRAFFIC PATTERN
 STOP AHEAD

FILE NAME = 64U45.GN.DOCX

PLOT DATE = 6/18/2025 7:36 AM

DATE - 6/17/2025 8:16 AM

REVISED -

| ME = | DESIGNED - Engineering Systems | REVISED - | | | | ROUTE | SECTION | COUNTY |
|------|--------------------------------|-----------|------------------------------|-----------|------|-------------------|---------|---------|
| | DRAWN - | REVISED - | STATE OF ILLINOIS | GENERAL N | OTES | FAP 505 & FAP 525 | 111STY | * |
| LE = | CHECKED - | REVISED - | DEPARTMENT OF TRANSPORTATION | <u> </u> | 0.10 | | | CONTRAC |
| | | | | | | | | |

SCALE:

SHEET NO. OF SHEETS STA.

ILLINOIS FED. AID PROJECT

SUMMARY OF QUANTITIES

CONSTRUCTION CODE

| | | | | | STEPHENSON | WINNEBAGO |
|---|----------|---|--------|----------|-----------------|-----------|
| F | | | | | 90%FED/10%STATE | |
| | | | | | SAFETY | SAFETY |
| ı | CODE | | | TOTAL | 0021 | 0021 |
| ŀ | NO. | ITEM | UNIT | QUANTITY | RURAL | URBAN |
| | | | | | | |
| | 67100100 | MOBILIZATION | L SUM | 1 | 0.5 | 0.5 |
| | | | | | | |
| ľ | 70100450 | TRAFFIC CONTROL AND PROTECTION, STANDARD 701201 | L SUM | 1 | 0.5 | 0.5 |
| ļ | | | | | | |
| ľ | 70107025 | CHANGEABLE MESSAGE SIGN | CAL DA | 56 | 28 | 28 |
| ļ | 72000100 | SIGN PANEL - TYPE 1 | SQ FT | 123 | 63.8 | 59.2 |
| ŀ | 72000100 | SIGN FANCE - ITFE I | 30, F1 | 123 | 03.8 | J9.2 |
| ŀ | 72400310 | REMOVE SIGN PANEL - TYPE 1 | SQ FT | 94.6 | 58.6 | 36.0 |
| ł | | | | | | |
| ŀ | 72400710 | RELOCATE SIGN PANEL - TYPE 1 | SQ FT | 4.6 | | 4.6 |
| İ | | | | | | |
| ŀ | 73000100 | WOOD SIGN SUPPORT | FOOT | 196 | 108 | 88 |
| ļ | | | | | | |
| ļ | 78009024 | MODIFIED URETHANE PAVEMENT MARKING - LINE 24" | FOOT | 128 | 57 | 71 |
| ļ | 00500075 | DELIGNAE ENGLING TRAFFIG GIGNAL FOURDMENT | 540/ | | | |
| ľ | 89502375 | REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT | EACH | 2 | | 2 |
| | X0326899 | SOLAR-POWERED FLASHING BEACON ASSEMBLY (COMPLETE) | EACH | 8 | 2 | 6 |

^{*} SPECIALTY ITEMS

JSER NAME = Ryan.Renkes DESIGNED -REVISED -DRAWN - Ryan.Renkes REVISED -CHECKED -REVISED -PLOT DATE = 5/16/2025 DATE

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

SCALE:

SECTION 111STY **SUMMARY OF QUANTITIES**

| TOTAL | NEW SIGNS | | Stephenson | Winnebago | | | |
|----------------------|------------------------------|----------------------|------------------------|--|-------------|--|---------------------------|
| 4 | STOP AHEAD W/ARROW (W3-1) [3 | 36"x36] | 2 | 2 | | | |
| 8 | STOP (R1-1) [36"x36"] | | 4 | 4 | | | |
| 8 | ALL WAY (R1-3P) [21"x9"] | | 4 | 4 | | | |
| 2 | ROAD NAME (W16-8P) [36"x9 | "] | 2 | - | | | |
| 4 | CHANGEABLE MESSAGE SIG | SN . | 2 | 2 | | | |
| | | | | | | | |
| 72000100 SIGN PANEL | TYPE 1 | | | | | | |
| SQFI | LOCATION | OFFSET | QUADRANT/ DIRECTION | <u>#1</u> | <u>SIGN</u> | <u>#2</u> | REMARKS |
| | <u>IL 75</u> | | | | | | |
| 10.3 | 10609+89.90 | 23.15 LT | NE | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 10.3 | 10608+84.58 | 25.13 RT | SW | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 11.3 | 10612+81.53 | 29.17 LT | WB | STOP AHEAD W/ARROW (W3-1) [36" | - | ROAD NAME (W16-8P) [36"x9"] | |
| 11.3 | 10603+98.82 | 28.17 RT | EB | STOP AHEAD W/ARROW (W3-1) [36" | 'x36] | ROAD NAME (W16-8P) [36"x9"] | |
| | Rock City Road | | | | | | |
| 10.3 | 360+36.75 | 24.64 LT | NW | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 10.3 | 349+57.16 | 24.59 RT | SE | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 10.0 | 040.07.10 | 21.00111 | 02 | over (ixi i) [ee xee] | | 7.22 7777 (1.1 S.) [2 : XS] | |
| | Springfield Avenue | | | | | | |
| 10.3 | 299+99.48 | 24.00 RT | SE | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 10.3 | 300+87.72 | 29.32 LT | NW | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 9.0 | 295+36.48 | 29.17 RT | NB | STOP AHEAD W/ARROW (W3-1) [36" | 'x36] | | |
| 9.0 | 304+80.71 | 29.17 LT | SB | STOP AHEAD W/ARROW (W3-1) [36" | 'x36] | | |
| | Safford Road | | | | | | |
| 10.3 | 22+11.23 | 24.00 LT | NE | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | |
| 10.3 | 21+19.78 | 23.21 RT | SW | STOP (R1-1) [36"x36"] | | ALL WAY (R1-3P) [21"x9"] | Mount on steel post. |
| 123.0 | TOTAL | 20.211(1 | OVV | 0101 (1(1-1)[30 x30] | | ALE WAT (IXI-51) [21 X9] | Mount on steel post. |
| 120.0 | TOTAL | | | | | | |
| 72400310 REMOVE SIG | GN PANEL - TYPE 1 | | | | | | |
| <u>SQ FT</u> | LOCATION | OFFSET | QUADRANT/ DIRECTION | <u>#1</u> | <u>SIGN</u> | <u>#2</u> | <u>REMARKS</u> |
| 40.0 | <u>IL 75</u> | 00 00 I T | WD | CDCCC DCAD (A/O 4) [20] | | DOAD NAME (MACCAAD) (SCHOOLE) | |
| 12.8 | 10614+63.00 | 22.08 LT 27.23 RT | WB EB | CROSS ROAD (W2-1) [36"x36"] CROSS ROAD (W2-1) [36"x36"] | | ROAD NAME (W16-8AP) [36"x15"] ROAD NAME (W16-8AP) [36"x15"] | |
| 12.8 | 10603+90.41 | 21.23 KT | LD | CROSS ROAD (W2-1) [30 X30] | | NOAD NAME (W 10-0AF) [30 X 13] | |
| | Rock City Road | | | | | | |
| 11.0 | 360+36.75 | 24.64 LT | NW | STOP (R1-1) [36"x36"] | | CROSS TRAFFIC DOES NOT ST | OP (W4-4P) [24"x12"] |
| 11.0 | 360+45.72 | 31.18 RT | NE | STOP (R1-1) [36"x36"] | | CROSS TRAFFIC DOES NOT ST | |
| 11.0 | 349+57.16 | 24.59 RT | SE | STOP (R1-1) [36"x36"] | | CROSS TRAFFIC DOES NOT ST | . / |
| | | | | | | | - (|
| | Springfield Avenue | | | | | | |
| 9.0 | 293+43.19 | 22.59 RT | NB | CROSS ROAD (W2-1) [36"x36"] | | | |
| 9.0 | 308+11.40 | 26.07 LT | SB | CROSS ROAD (W2-1) [36"x36"] | | | |
| | Safford Road | | | | | | |
| 9.0 | 22+11.23 | 24.00 LT | NE | STOP (R1-1) [36"x36"] | | | |
| 9.0 | 21+19.78 | 23.21 RT | SW | STOP (R1-1) [36"x36"] | | | Remove from steel post. |
| 94.6 | TOTAL | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| | | | | | | | |
| 72400710 RELOCATE \$ | SIGN PANEL - TYPE 1 | | | | | | |
| <u>SQ FT</u> | LOCATION | <u>OFFSET</u> | QUADRANT/ | | SIGN | | <u>REMARKS</u> |
| | | | DIRECTION | <u>#1</u> | | <u>#2</u> | |
| | Springfield Avenue | | | | | | |
| 2.3 | 293+43.19 | 22.59 RT | NB | ROAD NAME (W16-8P) [36"x9"] | | Relocate under STOP AHEAD | ` , |
| 2.3 | 308+11.40 | 26.07 LT | SB | ROAD NAME (W16-8P) [36"x9"] | | Relocate under STOP AHEAD | vv/ARROW (W3-1) [36"x36]. |
| 4.6 | TOTAL | | | | | | |
| | | | | | | | |
| | | | | | | | |

MODEL: DZ_SH1 SCHEDULE_01
FILE NAME: c:\pw_work\pwidot\renkesrw\d1106687\D2_64U

 USER NAME
 * Ryan.Renkes
 DESIGNED
 REVISED

 DRAWN
 Ryan.Renkes
 REVISED

 CHECKED
 REVISED


 PLOT DATE
 * 6/3/2025
 DATE
 REVISED


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


SCHEDULE OF QUANTITIES


SHEET 1 OF 2 SHEETS STA. TO STA.


| | | 73000100 WOOD SIGN SUPP | PORT | | | | | | | |
|------------------|-------------------------|---|---------------------------------------|------------------------------------|------------------------|--|--|---------------------------|---------------|--|
| | | FOOT | LOCATION | <u>OFFSET</u> | QUADRANT/ DIRECTION | <u>SIGN</u> <u>#1</u> | <u>√</u> #2 | REMARKS | | |
| | | | <u>IL 75</u> | | | | | | | |
| | | 18 | 10609+89.90 | 23.15 LT | NE | STOP (R1-1) [36"x36"] | ALL WAY (R1-3P) [21"x9"] | | | |
| | | 18 | 10608+84.58 | 25.13 RT 29.17 LT | SW | STOP (R1-1) [36"x36"] | ALL WAY (R1-3P) [21"x9"] | | | |
| | | 18 | 10612+81.53 10603+98.82 | 29.17 LT 28.17 RT | WB EB | STOP AHEAD W/ARROW (W3-1) [36"x36] STOP AHEAD W/ARROW (W3-1) [36"x36] | | | | |
| | | 20 | 10003+90.02 | 20.17 KT | LD | 310F AHEAD W/ARROW (W3-1) [30 x30] | | | | |
| | | | Rock City Road | | | | | | | |
| | | 16 | 360+36.75 | 24.64 LT | NW | STOP (R1-1) [36"x36"] | ALL WAY (R1-3P) [21"x9"] | | | |
| | | 18 | 349+57.16 | 24.59 RT | SE | STOP (R1-1) [36"x36"] | ALL WAY (R1-3P) [21"x9"] | | | |
| | | | | | | | | | | |
| | | | Springfield Avenue | 04.00 DT | 0.5 | OTOD (D4.4) (00H, 00H) | A L L MANY (D4 OD) (O411 O113 | | | |
| | | 14 | 299+99.48 | 24.00 RT 29.32 LT | SE NW | STOP (R1-1) [36"x36"] STOP (R1-1) [36"x36"] | ALL WAY (R1-3P) [21"x9"] ALL WAY (R1-3P) [21"x9"] | | | |
| | | 20 18 | 300+87.72 295+36.48 | 29.32 LT 29.17 RT | NB | STOP (K1-1) [36 x36] STOP AHEAD W/ARROW (W3-1) [36"x36] | ALL WAT (RT-3F) [21 X9] | | | |
| | | 20 | 304+80.71 | 29.17 LT | SB | STOP AHEAD W/ARROW (W3-1) [36"x36] | | | | |
| | | 20 | 001100.11 | | | | | | | |
| | | | Safford Road | | | | | | | |
| | | 16 | 22+11.23 | 24.00 LT | NE | STOP (R1-1) [36"x36"] | ALL WAY (R1-3P) [21"x9"] | | | |
| 1 | | 196 TOTA | NL | | | | | | | |
| | | TORROOM MODIFIED LIBETIM | ANE DAVEMENT MADIUNG | 1 IN E 0411 | | | | | | |
| 1 | | 78009024 MODIFIED URETHA | AND PAVENIEN I MAKKING | - LINL 44 | | | | | | |
| 1 | | <u>FOOT</u> | LOCATION | OFFSET | QUADRANT/ | PAVEMENT MARKING | REMARKS | <u>s</u> | | |
| 1 | | | | | DIRECTION | | | | | |
| 1 | | | <u>IL 75</u> | | | 0707 - : - | | | | |
| | | 16 | 10609+76.85 | 0 LT - 17.80 LT | WB | STOP BAR | | | | |
| | | 15 | 10608+93.80 | 0 RT - 14.72 RT | EB | STOP BAR | | | | |
| | | | Rock City Road | | | | | | | |
| | | 13 | 349+56.15 | 0 RT - 12.41 RT | NB | STOP BAR | | | | |
| | | 13 | 360+42.94 | 0 LT - 12.28 LT | SB | STOP BAR | | | | |
| | | | | | | | | | | |
| | | 40 | Springfield Avenue | 0 DT 47 20 DT | ND | CTOD DAD | | | | |
| | | 18 21 | 300+01.48 300+85.72 | 0 RT - 17.29 RT 0 LT - 20.25 LT | NB SB | STOP BAR STOP BAR | | | | |
| | | 21 | 300103.72 | 0 L1 - 20.23 L1 | OB | OTOL BAIL | | | | |
| | | | Safford Road | | | | | | | |
| | | 17 | 22+08.61 | 0 LT - 16.19 LT | WB | STOP BAR | | | | |
| | | 15 | 21+22.41 | 0 RT - 14.20 RT | EB | STOP BAR | | | | |
| | | 128 TOTA | NL | | | | | | | |
| | | 89502375 REMOVE EXISTING | C TRAFFIC CICNAL FOURD | ACNIT | | | | | | |
| | | 09502575 KEWIOVE EXISTING | 3 TRAFFIC SIGNAL EQUIP | MEIA I | | | | | | |
| | | <u>EACH</u> | <u>LOCATION</u> | OFFSET | QUADRANT/ | TRAFFIC SIGNAL EQUIPMENT | RELATED SIGN | REMARKS | | |
| | | | | | DIRECTION | | | | | |
| | | 4 | Springfield Avenue 308+11.40 | 26.07 LT | SB | BEACON | CDOSS DOAD (M/2 1) [26"y26"] | Calvaga | | |
| | | 1 | 300±11.40 | 20.07 L1 | 36 | BEACON | CROSS ROAD (W2-1) [36"x36"] | Salvage | | |
| | | | Safford Road | | | | | | | |
| | | 1 | 21+19.78 | 23.21 RT | SW | BEACON | CROSS ROAD (W2-1) [36"x36"] | Salvage. Located on post. | | |
| 1 | | 2 TOTA | AL | | | | • | • | | |
| 1 | | V000000 0 0 1 1 5 5 5 5 5 5 5 5 5 5 5 5 5 | . F. AOUINO BEAGO: | | | | | | | |
| 1 | | X0326899 SOLAR-POWERED | PLASHING BEACON ASSE | EMBLY (COMPLETE) | | | | | | |
| u g b. | | <u>EACH</u> | LOCATION | OFFSET | QUADRANT/ | RELATED SIGN | REMARKS | <u>s</u> | | |
| orter | | | · · · · · · · · · · · · · · · · · · · | | DIRECTION | | | | | |
| a a | | | <u>IL 75</u> | 00.47.7 | 14/5 | CTOD ALIEAD MANAGED IN COLOR OF COLOR | | -1 | | |
| one p | | 1 | 10612+81.53 | 29.17 LT 28.17 RT | WB EB | STOP AHEAD W/ARROW (W3-1) [36"x36] STOP AHEAD W/ARROW (W3-1) [36"x36] | Install above s Install above s | | | |
| SCH _e | | 1 | 10603+98.82 | 20.17 KT | EB | STOP AREAD WARROW (WS-1) [30 X36] | install above s | sign. | | |
| ## ## | | | Springfield Avenue | | | | | | | |
| t045 | | 1 | 299+99.48 | 24.00 RT | SE | STOP (R1-1) [36"x36"] | Install above s | | | |
| ્ર હ | | 1 | 300+87.72 | 29.32 LT | NW | STOP (R1-1) [36"x36"] | Install above s | | | |
| Δ (Σ | | 1 | 295+36.48 | 29.17 RT | NB | STOP AHEAD W/ARROW (W3-1) [36"x36] | Install above s | | | |
| 1066 | | 1 | 304+80.71 | 29.17 LT | SB | STOP AHEAD W/ARROW (W3-1) [36"x36] | Install above s | sign. | | |
| w/d1 | | | Safford Road | | | | | | | |
| ikesi | | 1 | 22+11.23 | 24.00 LT | NE | STOP (R1-1) [36"x36"] | Install above s | sign. | | |
| other | | 1 | 21+19.78 | 23.21 RT | SW | STOP (R1-1) [36"x36"] | Install above s | | | |
| piwd. | | 8 TOTA | NL | | | | | | | |
| ∧ork\ | | | | | | | | | | |
| Md | | | | | | | | | | |
| Ü | USER NAME = Ryan.Renkes | DESIGNED - | REVISED - | 1 | | Т | | | F.A.P SECTION | COUNTY TOTAL SHEET SHEETS NO. |
| <u>iii</u> | | DRAWN - Ryan.Renkes | REVISED - | | TATS | TE OF ILLINOIS | COUEDINE | OF OUANTITIES | | |
| NAME: | | · · | | | | | 20HEDULE | OF QUANTITIES | * 111STY | * 20 6 |
| ILE NAME: | PLOT DATE = 6/3/2025 | CHECKED - DATE - | REVISED - REVISED - | | | T OF TRANSPORTATION | | SHEETS STA. TO STA. | 111011 | CONTRACT NO. 64U45 S FED. AID PROJECT |











1.50" Radius, 0.38" Border, 0.38" Indent, Black on Yellow; "Rock City Rd", ;

MODEL: D2 SHEET STANDARD

| USER NAME = IDOT / DISTRICT 2 | DESIGNED - | REVISED - |
|-------------------------------|------------|-----------|
| | DRAWN - | REVISED - |
| | CHECKED - | REVISED - |
| PLOT DATE = 6/6/2025 | DATE - | REVISED - |

| STATE OF ILLINOIS |
|------------------------------|
| DEPARTMENT OF TRANSPORTATION |

| olon. | | | , alex 50 | | F.A.P. RTE | SECTION | COUNTY | TOTAL SHEETS | SHEE NO. | |
|--------|-------|----------|-----------|---------|---------------|---------|---------------|-----------------|-------------|-----|
| SIGN | DESIG | N - ROCK | CITY RO | AD | 505 | 111STY | , | STEPHENSON | 20 | 11 |
| | | | | | | | | CONTRACT | NO. 641 | U45 |
| HEET 1 | OF 10 | SHEETS | STA. | TO STA. | | ILLI | NOIS FED. AIL | D PROJECT | | |

WORK ZONE SIGN DETAILS

ILLINOIS STANDARD G20–I100



LEGEND AND BORDER BACKGROUND

BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

| SIGN SIZE | | | | | [| OIMEN | SIONS | 5 | | | | |
|-----------|-------|-------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| SIGN SIZE | Α | В | C | D | Е | F | G | Н | J | K | L | М |
| 60 x 36 | 60.00 | 36.00 | 2.25 | 6.4 | 21.80 | 16.40 | 10.00 | 22.40 | 13.20 | 15.50 | 10.50 | 10.00 |

| SIGN SIZE | SER | IES BY L | INE | MARGIN | BORDER | |
|-----------|-----|----------|-----|--------|--------|--|
| SIGN SIZE | 1 | 2 | 3 | MARGIN | | |
| 60 x 36 | 5C | 5C | 5C | 0.625 | 0.875 | |

Sign not to scale

GENERAL NOTES


All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

ILLINOIS STANDARD W8–I107



LEGEND AND BORDER BACKGROUND

BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

| SIGN SIZE | DIMENSIONS | | | | | | | | | |
|-----------|------------|------|-------|-------|-------|-------|------|------|-------|--|
| SIGN SIZE | Α | В | C | D | Е | F | Ð | Н | J | |
| 48 x 48 | 48.00 | 3.00 | 25.00 | 34.80 | 34.20 | 24.94 | 9.00 | 1.00 | 10.00 | |


| SIGN SIZE | SER | IES BY L | INE | MARGIN | PODDED | |
|-----------|-----|----------|-----|--------|--------|--|
| SIGN SIZE | 1 | 2 | 3 | MARGIN | BORDER | |
| 48 x 48 | 7C | 7C | 7C | 1.250 | 0.750 | |

Sign not to scale

| USER NAME = IDOT / DISTRICT 2 | DESIGNED - | REVISED - 3-02-16 | | | | | F.A.P RTF | SECTION | COUNTY | TOTAL SE | IEET NO. |
|--|------------|-------------------|------------------------------|--------------------------------|---------------------------|---------|--------------|---------------------------|--------------------|----------|-------------|
| | DRAWN - | REVISED - | STATE OF ILLINOIS | REGION 2 / DISTRICT 2 STANDARD | | * | 111STY | * | 20 | 12 | |
| | CHECKED - | REVISED - | DEPARTMENT OF TRANSPORTATION | | | | | | CONTRACT NO. 64U45 | | 5 |
| PLOT DATE = 6/6/2025 | DATE - | REVISED - | | SCALE: | SHEET 2 OF 10 SHEETS STA. | TO STA. | | ILLINOIS FED. AID PROJECT | | | |
| *FAR COS (IL 75) & FAR COS (CRIPINOCICI ID AVE) *CTCRUENCON WINNERPACO | | | | | | | | | | | |

WORK ZONE SIGN DETAILS

ILLINOIS STANDARD W12–I102



LEGEND AND BORDER COLOR BACKGROUND

BLACK FL ORANGE NON-REFLECTORIZED REFLECTORIZED

| SIGN SIZE | DIMENSIONS | | | | |
|-----------|------------|------|--|--|--|
| | Α | В | | | |
| 48 x 48 | 48.00 | 3.00 | | | |

Illinois Standard signs W12-I102 and W12-I103 shall be used as described in the special provisions.


| SICN SIZE | SERIES BY LINE | MARGIN | BORDER | |
|-----------|----------------|--------|--------|--|
| SIGN SIZE | 1 | MARGIN | BURDER | |
| 48 x 48 | 12C | 0.750 | 1.250 | |

Sign not to scale

JSER NAME = IDOT / DISTRICT 2 DESIGNED -REVISED - 3-02-16 DRAWN REVISED -CHECKED -REVISED PLOT DATE = 6/6/2025 DATE

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

ILLINOIS STANDARD W12–I103



LEGEND AND BORDER BACKGROUND BACKGROUND (WIDTH) **BLACK** WHITE FL ORANGE NON-REFLECTORIZED REFLECTORIZED REFLECTORIZED

| SIGN SIZE | DIMENSIONS | | | | | | | | | | | |
|-----------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Α | В | С | D | Е | F | G | Н | J | K | L | М |
| 48 x 48 | 48.00 | 3.00 | 38.40 | 13.20 | 19.20 | 32.00 | 22.00 | 26.20 | 12.00 | 24.00 | 10.00 | 11.00 |

| SIGN SIZE | , | SERIES | BY LINE | | MARGIN | BORDER |
|-----------|----|--------|---------|----|--------|--------|
| SIGN SIZE | 1 | 2 | 3 | 4 | MARGIN | BONDEN |
| 48 x 48 | 6C | 8D | 6D | 6D | 0.750 | 1.250 |

Sign not to scale

SCALE:

XX'-XX" WIDTH AND X MILES ARE VARIABLE TOP AND BOTTOM OF BACKGROUND WHITE

| | REGION 2 / DISTRICT 2 STANDARD | | | | | | | F.A.P SECTION | | | COUNTY | | SHEET NO. |
|--|--------------------------------|----|----|--------|------|--|---------------|---------------|--|----------|-------------|----------|--------------|
| | | | | | | | | 111STY | | | * | 20 | 13 |
| | | | | | | | | | | | CONTRACT | NO. 641 | J45 |
| | SHEET 3 | OF | 10 | SHEETS | STA. | TO STA. | ILLINOIS FED. | | | FED. AII | AID PROJECT | | |
| | | | | | | *FAP 505 (IL 75) & FAP 525 (SPRINGFIEL | D AVE) | | | | *STEPHEN | SON, WIN | NEBAGO |

WORK ZONE SIGN DETAILS

ROAD CLOSED TO OVERSIZED LOADS



COLOR

LEGEND AND BORDER BACKGROUND

BLACK ORANGE


NON-REFLECTORIZED REFLECTOR**I**ZED

Permit Loads - Loads Over 13 Feet; 3.0" Radius, 1.3" Border; [NO OVERSIZE -] D; [OVERWEIGHT LOADS] D 85% spacing; [XX MILES AHEAD] D; Table of letter and object lefts.

| N 11.7 | O 18.1 | O 30.0 | V 36.2 | E 42.8 | R 48.4 | S 54.4 | I 60.7 | Z 63.5 | E 69.5 | - 80.8 | | | | |
|-----------|-----------|-----------|------------|-----------|------------------|------------------|------------------|-----------|-----------|----------------------|------------------|------------------|------------------|-----------|
| O 2.6 | V 8.6 | E 15.0 | R 20.4 | W 26.2 | E 33.4 | I 38.8 | G 41.3 | H 47.4 | T 53.2 | L 64.5 | O 69.9 | A 75.9 | D 82.9 | S 88.7 |
| X 7.6 | X 13.6 | M 25.3 | 32.3 | L 35.1 | E 40.6 | S 46.2 | A 57.9 | H 65.1 | E 71.4 | A 76.6 | D 83.7 | | | |

Sign not to scale

STOP LINE SIGN FOR TEMPORARY SIGNALS



LEGEND AND BORDER BACKGROUND

BLACK WHITE

NON-REFLECTORIZED REFLECTORIZED

| SICN SIZE | SERIES BY LINE | | | | | |
|-----------|----------------|----|----|--|--|--|
| SIGN SIZE | 1 | 2 | 3 | | | |
| 24 x 24 | 4C | 4C | 4C | | | |

Sign not to scale

GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

| USER NAME = IDOT / DISTRICT 2 | DESIGNED - | REVISED - 3-02-16 |
|-------------------------------|------------|-------------------|
| | DRAWN - | REVISED - |
| | CHECKED - | REVISED - |
| PLOT DATE = 6/6/2025 | DATE - | REVISED - |

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

| | | | | | F.A.P RTE | SE |
|---------|-------|--------|------|---------|--------------|----|
| REGIO | * | 1 | | | | |
| | | | | | | |
| SHEET 4 | OF 10 | SHEETS | STA. | TO STA. | | |

*FAP 505 (IL 75) & FAP 525 (SPRINGFIELD AVE

ENTRANCE SIGN FOR USE WITH TEMPORARY SIGNALS

WORK ZONE SIGN DETAILS



LEGEND AND BORDER COLOR BACKGROUND

BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

2.25" Radius, 0.88" Border, 0.50" IndenT; [CAUTION] D; [ONE LANE ROAD] D; [FOLLOW TRAFFIC] D; [FLOW] D

This sign shall be installed at entrances located between the temporary signals as shown in the staging plans.


Table Of Widths And Spaces

| | 0 | | N | | Е |
|------|------|------|------|------|------|
| 8.23 | 3.51 | 1.17 | 3.36 | 1.18 | 3.04 |

| | L | | Α | | N | | Е | |
|------|------|------|------|------|------|------|------|--|
| 5.00 | 3.05 | 0.31 | 4.18 | 0.94 | 3.36 | 1.17 | 3.05 | |

| | R | | 0 | | Α | | D | |
|------|------|------|------|------|------|------|------|------|
| 5.00 | 3.36 | 0.93 | 3.52 | 0.94 | 4.18 | 0.93 | 3.36 | 8.23 |

| 5.00 | T 3.05 0.94 | R 3.36 | 0.94 | A 4.18 | 0.93 | F 3.05 | 0.94 | F 3.04 | 0.94 | I 0.78 | 1.18 | C 3.35 | 7.43 |
|------|----------------|-----------|------|------------------|------|-----------|------|-----------|------|------------------|------|-----------|------|
|------|----------------|-----------|------|------------------|------|-----------|------|-----------|------|------------------|------|-----------|------|



Sign not to scale

JSER NAME = IDOT / DISTRICT 2 DESIGNED -REVISED - 3-02-16 DRAWN REVISED CHECKED REVISED PLOT DATE = 6/6/2025 DATE

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book"


Signs shall meet the applicable portions of Sections 701

All dimensions are in inches unless otherwise noted.

in effect on the date of invitation for bids.

and 720 of the Standard Specifications.

STAY IN YOUR LANE



COLOR

LEGEND AND BORDER BACKGROUND

BLACK ORANGE

NON-REFLECTORIZED REFLECTORIZED

48.0" across sides 3.8" Radius, 1.0" Border, 0.6" Indent; "STAY" E Mod; "IN YOUR" E Mod; "LANE" E Mod;

Table of Letter and Object Lefts

| S | Т | Α | Υ |
|------|------|------|------|
| 20.7 | 26.8 | 31.6 | 38.0 |

| _ | | | | | | |
|---|------|------|------|------|------|------|
| | | Ν | Υ | 0 | J | R |
| | 13.2 | 15.9 | 26.7 | 33.9 | 40.5 | 46.8 |

| L | Α | N | Е |
|------|------|------|------|
| 20.9 | 25.8 | 33.1 | 39.4 |


Sign not to scale


| DECION O / DICTRICT O CTANDARD | | | | F.A.P RTE | SECTION C | | COUNTY | TOTAL SHEETS | SHEET NO. | | | |
|--------------------------------|----|----|--------|--------------|-----------|--|--------|-----------------|--------------|-----------|-----------|-----|
| REGION 2 / DISTRICT 2 STANDARD | | | * | 111STY | | | * | 20 | 15 | | | |
| | | | | | | | | | | CONTRACT | Γ NO. 641 | J45 |
| SHEET 5 | OF | 10 | SHEETS | STA. | TO STA. | | | ILLINOIS | FED All | D PROJECT | | |

TYPICAL PAVEMENT MARKINGS

MEDIAN PAVEMENT MARKING

TYPICAL PAVEMENT MARKING FOR FLUSH MEDIAN AT LEFT TURN LANE






** ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.


TYPICAL ISLAND OFFSET SHOULDER WIDTH


TYPICAL MARKING FOR PAINTED ISLANDS

STANDARD CROSSWALK MARKING

See Schedules for Locations








 Distance to the nearest edge of the intersecting roadway in the absence of a marked crosswalk.

| USER NAME = IDOT / DISTRICT 2 | DESIGNED - | REVISED - 6-27-14 |
|-------------------------------|------------|-------------------|
| | DRAWN - | REVISED - 3-05-12 |
| | CHECKED - | REVISED - |
| PLOT DATE = 6/6/2025 | DATE - | REVISED - |

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

| DECION O / DICTRICT O CTANDARD | | | | | | |
|--------------------------------|-------|--------|-----|--------|--|--|
| REGION 2 / DISTRICT 2 STANDARD | | | | | | |
| | | | | | | |
| SHEET 6 | OF 10 | енсете | AT2 | TO CTA | | |



TYPICAL PAVEMENT MARKINGS

TYPICAL PARKING SPACING

Face of Curb

-4 WHITE

Face of Curb

Face of Curb

- 4 WHITE

22'-25'

22'-25'


20' Min

20' Min. —


30' Min. —

20' Min.

Approach to Signal



MULTI-LANE / DIVIDED



- * REDUCE TO 40' O.C. ON CURVES WHERE ADVISORY SPEEDS ARE 10 MPH LOWER THAN POSTED SPEEDS.
- ** USE DOUBLE MARKERS WHEN ADT ≥ 20,000

USE DOUBLE MARKERS WHEN ADT ≥ 20,000.

*** CENTERLINE SKIP DASH PAVEMENT MARKING SPEED LIMIT LESS THAN 40 MPH USE 4" LINE. SPEED LIMIT 40 MPH AND OVER USE 6" LINE.

MULTI-LANE / UNDIVIDED & ONE WAY

(FOR MULTI-LANE UNDIVIDED HIGHWAYS USE THIS DETAIL NOT HIGHWAY STANDARD 781001)

| USER NAME = IDOT / DISTRICT 2 | DESIGNED - | REVISED | - | 6-27-14 |
|-------------------------------|------------|---------|---|----------|
| | DRAWN - | REVISED | - | 8-27-13 |
| | CHECKED - | REVISED | - | 11-28-12 |
| PLOT DATE = 6/6/2025 | DATE - | REVISED | _ | |

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

SECTION **REGION 2 / DISTRICT 2 STANDARD** 111STY SHEET 8 OF 10 SHEETS STA.


20 18 CONTRACT NO. 64U45


TYPICAL PAVEMENT MARKING FOR TWO LANE SECTION - NO PASSING ZONES

No Parking Zone

No Parking Zone

No Parking Zone






- 1'-0" 8'-0"

TYPICAL PAVEMENT MARKINGS

EDGE OF 24" PAVEMENT MARKING



SLOW CURVE ARROW

LOW-SPEED STANDARD MARKING

(POSTED SPEED LIMIT 35 MPH OR LESS)

TABLE 1A

| | WARNING SPEED | | | | | | | | |
|-----------------|------------------|-----|-----|-----|-----|-----|-----|-----|--|
| POSTED SPEED | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | |
| | VALUE OF X (FT.) | | | | | | | | |
| 20 * | 100 | | | | | | | | |
| 25 * | 100 | 100 | | | | | | | |
| 30 * | 100 | 100 | 100 | | | | | | |
| 35 * | 100 | 100 | 100 | 100 | | | | | |
| 40 * | 100 | 100 | 100 | 100 | 100 | | | | |
| 45 * | 125 | 110 | 100 | 100 | 100 | 100 | | | |
| 50 * | 225 | 200 | 175 | 135 | 100 | 100 | 100 | | |
| 55 * | 300 | 275 | 250 | 200 | 175 | 135 | 100 | 100 | |
| | | | | | | | | | |

* NOTE: ON ROADWAYS WITH A POSTED SPEED LIMIT OF 35 MPH OR LESS, USE THE 35'-6" PAVEMENT MARKING LEGEND AS SHOWN IN THE SLOW CURVE ARROW, LOW-SPEED STANDARD MARKING. ON ALL OTHER ROADWAYS, USE THE 50'-0" PAVEMENT MARKING LEGEND AS SHOWN ON THE SLOW CURVE ARROW, HIGH-SPEED STANDARD MARKING.

TYPICAL LAYOUT AND PLACEMENT OF
SUPPLEMENTAL CURVE PLACEMENT MARKING

SLOW CURVE ARROW HIGH-SPEED STANDARD MARKING

(POSTED SPEED LIMIT 40 MPH OR GREATER)

| USER NA | USER NAME = IDOT / DISTRICT 2 | | - | REVISED | - | 4-17-25 |
|---------|-------------------------------|---------|---|---------|---|---------|
| | | DRAWN | - | REVISED | - | |
| | | CHECKED | - | REVISED | - | |
| PLOT DA | TE = 6/6/2025 | DATE | _ | REVISED | - | |

| STATE OF ILLINOIS |
|------------------------------|
| DEPARTMENT OF TRANSPORTATION |

| | | | | | F.A.P RTE | SECTION | |
|--|--------------------------------|-------|--------|-----|--------------|---------|--------------|
| | REGION 2 / DISTRICT 2 STANDARD | | | * | 111STY | | |
| | | | | | | | |
| | SHEET 10 | OF 10 | SHEETS | STA | TO STA | | ILL NIONO ET |

FRONT EDGE OF LINE OF PAVEMENT

CONTRACT NO. 64U45

W1-2

**L IS TAKEN FROM TABLE 1A