



DETAIL AT SCUPPER

PARTIAL PLAN

MINIMUM BAR LAP
#5 bar = 3'-3"

NOTES

- See Sheets S17 thru S19 for Sections, Deck Details, Parapet Reinforcement and Bill of Material.
- Cut Longitudinal Reinforcement to clear Drainage Scuppers.
- *Expansion Joint dimensions are based on Rolled Rail Joint. If the Contractor elects to use the Welded Rail Joint, deck dimensions may require adjustments to satisfy the details on Sheet S24.
- ***Scupper locations shall be determined by the Drainage System pipe supports at the piers. See Sheet S-4B.
- Bars indicated thus 12x11-#5 etc. indicates 12 lines of bars with 11 lengths per line.

I:\Jobs\2011\20110302\2\CAD\3\Structural\adgn\016-1143.Final\00\0160-115-s16-deck-pl2.dgn
 5/20/2013 10:24:04 AM

GRÖEF
 8501 W. Higgins Road, Suite 280
 Chicago, Illinois 60631 (773) 399-0112

USER NAME :	DESIGNED - J.Z.	REVISIONS -
PLOT SCALE :	CHECKED - J.A.Z.	REVISIONS -
PLOT DATE :	DRAWN - E.E.J.	REVISIONS -
	DATE - 5/17/2013	REVISIONS -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DECK PLAN II
STRUCTURE NO. 016-1149
 SHEET NO. S16 OF 50 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
94	1920-B	COOK	137	75
				CONTRACT NO. 60J15
ILLINOIS FED. AID PROJECT				