



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

August 24, 2007

SUBJECT: Illinois Prairie Path
Project TE-00D1(756)
Section 06-00133-00-BT (Bellwood)
Cook County
Contract No. 83933
Item 41 (Addendum A)
September 21, 2007 Letting

TO PROSPECTIVE BIDDERS:

In accordance with your request, we have sent you plans and/or a proposal for the subject improvement.

To clarify information it is necessary to revise the following:

- Remove plan pages 3 and 5 and replace with the attached revised pages 3 and 5
- Remove page 1 of the Schedule of Prices and replace with the attached revised page 1 of the Schedule of Prices
- Remove the Local Agency Index and replace with the attached revised Index
- Remove page 4 of the special provisions and replace with the attached revised page 4

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Since the proposal sheets are printed back to back, bidders are cautioned to exercise care when inserting revised and/or added special provisions into their proposals.

Please call 217-782-7806 if any of the above-described material is not included in this transmittal.

Very truly yours,

Eric Harm
Interim Engineer of Design
and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' with a small 'P.E.' to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

STATE JOB # - C-91-143-07
 PPS NBR - 0-00988-0000

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 83933

ECMS002 DTGECM03 ECMR003 PAGE 1
 RUN DATE - 08/24/07
 RUN TIME - 200911

COUNTY NAME	CODE	DIST	SECTION NUMBER	PROJECT NUMBER	ROUTE
COOK	031	01	06-00133-00-BT (BELLWOOD)	TE-00D1/756/000	ILLINOIS PRAIRIE PATH

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE DOLLARS	CENTS	TOTAL PRICE DOLLARS	CTS
XX007085	LT P C 20MH 240V 200W	EACH	4.000				
X0350800	BOLLARDS	EACH	4.000				
20200100	EARTH EXCAVATION	CU YD	100.000				
21101615	TOPSOIL F & P 4	SQ YD	650.000				
25000310	SEEDING CL 4	ACRE	0.500				
25100105	MULCH METHOD 1	ACRE	0.500				
42400200	PC CONC SIDEWALK 5	SQ FT	200.000				
44000600	SIDEWALK REM	SQ FT	200.000				
66400405	CH LK FENCE 7	FOOT	700.000				
66408300	CH LK GATES 7X8 DBL	EACH	2.000				
66410300	CH LK FENCE REMOV	FOOT	350.000				
67100100	MOBILIZATION	L SUM	1.000				
70102620	TR CONT & PROT 701501	L SUM	1.000				
72000100	SIGN PANEL T1	SQ FT	2.000				
78000100	THPL PVT MK LTR & SYM	SQ FT	32.000				

* Revised 8-24-07

SPECIAL PROVISIONS
BICYCLE PATH ENHANCEMENTS – ILLINOIS PRAIRIE PATH PROJECT
INDEX

ITEM	PAGE
LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
EXISTING UTILITIES	1
MAINTENANCE OF ROADWAYS	2
CHAIN LINK FENCE REMOVAL	3
ELECTRIC SERVICE INSTALLATION	3
ACCESS CONTROL BOLLARDS	3
UNDERPASS LUMINAIRE, 250 WATT, HIGH PRESSURE SODIUM, ALUMINUM HOUSING	4
LIGHTING POLE, CONCRETE, 20.0 FOOT MOUNTING HEIGHT, POST TOP LUMINAIRE, 240 VOLT, 200 WATT HIGH PRESSURE SODIUM LUMINAIRE AND LAMP	4

Revised 8-24-07

ACCESS CONTROL BOLLARDS

This item shall consist of work necessary to install a single post bollard at locations designated by the Engineer. The access control bollards shall be a single post bollard with a four inch (4") clearance height. The post height shall be 48". The post shall have a 6" X 3" X 3/8" steel tube conforming to standard ASTM-A36 TS with an end plate welded to the top and the bottom corners which shall be beveled. Two (2) 13/16" holes for 3/4" stainless steel pins shall be located near the base of the tube to allow lowering of the tube to specified clearance and will also allow locking in down position. The base plate shall be 12" X 12" X 3/8" with beveled corners and shall be fabricated of ASTM - A36 Steel. The vertical support shall consist of a 1/2" steel plate welded to the base plate. The decal plate shall be 1/4" and welded to the backside of the vertical support.

The foundation for the access control bollards shall be an eighteen inch (18") diameter reinforced concrete pier. All cost for installing the concrete foundation shall be included in the cost for constructing the access control bollard.

Basis of Payment: Payment for this item will be paid for at the unit price per Each for BOLLARDS which price shall include all labor, material, and equipment necessary to complete the work herein.

UNDERPASS LUMINAIRE, 250 WATT, HIGH PRESSURE SODIUM, ALUMINUM HOUSING

This item shall consist of furnishing and installing underpass high pressure sodium vapor luminaries with aluminum housing. This item shall be constructed according to Section 821 of the IDOT Standard Specifications. Material for this work shall be according to Sections 1067, 1066.06, and 1088.03 of the Standard Specifications.

The lighting unit shall be of the type or similar to General Electrics WALLMOUNT 400 LUMINAIRE model No. DSMT25S0AIGFWTDB, which shall consist of having a die cast aluminum housing of a dark bronze polyester powder paint finish. The units must also provide a corrosion resistant decorative finish. Installation of a photocell for this lighting system will not be necessary. Each unit shall have 250 watt high pressure sodium luminaries and shall come complete with wire guard accessory.

Basis of Payment: This work will be paid for at the Contract unit price per Each for UNDERPASS LUMINAIRE, 250 WATT, HIGH PRESSURE SODIUM, ALUMINUM HOUSING which price shall include all cost for labor, material, and equipment necessary to furnish and install the unit as described herein.

LIGHT POLE, CONCRETE, 20.0 FOOT MOUNTING HEIGHT, POST TOP LUMINAIRE, 240 VOLT, 200 WATT HIGH PRESSURE SODIUM LUMINAIRE AND LAMP

This item shall consist of the installation of a concrete light standard, luminarie, lamp, pole wiring, and hardware installed as part of this project.

Basis of Payment: This work will be paid for at the Contract unit price per Each for LIGHT POLE, CONCRETE, 20.0 FOOT MOUNTING HEIGHT, POST TOP LUMINAIRE, 240 VOLT, 200 WATT HIGH PRESSURE SODIUM LUMINAIRE AND LAMP, which price shall include all cost for labor, material, and equipment necessary to furnish and install the unit as described herein.

Revised 8-24-07