



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

September 12, 2007

SUBJECT: FAU 7622 (Jackson Avenue)
Project BRM-5013(15)
Section 06-00085-00-BR (Charleston)
Coles County
Contract No. 95522
Item 23
September 21, 2007 Letting
Addendum (B)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

Proposal – Revised Index and Page 5 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Eric Harm
Interim Engineer of Design and Environment

A handwritten signature in cursive script, appearing to read "Ted B. Walschleger" followed by a small "E.".

By: Ted B. Walschleger
Engineer of Project Development
and Implementation

INDEX TO SPECIAL PROVISIONS

Introductory Paragraph 1

Description of Work..... 1

Construction Requirements 1

Traffic Control Plan 1

Notification of Road Closure 2

Cooperation with City..... 3

Removal of Existing Structure..... 3

Erosion Control 3

Seeding, Class 1A (Special) 3

Temporary Stream Crossing 4

Saw-Cutting of Existing Concrete Pavement and Sidewalk..... 4

Precast Concrete Structures - Headwalls..... 4

Articulated Block Revetment Mat 4

Preformed Expansion Joint, 1", at Sidewalks and Curb and Gutter..... 5

~~Porous Granular Embankment, Special 5~~

Coarse Aggregate Backfill (Special)..... 5

Steel Railing (Special) 5

Completion Date 6

Status of Utilities to be Adjusted 7

Segmental Concrete Block Retaining Wall System 8

Commitments 13

404 Permit 14

Revised 9-12-07

Engineer prior to manufacture and installation. The open cell block mat shall be installed to the lines and grades shown on the plan drawings and shall be constructed according to the manufacturer's recommendations. This work shall be paid for at the contract unit price per square yard for ARTICULATED BLOCK REVETMENT MAT, which price shall include all material and labor necessary for installation.

PREFORMED EXPANSION JOINT, 1", AT SIDEWALKS AND CURB AND GUTTER:

Prefomed expansion joint filler meeting the requirements of Section 1051 shall be placed at joints where new sidewalk or curb and gutter butts up to existing sidewalk or curb and gutter as shown on the plan drawings. Furnishing and installing the prefomed expansion joint shall not be paid for separately but shall be included in the contract unit price for the associated pay items.

~~**POROUS GRANULAR EMBANKMENT, SPECIAL:**~~

See GBSP 52

~~POROUS GRANULAR EMBANKMENT, SPECIAL shall be used to backfill the areas of structural excavation behind the bridge abutments as shown on the plans and the area over the precast bridge units beneath the pavement. This work shall be performed in accordance with the applicable portions of Section 206 and will be paid for at the contract unit price per cubic yard for POROUS GRANULAR EMBANKMENT SPECIAL.~~

COARSE AGGREGATE BACKFILL (SPECIAL):

COARSE AGGREGATE BACKFILL (SPECIAL) shall be used to fill in the exposed cells of the articulated block revetment mat under the bridge and along the stream banks where the slopes are steeper than 4:1. The coarse aggregate shall be placed on top of the block mat and raked and broomed over the mat such that the voids are filled and the tops of the concrete blocks are exposed. The coarse aggregate shall be gradation CA 06 and shall be uncrushed gravel. This work shall be paid for at the contract unit price per Cubic Yard for COARSE AGGREGATE BACKFILL (SPECIAL).

STEEL RAILING (SPECIAL):

Steel Railing (special) shall be fabricated and erected according to the plan details and the applicable portions of Section 509. Posts installed adjacent to Segmental Concrete Block Wall shall be installed in concrete in cantilevered inserts per the Segmental Concrete Block Wall Special Provision. Sleeves shall be provided in the post foundations to allow removal for future maintenance per the plan detail. In lieu of galvanizing, the railing shall be powder coated according to the applicable portions of Section 506. The primer paint shall be Rohm and Haas zinc rich gray primer 13-7004 or an approved equal. The finish coat shall be CORVEL 3000 Series TGIC polyester baked coating, Rohm and Haas 30-7018 Comet Black semi-gloss, or an approved equal. The powder coating shall be applied and baked according to the manufacture's recommendations. The baked coating applicator shall provide verification of satisfactory experience and training in Rhom and Haas baked polyester coating systems, or an approved equal. R&B Powder Coatings, Charleston, IL, has previously provided acceptable