

SCHEDULE OF QUANTITIES

63100045 TRAFFIC BARRIER TERMINAL, TYPE 2

STATION	OFFSET(FT)	EACH
150+43.0	68.0 RT	1.0
TOTAL =		1

63100085 TRAFFIC BARRIER TERMINAL, TYPE 6

STATION	OFFSET(FT)	EACH
22+37.0	33.5 RT	1.0
25+33.0	33.5 RT	1.0
22+20.0	33.5 LT	1.0
25+20.0	33.5 LT	1.0
TOTAL =		4

63100167 TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT

STATION	OFFSET(FT)	EACH
35+30.0	41.0 LT	1.0
TOTAL =		1

63100169 TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) FLARED

STATION	OFFSET(FT)	EACH
14+70.0	39.5 RT	1.0
TOTAL =		1

63200310 GUARDRAIL REMOVAL

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT
149+30.3	68.0 RT	150+30.3	68.0 RT	100.0
150+43.0	68.0 RT	150+30.5	68.0 RT	12.5
22+37.0	33.5 RT	22+70.0	33.5 RT	33.0
25+33.0	33.5 RT	25+66.0	33.5 RT	33.0
22+20.0	33.5 LT	22+53.0	33.5 LT	33.0
25+20.0	33.5 LT	25+53.0	33.5 LT	33.0
14+70.0	39.5 RT	15+20.0	39.5 RT	50.0
34+80.0	41.0 LT	35+30.0	41.0 LT	50.0
TOTAL =				345

70301000 WORK ZONE PAVEMENT MARKING REMOVAL

STATION	WIDTH(FT)	STATION	WIDTH(FT)	SQ FT	
REFER TO "X7030025 WET REF TEM RAPE L&S" FOR QUAN					36.4
REFER TO "X7030030 WET REF TEM TAPE T3 4" FOR QUA					4,828.5
TOTAL =				4,865	

70400100 TEMPORARY CONCRETE BARRIER

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT
STAGE I				
21+10.4	5.3 LT	22+00.0	3.1 RT	90.0
22+00.0	3.1 RT	26+00.0	3.1 RT	400.0
26+00.0	3.1 RT	26+99.6	5.3 LT	100.0
TOTAL =				590

70400200 RELOCATE TEMPORARY CONCRETE BARRIER

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT
STAGE II				
21+30.1	6.0 RT	22+00.0	2.3 RT	70.0
22+00.0	2.3 RT	26+00.0	2.3 RT	400.0
26+00.0	2.3 RT	27+19.7	6.0 LT	120.0
TOTAL =				590

78000200 THERMOPLASTIC PAVEMENT MARKING - LINE 4"

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT	
SOUTH OF BRIDGE					
WHITE EDGE LINE					
19+25.0	26.0 LT	22+39.6	26.0 LT	314.6	
19+25.0	26.0 RT	22+52.2	26.0 RT	327.2	
YELLOW 4' WIDE MEDIAN					
19+25.0	2.0 LT	22+45.5	2.0 LT	320.5	
19+25.0	2.0 RT	22+45.5	2.0 RT	320.5	
WHITE SKIP DASH					
19+25.0	14.0 LT	22+42.5	14.0 LT	79.4	
19+25.0	14.0 RT	22+42.5	14.0 RT	79.4	
NORTH OF BRIDGE					
WHITE EDGE LINE					
25+03.0	25.8 LT	36+36.5	25.8 LT	1,133.5	
37+45.2	25.8 LT	39+07.2	25.8 LT	162.0	
39+07.2	25.8 LT	40+86.2	32.1 LT	179.1	
40+86.2	32.1 LT	41+44.3	32.1 LT	58.1	
YELLOW 4' WIDE MEDIAN					
25+03.0	2.2 LT	36+36.2	2.2 LT	1,133.2	
37+45.2	2.2 LT	39+02.9	2.2 LT	157.7	
39+02.9	2.2 LT	40+86.9	8.5 LT	184.1	
40+86.9	8.5 LT	41+12.1	8.5 LT	25.2	
41+12.1	8.5 LT	41+49.7	10.0 RT	47.3	
WHITE SKIP DASH					
25+03.0	1.3 LT	36+36.2	1.3 LT	1,133.2	
37+45.2	1.3 LT	39+02.9	1.3 LT	157.7	
39+02.9	1.3 LT	40+86.9	7.7 LT	184.1	
40+86.9	7.7 LT	41+12.1	7.7 LT	25.2	
41+12.1	7.7 LT	41+49.7	9.1 RT	44.4	
WHITE SKIP DASH					
25+03.0	2.2 RT	36+36.2	2.2 RT	1,133.2	
37+45.2	2.2 RT	38+64.1	2.2 RT	118.9	
38+64.1	2.2 RT	40+86.8	10.0 RT	222.9	
40+86.8	10.0 RT	41+49.7	10.0 RT	62.8	
WHITE SKIP DASH					
25+03.0	1.3 RT	36+36.2	1.3 RT	1,133.2	
37+45.2	1.3 RT	38+64.1	1.3 RT	118.9	
38+64.1	1.3 RT	40+86.9	1.3 RT	222.8	
40+86.9	1.3 RT	41+49.7	1.3 RT	62.8	
TOTAL =					11,232

78000600 THERMOPLASTIC PAVEMENT MARKING - LINE 12"

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT
YELLOW DIAGONAL				
39+00.0	0.0 RT			5.0
39+75.0	0.0 RT			12.6
40+50.0	0.0 RT			20.0
41+25.0	0.0 RT			23.8
TOTAL =				61

78008200 POLYUREA PAVEMENT MARKING TYPE I - LETTERS AND SYMBOLS

STATION	WIDTH(FT)	STATION	WIDTH(FT)	SQ FT
8+50.0 2.5 RT				
LEFT TURN PAVEMENT MARKING - "ONLY"				20.8
LEFT TURN PAVEMENT MARKING - "ARROW"				15.6
TOTAL =				36

78008210 POLYUREA PAVEMENT MARKING TYPE I - LINE 4"

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT	
SOUTH OF BRIDGE AND BRIDGE DECK					
WHITE EDGE LINE					
3+08.8	30.8 LT	9+40.8	30.8 LT	632.0	
10+20.8	30.8 LT	11+83.2	30.8 LT	162.5	
11+83.2	30.8 LT	13+94.1	25.9 LT	210.9	
15+00.0	25.8 LT	19+25.0	25.8 LT	425.0	
22+39.6	26.0 LT	25+03.3	26.0 LT	263.7	
YELLOW MEDIAN					
3+08.8	8.0 LT	9+24.9	8.0 LT	616.1	
9+24.9	8.0 LT	11+82.2	8.0 LT	192.7	
11+82.2	8.0 LT	13+95.2	2.2 LT	213.0	
15+00.0	2.2 LT	19+25.0	2.2 LT	425.0	
22+46.0	2.2 LT	25+09.0	2.2 LT	263.0	
WHITE SKIP DASH					
3+08.8	9.2 RT	5+90.5	9.2 RT	281.7	
5+90.5	9.2 RT	8+25.1	2.7 LT	234.9	
8+25.1	2.7 LT	9+24.9	2.7 LT	99.8	
9+24.9	8.0 LT	10+29.6	8.6 RT	43.4	
10+29.6	8.6 RT	11+81.9	8.6 RT	152.3	
11+81.9	8.6 RT	13+95.2	2.2 RT	213.4	
15+00.0	2.2 RT	19+25.0	2.2 RT	425.0	
22+46.0	2.2 RT	25+09.0	2.2 RT	263.0	
TOTAL =					7,724

78008230 POLYUREA PAVEMENT MARKING TYPE I - LINE 6"

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT
SOUTH OF BRIDGE AND BRIDGE DECK				
8+25.0	8.4 RT	9+35.0	8.4 RT	110.0
TOTAL =				110

78100100 RAISED REFLECTIVE PAVEMENT MARKER

STATION	OFFSET(FT)	STATION	OFFSET(FT)	EACH
ONE-WAY CRYSTAL MARKER - 2 MARKERS PLACED AT 80' O.C.				
19+25.0	14.0 LT	22+39.7	14.0 LT	8.0
19+25.0	14.0 RT	22+39.7	14.0 RT	8.0
25+15.1	14.0 LT	29+00.0	14.0 LT	10.0
25+15.1	14.0 RT	29+00.0	14.0 RT	10.0
TWO-WAY AMBER MARKER - 1 MARKER PLACED AT 40' O.C.				
19+25.0	2.0 LT	22+39.7	2.0 LT	8.0
19+25.0	2.0 RT	22+39.7	2.0 RT	8.0
25+15.1	2.0 LT	29+00.0	2.0 LT	10.0
25+15.1	2.0 RT	29+00.0	2.0 RT	10.0
TOTAL =				72

78100105 RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE)

STATION	OFFSET(FT)	STATION	OFFSET(FT)	EACH
ONE-WAY CRYSTAL MARKER - 2 MARKERS PLACED AT 80' O.C.				
22+46.0	14.0 LT	25+09.0	14.0 LT	8.0
22+46.0	14.0 RT	25+09.0	14.0 RT	8.0
TOTAL =				16

78300100 PAVEMENT MARKING REMOVAL

STATION	WIDTH(FT)	STATION	WIDTH(FT)	SQ FT	
REFER TO "78000200 THPL PVT MK LINE 4" FOR QUANT					3,744.0
REFER TO "78000600 THPL PVT MK LINE 12" FOR QUANT					61.4
REFER TO "78008200 POLYUREA PM T1 LTR-SY" FOR QUA					36.4
REFER TO "78008210 POLYUREA PM T1 LN 4" FOR QUANT					2,574.7
REFER TO "78008230 POLYUREA PM T1 LN 6" FOR QUANT					55.0
TOTAL =				6,472	

X6060500 CORRUGATED MEDIAN REMOVAL

STATION	WIDTH(FT)	STATION	WIDTH(FT)	SQ FT
15+00.0	4.0	23+06.0	4.0	3,224.0
24+78.0	4.0	25+25.0	4.0	188.0
TOTAL =				3,412

X6640304 CHAIN LINK FENCE TO BE REMOVED AND RE-ERECTED

STATION	OFFSET(FT)	STATION	OFFSET(FT)	FOOT
22+50.0	35.0 LT	22+72.0	58.2 LT	32.0
22+70.0	35.5 RT	22+79.0	74.5 RT	40.0
25+07.0	79.0 LT	25+19.0	32.5 LT	48.0
25+31.0	34.0 RT	25+39.0	65.0 RT	32.0
TOTAL =				152

X7030025 WET REFLECTIVE TEMPORARY TAPE LETTERS AND SYMBOLS

STATION	WIDTH(FT)	STATION	WIDTH(FT)	SQ FT
AT 163RD STREET				
LEFT TURN PAVEMENT MARKING - "ONLY"				20.8
LEFT TURN PAVEMENT MARKING - "ARROW"				15.6
TOTAL =				36

FILE NAME = G:\projects\2102165_004\CAD\Civil\Shht\0106063-085\shht-schedule.dgn



USER NAME = ZPIENID	DESIGNED = DJB	REVISED =
PLOT SCALE = 50.00' / IN.	DRAWN = ENTRAN	REVISED =
PLOT DATE = 8/17/2011	CHECKED = TMH	REVISED =
	DATE = 06/15/11	REVISED =

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

FAI ROUTE 57 (INTERSTATE 57) AT FAU ROUTE 3778 (CRAWFORD AVENUE)
SCHEDULE OF QUANTITIES
SCALE: 50.00' / IN. SHEET NO. OF SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
57	1112.IB	COOK	75	7

CONTRACT NO. 60863
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT