

- 1 CB, T-B, 5' DIA.
W/ T-7 GRATE
STA.88+93.8, 41' RT.
T.G. 918.14
INV.914.14
- 2 CB, T-C, 2' DIA.
W/ T-23 F&G
STA.92+23.3, 43.8' RT.
T.G. 916.92
INV.911.65
- 3 MH, T-A, 5' DIA.
W/ T-1 F CL LID
STA.92+23.3, 52.2' RT.
T.G. 919.76
INV.911.60 (N) (IN)
INV.912.51 (W) (IN)
INV.909.45 (E) (OUT)
- 4 CB, T-C, 2' DIA.
W/ T-23 F&G
STA.94+67.2, 47' RT.
T.G. 912.99
INV. 907.75
- 5 MH, T-A, 5' DIA.
W/ T-1 F CL LID
W/ RESTRICTOR PLATE
STA.94+71, 53.3' RT.
T.G. 915.00
INV.907.72 (N) (IN)
INV.907.75 (W) (IN)
INV.905.55 (E) (OUT)
- 6 CB, T-A, 5' DIA.
W/ T-23 F&G
STA.96+96, 55' RT.
T.G. 909.63
INV.904.01 (W) (IN)
INV.902.88 (E) (OUT)
- 7 CB, T-A, 5' DIA.
W/ T-23 F&G
STA.98+97.6, 55' RT.
T.G. 904.95
INV.899.93 (W) (IN)
INV.899.53 (SE) (OUT)
FLAT SLAB TOP
- 8 MH, T-A, 5' DIA.
W/ T-1 F CL LID
STA.199+09.6, 64' LT.
T.G. 903.50
INV.897.45 (SE)
INV.899.25 (NW) (IN)
INV.896.90 (E) (OUT)
- 9 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.198+91.9, 54.6' LT.
T.G. 901.89
INV.897.54 (NW)
- 10 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.197+39.4, 47.8' LT.
T.G. 903.13
INV.898.11 (E)
- 11 CB, T-A, 4' DIA.
W/ T-12 F&G
STA.197+39.4, 9' LT.
T.G. 903.94
INV.897.95 (E)
INV.897.95 (W)
- 12 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.197+39.4, 55' RT.
T.G. 903.00
INV.897.68 (W)
- 13 MH, T-A, 4' DIA.
W/ T-1 F C.L.
STA.197+39.4, 45' RT.
T.G. 903.31
INV.897.46 (W)
INV.897.46 (N)
INV.897.52 (E)
- 14 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.198+90.7, 55' RT.
T.G. 901.75
INV.897.58 (W)
- 15 MH, T-A, 4' DIA.
W/ T-1 F C.L.
STA.198+90.7, 45' RT.
T.G. 902.07
INV.896.81 (S) (IN)
INV.897.52 (E) (IN)
INV.896.63 (NE) (OUT)
- 16 CB, T-A, 5' DIA.
W/ T-12 F&G
STA.199+09.6, 9' LT.
T.G. 902.58
INV.896.50 (W) (IN)
INV.895.51 (E) (OUT)
- 17 MH, T-A, 5' DIA.
W/ T-1 F C.L.
STA.199+09.6, 67.7' RT.
T.G. 902.25
INV.895.00 (W) (IN)
INV.889.70 (NE) (OUT)
INV.896.19 (SW) (IN)
- 18 C.B., T-A, 5' DIA.
W/ T-23 F&G
STA.101+04.8, 55' RT.
T.G. 897.00
INV.888.91 (SW) (IN)
INV.883.05 (E) (OUT)
- 19 INLET, T-A, 2' DIA.
W/ T-12 F&G
STA.102+77, 9' RT.
T.G. 889.28
INV.884.28
- 20 CB, T-A, 4' DIA.
W/ T-23 F&G
STA.102+84.8, 47' RT.
T.G. 888.07
INV.882.98 (N)
INV.882.98 (S)
- 21 MH, T-A, 5' DIA.
W/ T-1 F C.L.
W/ RESTRICTOR PLATE
STA.102+85, 55.7' RT.
T.G. 889.60
INV.882.93 (N) (IN)
INV.881.75 (W) (IN)
INV.880.41 (E) (OUT)
- 22 PRC FLARED END SECTION,
24", W/ GRATE
STA.104+38.4, 56.6' RT.
INV.878.92
- 23 INLET, T-B, 3' DIA.
W/ T-12 F&G
STA.104+91.7, 8.8' RT.
T.G. 878.57
INV.873.00
- 24 CB, T-A, 4' DIA.
W/ T-12 F&G
STA.106+36.7, 0.3' LT.
T.G. 871.16
INV.865.64 (W)
INV.865.46 (S)
- 25 PRC FLARED END SECTION, 12"
STA.106+36.7, 54' RT.
INV.865.20
- 26 PRC FLARED END SECTION, 15"
STA.104+49, 49' LT.
INV.850.47 851.92
- 27 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.108+55.3, 41.9' LT.
T.G.860.00
INV.854.78
- 28 MH, T-A, 4' DIA.
W/ T-1 F C.L.
STA.108+55.3, 50.9' LT.
T.G. 860.61
INV.854.69 (S) (IN)
INV.854.59 (E) (OUT)
INV.855.43 (W) (IN)
- 29 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.107+02.8, 47.2' LT.
T.G.866.57
INV.861.25
- 30 MH, T-A, 4' DIA.
W/ T-1 F C.L.
STA.107+06.9, 52.6' LT.
T.G. 867.49
INV.861.19 (S) (IN)
INV.861.09 (E) (OUT)
INV.862.39 (W) (IN)
- 31 CB, T-A, 4' DIA.
W/ T-23 F&G
STA.104+86.7, 55' LT.
T.G. 877.93
INV.872.59 (E) (OUT)
INV.873.38 (W) (IN)
- 32 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.102+50.6, 55' LT.
T.G.889.68
INV.884.16
- 33 MH, T-A, 4' DIA.
W/ T-1 F C.L.
STA.102+56.6, 59.5' LT.
T.G. 889.39
INV.884.11 (S) (IN)
INV.884.00 (E)
- 34 MH, T-A, 6' DIA.
W/ T-1 F C.L.
STA.201+35, 64.9' RT.
T.G. 898.57
INV.889.29 (W) (IN)
INV.887.33 (N) (OUT)
- 35 CB, T-A, 5' DIA.
W/ T-23 F&G
STA.201+32.5, 53.4 RT.
T.G. 900.53
INV.893.17 (W) (IN)
INV.889.31 (E) (OUT)
- 36 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.203+20.4, 55' LT.
T.G. 897.83
INV.892.73 (E)
- 37 CB, T-A, 4' DIA.
W/ T-12 F&G
STA.203+20.4, 9' RT.
T.G. 898.76
INV.892.44 (W)
INV.892.44 (E)
- 38 CB, T-A, 4' DIA.
W/ T-23 F&G
STA.203+20.4, 47' RT.
T.G. 897.75
INV.892.39 (W) (IN)
INV.891.30 (E) (OUT)
- 39 MH, T-A, 6' DIA.
W/ T-1 F C.L.
STA.203+20.4, 56.6' RT.
T.G. 895.99
INV.887.20 (S) (IN)
INV.891.25 (W) (IN)
INV.887.20 (N) (OUT)
FLAT SLAB TOP
- 40 PRC FLARED END SECTION,
48", W/ GRATE
STA.204+43, 67' LT.
INV.886.78 (E)
- 41 MH, T-A, 7' DIA.
W/ T-1 F C.L.
STA.204+60, 55.5' RT.
T.G. 894.90
INV.886.69 (W) (IN)
INV.887.10 (S) (IN)
INV.886.51 (E) (OUT)
INV.888.69 (N) (IN)
FLAT SLAB TOP
- 42 MH, T-A, 5' DIA.
W/ T-1 F C.L.
W/ RESTRICTOR PLATE
STA.204+51, 55.5' RT.
T.G. 894.98
INV.887.10 (S)
INV.887.10 (N)
FLAT SLAB TOP
- 43 PRC FLARED END SECTION,
60", W/ GRATE
STA.204+59, 79.5' RT.
INV.886.50 (W)
- 44 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.205+49, 47.4' LT.
T.G. 895.58
INV.890.70 (S)
- 45 C.B., T-A, 4' DIA.
W/ T-23 F&G
STA.205+39, 47.7' LT.
T.G. 895.57
INV.890.63 (N) (IN)
INV.890.63 (E) (OUT)
- 46 C.B., T-A, 4' DIA.
W/ T-12 F&G
STA.205+39, 2.4' RT.
T.G. 896.57
INV.890.39 (E) (OUT)
INV.890.39 (W) (IN)
- 47 CB, T-A, 4' DIA.
W/ T-23 F&G
STA.205+39, 47' RT.
T.G. 895.52
INV.890.55 (N) (IN)
INV.888.93 (E) (OUT)
INV.890.17 (W) (IN)
- 48 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.205+49, 47' RT.
T.G. 895.52
INV.890.62 (S)
- 49 MH, T-A, 4' DIA.
W/ T-1 F C.L.
STA.205+39, 55.5' RT.
T.G. 894.66
INV.888.90 (W) (IN)
INV.888.90 (S) (OUT)
- 50 CB, T-A, 5' DIA.
W/ T-23 F&G
STA.201+05, 55' LT.
T.G. 901.11
INV.895.51 (SW) (IN)
INV.894.04 (E) (OUT)
- 51 INLET, T-A, 2' DIA.
W/ T-12 F&G
STA.99+04.7, 9' LT.
T.G. 905.63
INV.899.82 (N) (OUT)
- 52 INLET, T-B, 3' DIA.
W/ T-23 F&G
STA.98+91.7, 54.6' LT.
T.G. 904.86
INV.899.57 (S) (IN)
INV.899.57 (N) (OUT)
- 53 MH, T-A, 5' DIA.
W/ T-1 F C.L.
W/ RESTRICTOR PLATE
STA.98+97.7, 60.9' LT.
T.G. 905.53
INV.899.50 (S) (IN)
INV.896.00 (NE) (OUT)
INV.898.28 (W) (IN)
- 54 INLET, T-A, 2' DIA.
W/ T-12 F&G
STA.97+16.8, 9' LT.
T.G. 910.19
INV.904.49 (N)
- 55 INLET, T-B, 3' DIA.
W/ T-23 F&G
STA.97+11.4, 47' LT.
T.G. 909.41
INV.903.11 (N) (OUT)
INV.904.31 (S) (IN)
- 56 M.H., T-A, 5' DIA.
W/ T-1 F C.L.
STA.97+16, 53.3' LT.
T.G. 910.10
INV.903.08 (S) (IN)
INV.901.99 (W) (IN)
INV.899.62 (E) (OUT)
- 57 INLET, T-A, 2' DIA.
W/ T-12 F&G
STA.95+63, 9' LT.
T.G. 912.57
INV.906.80 (N)
- 58 INLET, T-B, 3' DIA.
W/ T-23 F&G
STA.95+58.6, 47' LT.
T.G. 911.72
INV.906.62 (S) (IN)
INV.905.58 (N) (OUT)
- 59 MH, T-A, 5' DIA.
W/ T-1 F C.L.
STA.95+63, 53.5' LT.
T.G. 912.45
INV.905.56 (S) (IN)
INV.903.17 (E) (OUT)
INV.904.48 (W) (IN)
- 60 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.93+47.7, 47' LT.
T.G. 914.89
INV.909.79 (N)
- 61 MH, T-A, 5' DIA.
W/ T-1 F C.L.
STA.93+52, 53.6' LT.
T.G. 915.55
INV.906.04 (E) (OUT)
INV.909.65 (S) (IN)
INV.908.06 (W) (IN)
- 62 INLET, T-A, 2' DIA.
W/ T-23 F&G
STA.91+51, 42.3' LT.
T.G. 918.03
INV. 912.93
- 63 MH, T-A, 5' DIA.
W/ T-1 F C.L.
STA.91+51, 55' LT.
T.G. 920.48
INV.912.85 (S) (IN)
INV.909.25 (E) (OUT)
INV.910.06 (W) (IN)
- 64 CB, T-C, 2' DIA.
W/ T-23 F&G
STA.89+38, 33.3' LT.
T.G. 920.52
INV. 912.71 (N)
- 65 C.B., T-A, 5' DIA.
W/ T-8 GRATE.
STA.89+38, 46.4' LT.
T.G. 918.30
INV.911.55 (W) (IN)
INV.910.95 (E) (OUT)
INV.912.64 (S) (IN)
- 66 CB, T-B, 5' DIA.
W/ T-7 GRATE
STA.87+00, 40' LT.
T.G. 918.66
INV.914.66 (E)
- 67 CB, T-A, 4' DIA.
W/ T-12 F&G
STA.194+11, 0.4' RT.
T.G. 903.81
INV. 897.58 (E)
INV. 897.48 (W)
- 68 PRC FLARED END SECTION, 15"
STA.194+11, 59.8' LT.
INV. 897.18(W)
- 69 CB, T-A, 4' DIA.
W/ T-23 F&G
STA.194+11, 47' RT.
T.G. 902.93
INV. 897.80 (W)
- 70 PRC FLARED END SECTION, 15"
STA.84+88, 41' RT.
INV. 920.00 (E)
- 71 PRC FLARED END SECTION, 15"
STA.85+61, 41' RT.
INV. 919.64 (E)
- 72 PRC FLARED END SECTION, 15"
STA.109+04, 55' RT.
INV. 855.30 (E)
- 73 PRC FLARED END SECTION, 15"
STA.109+30, 55' RT.
INV. 855.17 (W)
- 74 PRC FLARED END SECTION, 15"
STA.208+97, 57.5' LT.
INV. 897.69 (S)
- 75 PRC FLARED END SECTION, 15"
STA.209+25, 57.5' LT.
INV. 897.55 (N)
- 76 PRC FLARED END SECTION, 15"
STA.206+71, 61' LT.
INV. 893.94 (S)
- 77 PRC FLARED END SECTION, 15"
STA.206+45, 61' LT.
INV. 893.81 (N)