

1	CB, T-B, 5' DIA. W/ T-7 GRATE STA.88+93.8, 41' RT. T.G. 918.14 INV.914.14	10	INLET, T-A, 2' DIA. W/ T-23 F&G STA.197+39.4, 47.8' LT. T.G. 903.13 INV.898.11 (E)	19	INLET, T-A, 2' DIA. W/ T-12 F&G STA.102+77, 9' RT. T.G. 889.28 INV.884.28	30	MH, T-A, 4' DIA. W/ T-1 F C.L. STA.107+06.9, 52.6' LT. T.G. 867.49 INV.861.19 (S) (IN) INV.861.09 (E) (OUT) INV.862.39 (W) (IN)	39	MH, T-A, 6' DIA. W/ T-1 F C.L. STA.203+20.4, 56.6' RT. T.G. 895.99 INV.887.20 (S) (IN) INV.891.25 (W) (IN) INV.887.20 (N) (OUT) FLAT SLAB TOP	49	MH, T-A, 4' DIA. W/ T-1 F C.L. STA.205+39, 55.5' RT. T.G. 894.66 INV.888.90 (W) (IN) INV.888.90 (S) (OUT)	59	MH, T-A, 5' DIA. W/ T-1 F C.L. STA.95+63, 53.5' LT. T.G. 912.45 INV.905.56 (S) (IN) INV.903.17 (E) (OUT) INV.904.48 (W) (IN)	69	CB, T-A, 4' DIA. W/ T-23 F&G STA.194+11, 47' RT. T.G. 902.93 INV. 897.80 (W)
2	CB, T-C, 2' DIA. W/ T-23 F&G STA.92+23.3, 43.8' RT. T.G. 916.92 INV.911.65	11	CB, T-A, 4' DIA. W/ T-12 F&G STA.197+39.4, 9' LT. T.G. 903.94 INV.897.95 (E) INV.897.95 (W)	20	CB, T-A, 4' DIA. W/ T-23 F&G STA.102+84.8, 47' RT. T.G. 888.07 INV.882.98 (N) INV.882.98 (S)	31	CB, T-A, 4' DIA. W/ T-23 F&G STA.104+86.7, 55' LT. T.G. 877.93 INV.872.59 (E) (OUT) INV.873.38 (W) (IN)	40	PRC FLARED END SECTION, 48", W/ GRATE STA.204+43, 67' LT. INV.886.78 (E)	50	CB, T-A, 5' DIA. W/ T-23 F&G STA.201+05, 55' LT. T.G. 901.11 INV.895.51 (SW) (IN) INV.894.04 (E) (OUT)	60	INLET, T-A, 2' DIA. W/ T-23 F&G STA.93+47.7, 47' LT. T.G. 914.89 INV.909.79 (N)	70	PRC FLARED END SECTION, 15" STA.84+88, 41' RT. INV. 920.00 (E)
3	MH, T-A, 5' DIA. W/ T-1 F CL LID STA.92+23.3, 52.2' RT. T.G. 919.76 INV.911.60 (N) (IN) INV.912.51 (W) (IN) INV.909.45 (E) (OUT)	12	INLET, T-A, 2' DIA. W/ T-23 F&G STA.197+39.4, 55' RT. T.G. 903.00 INV.897.68 (W)	21	MH, T-A, 5' DIA. W/ T-1 F C.L. W/ RESTRICTOR PLATE STA.102+85, 55.7' RT. T.G. 889.60 INV.882.93 (N) (IN) INV.881.75 (W) (IN) INV.880.41 (E) (OUT)	32	INLET, T-A, 2' DIA. W/ T-23 F&G STA.102+50.6, 55' LT. T.G.889.68 INV.884.16	41	MH, T-A, 7' DIA. W/ T-1 F C.L. STA.204+60, 55.5' RT. T.G. 894.90 INV.886.69 (W) (IN) INV.887.10 (S) (IN) INV.886.51 (E) (OUT) FLAT SLAB TOP	51	INLET, T-A, 2' DIA. W/ T-1 F&G STA.99+04.7, 9' LT. T.G. 905.63 INV.899.82 (N) (OUT)	61	MH, T-A, 5' DIA. W/ T-1 F C.L. STA.93+52, 53.6' LT. T.G. 915.55 INV.906.04 (E) (OUT) INV.909.65 (S) (IN) INV.908.06 (W) (IN)	72	PRC FLARED END SECTION, 15" STA.109+04, 55' RT. INV. 855.30 (E)
4	CB, T-C, 2' DIA. W/ T-23 F&G STA.94+67.2, 47' RT. T.G. 912.99 INV. 907.75	13	MH, T-A, 4' DIA. W/ T-1 F C.L. STA.197+39.4, 45' RT. T.G. 903.31 INV.897.46 (W) INV.897.46 (N) INV.897.52 (E)	22	PRC FLARED END SECTION, 24", W/ GRATE STA.104+38.4, 56.6' RT. INV.878.92	33	MH, T-A, 4' DIA. W/ T-1 F C.L. STA.102+56.6, 59.5' LT. T.G. 889.39 INV.884.11 (S) (IN) INV.884.00 (E)	42	MH, T-A, 5' DIA. W/ T-1 F C.L. W/ RESTRICTOR PLATE STA.204+51, 55.5' RT. T.G. 894.98 INV.887.10 (S) INV.887.10 (N) FLAT SLAB TOP	52	INLET, T-B, 3' DIA. W/ T-23 F&G STA.98+91.7, 54.6' LT. T.G. 904.86 INV.899.57 (S) (IN) INV.899.57 (N) (OUT)	62	INLET, T-A, 2' DIA. W/ T-23 F&G STA.91+51, 42.3' LT. T.G. 918.03 INV. 912.93	74	PRC FLARED END SECTION, 15" STA.208+97, 57.5' LT. INV. 897.69 (S)
5	MH, T-A, 5' DIA. W/ T-1 F CL LID W/ RESTRICTOR PLATE STA.94+71, 53.3' RT. T.G. 915.00 INV.907.72 (N) (IN) INV.907.75 (W) (IN) INV.905.55 (E) (OUT)	14	INLET, T-A, 2' DIA. W/ T-23 F&G STA.198+90.7, 55' RT. T.G. 901.75 INV.897.58 (W)	23	INLET, T-B, 3' DIA. W/ T-12 F&G STA.104+91.7, 8.8' RT. T.G. 878.57 INV.873.00	34	MH, T-A, 6' DIA. W/ T-1 F C.L. STA.201+35, 64.9' RT. T.G. 898.57 INV.889.29 (W) (IN) INV.887.33 (N) (OUT)	43	PRC FLARED END SECTION, 60", W/ GRATE STA.204+59, 79.5' RT. INV.886.50 (W)	53	MH, T-A, 5' DIA. W/ T-1 F C.L. W/ RESTRICTOR PLATE STA.98+97.7, 60.9' LT. T.G. 905.53 INV.899.50 (S) (IN) INV.896.00 (NE) (OUT) INV.898.28 (W) (IN)	63	MH, T-A, 5' DIA. W/ T-1 F C.L. STA.91+51, 55' LT. T.G. 920.48 INV.912.85 (S) (IN) INV.909.25 (E) (OUT) INV.910.06 (W) (IN)	75	PRC FLARED END SECTION, 15" STA.209+25, 57.5' LT. INV. 897.55 (N)
6	CB, T-A, 5' DIA. W/ T-23 F&G STA.96+96, 55' RT. T.G. 909.63 INV.904.01 (W) (IN) INV.902.88 (E) (OUT)	15	MH, T-A, 4' DIA. W/ T-1 F C.L. STA.198+90.7, 45' RT T.G. 902.07 INV.896.81 (S) (IN) INV.897.52 (E) (IN) INV.896.63 (NE) (OUT)	24	CB, T-A, 4' DIA. W/ T-12 F&G STA.106+36.7, 0.3' LT. T.G. 871.16 INV.865.64 (W) INV.865.46 (S)	35	CB, T-A, 5' DIA. W/ T-23 F&G STA.201+32.5, 53.4 RT. T.G. 900.53 INV.893.17 (W) (IN) INV.889.31 (E) (OUT)	44	INLET, T-A, 2' DIA. W/ T-23 F&G STA.205+49, 47.4' LT. T.G. 895.58 INV.890.70 (S)	54	INLET, T-A, 2' DIA. W/ T-12 F&G STA.97+16.8, 9' LT. T.G. 910.19 INV.904.49 (N)	64	CB, T-C, 2' DIA. W/ T-23 F&G STA.89+38, 33.3' LT. T.G. 920.52 INV. 912.71 (N)	77	PRC FLARED END SECTION, 15" STA.206+45, 61' LT. INV. 893.81 (N)
7	CB, T-A, 5' DIA. W/ T-23 F&G STA.98+97.6, 55' RT. T.G. 904.95 INV.899.93 (W) (IN) INV.899.53 (SE) (OUT) FLAT SLAB TOP	16	CB, T-A, 5' DIA. W/ T-12 F&G STA.199+09.6, 9' LT. T.G. 902.58 INV.896.50 (W) (IN) INV.895.51 (E) (OUT)	25	PRC FLARED END SECTION, 12" STA.106+36.7, 54' RT. INV.865.20	36	INLET, T-A, 2' DIA. W/ T-23 F&G STA.203+20.4, 55' LT. T.G. 897.83 INV.892.73 (E)	45	C.B., T-A, 4' DIA. W/ T-23 F&G STA.205+39, 47.7' LT. T.G. 895.57 INV.890.63 (N) (IN) INV.890.63 (E) (OUT)	55	INLET, T-B, 3' DIA. W/ T-23 F&G STA.97+11.4, 47' LT. T.G. 909.41 INV.903.11 (N) (OUT) INV.904.31 (S) (IN)	65	C.B., T-A, 5' DIA. W/ T-8 GRATE. STA.89+38, 46.4' LT. T.G. 918.30 INV.911.55 (W) (IN) INV.910.95 (E) (OUT) INV.912.64 (S) (IN)		
8	MH, T-A, 5' DIA. W/ T-1 F CL LID STA.199+09.6, 64' LT. T.G. 903.50 INV.897.45 (SE) INV.899.25 (NW) (IN) INV.896.90 (E) (OUT)	17	MH, T-A, 5' DIA. W/ T-1 F C.L. STA.199+09.6, 67.7' RT. T.G. 902.25 INV.895.00 (W) (IN) INV.889.70 (NE) (OUT) INV.896.19 (SW) (IN)	26	PRC FLARED END SECTION, 15" STA.110+01.4, 49' LT. INV.850.47	37	CB, T-A, 4' DIA. W/ T-12 F&G STA.203+20.4, 9' RT. T.G. 898.76 INV.892.44 (W) INV.892.44 (E)	46	C.B., T-A, 4' DIA. W/ T-12 F&G STA.205+39, 2.4' RT. T.G. 896.57 INV.890.39 (E) (OUT) INV.890.39 (W) (IN)	56	M.H., T-A, 5' DIA. W/ T-1 F C.L. STA.97+16, 53.3' LT. T.G. 910.10 INV.903.08 (S) (IN) INV.901.99 (W) (IN) INV.899.62 (E) (OUT)	66	CB, T-B, 5' DIA. W/ T-7 GRATE STA.87+00, 40' LT. T.G. 918.66 INV.914.66 (E)		
9	INLET, T-A, 2' DIA. W/ T-23 F&G STA.198+91.9, 54.6' LT. T.G. 901.89 INV.897.54 (NW)	18	C.B., T-A, 5' DIA. W/ T-23 F&G STA.101+04.8, 55' RT. T.G. 897.00 INV.888.91 (SW) (IN) INV.883.05 (E) (OUT)	27	INLET, T-A, 2' DIA. W/ T-23 F&G STA.108+55.3, 41.9' LT. T.G.860.00 INV.854.78	38	CB, T-A, 4' DIA. W/ T-23 F&G STA.203+20.4, 47' RT. T.G. 897.75 INV.892.39 (W) (IN) INV.891.30 (E) (OUT)	47	CB, T-A, 4' DIA. W/ T-23 F&G STA.205+39, 47' RT. T.G. 895.52 INV.890.55 (N) (IN) INV.888.93 (E) (OUT) INV.890.17 (W) (IN)	57	INLET, T-A, 2' DIA. W/ T-12 F&G STA.95+63, 9' LT. T.G. 912.57 INV.906.80 (N)	67	CB, T-A, 4' DIA. W/ T-12 F&G STA.194+11, 0.4' RT. T.G. 903.81 INV. 897.58 (E) INV. 897.48 (W)		
		28	MH, T-A, 4' DIA. W/ T-1 F C.L. STA.108+55.3, 50.9' LT. T.G. 860.61 INV.854.69 (S) (IN) INV.854.59 (E) (OUT) INV.855.43 (W) (IN)	29	INLET, T-A, 2' DIA. W/ T-23 F&G STA.107+02.8, 47.2' LT. T.G.866.57 INV.861.25	48	INLET, T-A, 2' DIA. W/ T-23 F&G STA.205+49, 47' RT. T.G. 895.52 INV.890.62 (S)	58	INLET, T-B, 3' DIA. W/ T-23 F&G STA.95+58.6, 47' LT. T.G. 911.72 INV.906.62 (S) (IN) INV.905.58 (N) (OUT)	68	PRC FLARED END SECTION, 15" STA. 194+11, 59.8' LT. INV. 897.18 (W)				