

STORM SEWERS, CLASS A, TYPE 1 12"		FOOT
LOCATION		
IL 3		
28.4' RT. STA. 286+31.86 TO 28.4' LT. STA. 286+31.86	55	
29.0' RT. STA. 287+50.00 TO 29.0' LT. STA. 287+50.00	56	
29.0' RT. STA. 289+00.00 TO 32.6' LT. STA. 289+00.00	60	
29.0' RT. STA. 290+20.00 TO 37.9' LT. STA. 290+20.00	65	
TOTAL =	236	

STORM SEWER REMOVAL, 12"		FOOT
LOCATION		
IL 3		
22.1' RT. STA. 288+98.12 TO 141.2' RT. STA. 289+02.06	124	
32.9' LT. STA. 288+98.66 TO 144.8' LT. STA. 288+98.62	113	
TOTAL =	237	

PIPE DRAINS, CORRUGATED STEEL OR ALUMINUM ALLOY 12"		FOOT
LOCATION		
IL 3		
28' LT. STA. 275+98.14 TO 29' LT. STA. 275+98.14	2	
29' LT. STA. 275+98.14 TO 136.3' LT. STA. 275+98.14	128	
136.3' LT. STA. 275+98.14 TO 144.8' LT. STA. 275+98.14	8	
28' RT. STA. 275+98.14 TO 29.3' RT. STA. 275+98.14	2	
29.3' RT. STA. 275+98.14 TO 117.9' RT. STA. 275+98.14	106	
117.9' RT. STA. 275+98.14 TO 126.4' RT. STA. 275+98.14	8	
27.6' LT. STA. 286+31.86 TO 35.8' LT. STA. 286+31.86	8	
35.8' LT. STA. 286+31.86 TO 122.1' LT. STA. 286+31.86	104	
122.1' LT. STA. 286+31.86 TO 130.6' LT. STA. 286+31.86	8	
28.4' LT. STA. 287+50.00 TO 36.3' LT. STA. 287+50.00	8	
36.3' LT. STA. 287+50.00 TO 112.5' LT. STA. 287+50.00	92	
112.5' LT. STA. 287+50.00 TO 120.7' LT. STA. 287+50.00	8	
32' LT. STA. 289+00.00 TO 44.7' LT. STA. 289+00.00	13	
44.7' LT. STA. 289+00.00 TO 134.7' LT. STA. 289+00.00	107	
134.7' LT. STA. 289+00.00 TO 143.1' LT. STA. 289+00.00	8	
37.3' LT. STA. 290+20.00 TO 49.5' LT. STA. 290+20.00	13	
49.5' LT. STA. 290+20.00 TO 126.5' LT. STA. 290+20.00	92	
126.5' LT. STA. 290+20.00 TO 135' LT. STA. 290+20.00	8	
TOTAL =	723	

CATCH BASINS, TYPE C, WITH SPECIAL FRAME AND LID		EACH
LOCATION		
20.25' LT. STA. 278+13.00	1	
20.25' LT. STA. 280+51.00	1	
TOTAL =	2	

CATCH BASINS, TYPE D 3' DIAMETER, SPECIAL FRAME AND GRATE		EACH
LOCATION		
20.25' RT. STA. 278+13.00	1	
20.25' RT. STA. 280+51.00	1	
TOTAL =	2	

INLETS, TYPE A, TYPE 11V FRAME AND GRATE		EACH
LOCATION		
IL 3		
29.00' RT. STA. 287+50.00	1	
29.00' RT. STA. 289+00.00	1	
29.00' RT. STA. 290+20.00	1	
TOTAL =	3	

INLETS, TYPE B, TYPE 11V FRAME AND GRATE		EACH
LOCATION		
IL 3		
29.00' LT. STA. 287+50.00	1	
32.63' LT. STA. 289+00.00	1	
37.88' LT. STA. 290+20.00	1	
TOTAL =	3	

REMOVING INLETS		EACH
LOCATION		
IL 3		
32.94' LT. STA. 288+98.66	1	
27.12' RT. STA. 288+98.12	1	
TOTAL =	2	

COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12		FOOT
LOCATION		
IL 3		
LT. STA. 286+39.50 TO LT. STA. 290+32.43	393	
RT. STA. 286+39.50 TO RT. STA. 290+89.21	450	
TOTAL =	843	

CONCRETE MEDIAN, TYPE SB (SPECIAL)		SQ FT
LOCATION		
IL 3		
STA. 286+39.50 TO STA. 292+01.38	2249	
TOTAL =	2249	

FLAP GATE 12"		EACH
LOCATION		
35.50' RT. STA. 279+17.50	1	
52.50' RT. STA. 279+94.25	1	
TOTAL =	2	

TYPE B INLET BOX, STANDARD 609001		EACH
LOCATION		
IL 3		
28.42' LT. STA. 275+98.14	1	
28.42' RT. STA. 275+98.14	1	
28.42' LT. STA. 286+31.86	1	
28.42' RT. STA. 286+31.86	1	
TOTAL =	4	

CONCRETE THRUST BLOCKS		EACH
LOCATION		
IL 3		
29.8' LT. STA. 275+98.14	1	
136.5' LT. STA. 275+98.14	1	
30.0' RT. STA. 275+98.14	1	
118.3' RT. STA. 275+98.14	1	
36' LT. STA. 286+31.86	1	
122.5' LT. STA. 286+31.86	1	
36.5' LT. STA. 287+50.00	1	
112.9' LT. STA. 287+50.00	1	
44.8' LT. STA. 289+00.00	1	
134.8' LT. STA. 289+00.00	1	
49.7' LT. STA. 290+20.00	1	
126.4' LT. STA. 290+20.00	1	
TOTAL =	12	

STEEL PLATE BEAM GUARD RAIL, TYPE A, 6 FOOT POSTS		FOOT
LOCATION		
IL 3		
SB STA. 273+49.25 TO STA. 275+61.75	212.5	
NB STA. 286+68.25 TO STA. 288+43.12	175	
TOTAL =	387.5	

TRAFFIC BARRIER TERMINAL, TYPE 6		EACH
LOCATION		
IL 3		
SB STA. 275+61.75 TO STA. 276+05.30	1	
NB STA. 275+61.75 TO STA. 276+05.30	1	
SB STA. 286+24.50 TO STA. 286+68.25	1	
NB STA. 286+24.50 TO STA. 286+68.25	1	
TOTAL =	4	

TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT		EACH
LOCATION		
IL 3		
NB STA. 272+99.25 TO STA. 273+49.25	1	
SB STA. 275+11.75 TO STA. 275+61.75	1	
NB STA. 286+68.25 TO STA. 287+18.25	1	
SB STA. 288+43.12 TO STA. 288+93.12	1	
TOTAL =	4	

GUARDRAIL REMOVAL		FOOT
LOCATION		
RT. STA. 274+79 TO STA. 276+56	177	
LT. STA. 276+17 TO STA. 276+55	38	
RT. STA. 285+58 TO STA. 285+97	39	
LT. STA. 285+58 TO STA. 288+34	276	
TOTAL =	530	

SHOULDER RUMBLE STRIP		FOOT
LOCATION		
IL 3		
LT. STA. 272+00.00 TO STA. 275+90.50	391	
RT. STA. 272+00.00 TO STA. 275+90.50	391	
TOTAL =	782	

SIGN PANEL - TYPE 1		AREA
LOCATION		
IL 3		
"PRAIRIE DU PONT CANAL" Sign	10	
TOTAL =	10	

WOOD SIGN SUPPORT		LENGTH
LOCATION		
IL 3		
"PRAIRIE DU PONT CANAL"	29	
TOTAL =	29	

THERMOPLASTIC PAVEMENT MARKING - LINE 4"		FOOT
LOCATION		
24' LT. STA. 272+00.00 TO STA. 272+25.00	25	
13' LT. STA. 272+00.00 TO STA. 272+25.00	10	
2' LT. STA. 272+00.00 TO STA. 272+25.00	50	
2' RT. STA. 272+00.00 TO STA. 272+25.00	50	
13' RT. STA. 272+00.00 TO STA. 272+25.00	10	
24' RT. STA. 272+00.00 TO STA. 272+25.00	25	
36.4' LT. STA. 290+32.43 TO 40' LT. STA. 292+01.38	169	
24.4' LT. STA. 290+32.43 TO 28' LT. STA. 292+01.38	40	
12.4' LT. STA. 290+32.43 TO 16' LT. STA. 292+01.38	169	
8.4' LT. STA. 290+32.43 TO 12' LT. STA. 292+01.38	169	
2' RT. STA. 290+32.43 TO 0' RT. STA. 292+01.38	44	
13' RT. STA. 290+32.43 TO 12' RT. STA. 292+01.38	40	
24' RT. STA. 290+32.43 TO 33.71' RT. STA. 292+01.38	169	
TOTAL =	970	

POLYUREA PAVEMENT MARKING - LINE 4"		FOOT
LOCATION		
24' LT. STA. 272+25.00 TO 36.4' LT. STA. 290+32.43	1808	
13' LT. STA. 272+25.00 TO 24.4' LT. STA. 290+32.43	450	
2' LT. STA. 272+25.00 TO 2' LT. STA. 275+90.50	731	
2' LT. STA. 275+90.50 TO 12.4' LT. STA. 290+32.43	1442	
2' RT. STA. 272+25.00 TO 2' RT. STA. 275+90.50	731	
2' RT. STA. 275+90.50 TO 8.4' LT. STA. 290+32.43	1442	
13' RT. STA. 272+25.00 TO STA. 290+32.43	450	
24' RT. STA. 272+25.00 TO 33.71' RT. STA. 290+32.43	1808	
2' RT. STA. 286+39.50 TO 0' RT. STA. 290+32.43	100	
TOTAL =	8962	

RAISED REFLECTIVE PAVEMENT MARKERS		EACH
LOCATION		
13' LT. STA. 272+35 TO STA. 275+55	5	
13' RT. STA. 272+35 TO STA. 275+55	5	
13' LT. STA. 286+75 TO 24.4' LT. STA. 291+95	14	
13' RT. STA. 286+75 TO STA. 291+95	14	
TOTAL =	38	

RAISED REFLECTIVE PAVEMENT MARKERS (BRIDGE)		EACH
LOCATION		
13' LT. STA. 276+35 TO STA. 285+95	13	
13' RT. STA. 276+35 TO STA. 285+95	13	
TOTAL =	26	

PRISMATIC CURB REFLECTORS		EACH
LOCATION		
LT MEDIAN CURB STA. 275+95.00 TO STA. 291+95.00	41	
RT MEDIAN CURB STA. 275+95.00 TO STA. 291+95.00	41	
TOTAL =	82	

GUARDRAIL MARKERS, TYPE A		EACH
LOCATION		
IL 3		
NB STA. 272+99.25 TO STA. 276+05.30	5	
SB STA. 275+11.75 TO STA. 276+05.30	4	
NB STA. 286+24.50 TO STA. 287+18.25	4	
SB STA. 286+24.50 TO STA. 288+93.12	4	
TOTAL =	17	

TERMINAL MARKER - DIRECT APPLIED		EACH
LOCATION		
IL 3		
NB STA. 272+99.25 TO STA. 273+55.50	1	
SB STA. 275+11.75 TO STA. 275+61.75	1	
NB STA. 286+68.25 TO STA. 287+18.25	1	
SB STA. 288+36.96 TO STA. 288+93.12	1	
TOTAL =	4	

CONDUIT IN TRENCH, 1" DIA., PVC		FOOT
LOCATION		
IL 3		
31.7' RT. STA. 287+76	8	
31.7' RT. STA. 287+76	8	
TOTAL =	16	

HANDHOLE TO BE ADJUSTED		EACH
LOCATION		
IL 3		
31.7' RT. STA. 287+81.38	1	
TOTAL =	1	

DETECTOR LOOP, TYPE I		FOOT
LOCATION		
IL 3		
7.6' RT. STA. 287+76	42	
18.5' RT. STA. 287+76	30	
TOTAL =	72	

DETOUR SIGNING		EACH
LOCATION		
1 LUMP SUM		

CONCRETE ANCHORS		EACH
LOCATION		
IL 3		
41.6' LT. STA. 275+98.14	1	
53.6' LT. STA. 275+98.14	1	
65.6' LT. STA. 275+98.14	1	
77.6' LT. STA. 275+98.14	1	
89.6' LT. STA. 275+98.14	1	
101.6' LT. STA. 275+98.14	1	
113.6' LT. STA. 275+98.14	1	
125.6' LT. STA. 275+98.14	1	
41.9' RT. STA. 275+98.14	1	
53.9' RT. STA. 275+98.14	1	
65.9' RT. STA. 275+98.14	1	
77.9' RT. STA. 275+98.14	1	
89.9' RT. STA. 275+98.14	1	
101.9' RT. STA. 275+98.14	1	
113.9' RT. STA. 275+98.14	1	
47.4' LT. STA. 286+31.86	1	
59.4' LT. STA. 286+31.86	1	
71.4' LT. STA. 286+31.86	1	
83.4' LT. STA. 286+31.86	1	
95.4' LT. STA. 286+31.86	1	
107.4' LT. STA. 286+31.86	1	
119.4' LT. STA. 286+31.86		