


EDGE BEAM BAR SPLICER (E) SCHEDULE			
No.	Req'd.	Spliced Bar	Location
8	#6	a7(E)	Top
2	#6	a8(E)	Bottom
6	#6	a11(E)	Between beams

\*\*\*Cut a11(E) bar to fit at Stage Construction Joint.

Notes:  
 See Sheets 20 and 21 of 43 for superstructure details and Bill of Material.  
 See Sheet 20 of 43 for parapet reinforcement.  
 See Sheet 20 of 43 for Section A-A.  
 See Sheet 19 of 43 for Scupper Locations.  
 See Sheet 23 of 43 for Scupper Details.  
 See Sheet 21 of 43 for Floor Drain Details.  
 Bars indicated thus 20 x 3-#5 etc. indicates 20 lines of bars with 3 lengths per line.

**HALF PLAN**  
 Showing Spans 2 & 3

\* Order a(E) and a3(E) bars full length, Cut to fit skew and use remainder of bars in opposite end.  
 \*\* See Section A-A.



**MIN. BAR LAP**  
 #5 bars = 1'-8"  
 #6 bars = 2'-10"

**CROSS SECTION**  
 (Looking South)

**SUPERSTRUCTURE SB STRUCTURE**  
**STRUCTURE NO. 028-0081**

<b>COOMBE-BLOXDORF P.C.</b> Engineers / Land Surveyors Springfield, Illinois Design Firm License No. 184-002703	PROJECT NO. 07062 DATE 11/12/08 DESIGN BY CME/GB DRAWN BY TFG CHECKED BY CME/MCB	SHEET NO. 18 43 SHEETS	F.A.I. RTE. 57 SECTION (28-3-1)VB-1	COUNTY FRANKLIN CONTRACT NO. 78068	TOTAL SHEETS 98 SHEET NO. 42
	FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT				