

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		0010 80% FEDERAL 20% STATE		
20100500	TREE REMOVAL, ACRES	ACRE	0.5	0.5		
20200100	EARTH EXCAVATION	CU YD	3436	3436		
20300100	CHANNEL EXCAVATION	CU YD	2531	2531		
21101505	TOPSOIL EXCAVATION AND PLACEMENT	CU YD	1259	1259		
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	85	85		
28000305	TEMPORARY DITCH CHECKS	FOOT	90	90		⚠
28000400	PERIMETER EROSION BARRIER	FOOT	1341	1341		
28100107	STONE RIPRAP, CLASS A4	SQ YD	120	120		
28100109	STONE RIPRAP, CLASS A5	SQ YD	649	649		
28200200	FILTER FABRIC	SQ YD	769	769		
35600724	HOT-MIX ASPHALT BASE COURSE WIDENING, 12"	SQ YD	486	486		
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	920	920		
40600990	TEMPORARY RAMP	SQ YD	452	452		
40603085	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70	TON	248	248		

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		0010 80% FEDERAL 20% STATE		
40604052	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "C", N70	TON	151	151		
40800050	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	2	2		
42000080	PAVEMENT CONNECTOR (PCC) FOR BRIDGE APPROACH SLAB	SQ YD	80	80		
44000100	PAVEMENT REMOVAL	SQ YD	107	107		
44000400	GUTTER REMOVAL	FOOT	644	644		
44004250	PAVED SHOULDER REMOVAL	SQ YD	165	165		
48101500	AGGREGATE SHOULDERS, TYPE B 6"	SQ YD	121	121		
48203029	HOT-MIX ASPHALT SHOULDERS, 8"	SQ YD	214	214		
50100100	REMOVAL OF EXISTING STRUCTURES	EACH	1	1		
50200100	STRUCTURE EXCAVATION	CU YD	98	98		
50300225	CONCRETE STRUCTURES	CU YD	79.1	79.1		
50300255	CONCRETE SUPERSTRUCTURE	CU YD	178.5	178.5		
50300260	BRIDGE DECK GROOVING	SQ YD	523	523		

⚠ REVISED 10-19-2021 REV. - MS

MODEL - Default
 FILE - \\miller-pw-bentley.com\pwwork\Documents\DOT - Offices\District 7\Projects\1366\CADD\Drawings\Sheet\174364-sh-500.dgn

USER NAME = steffemk	DESIGNED - LMH	REVISED -
	DRAWN - LMH	REVISED -
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED -
PLOT DATE = 8/19/2021	DATE - 8/19/2021	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: 100.0000' / in SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
773	(108BR-2)B-1	Cumberland	68	4
			CONTRACT NO. 74364	
ILLINOIS FED. AID PROJECT				

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		0010 80% FEDERAL 20% STATE		
50300300	PROTECTIVE COAT	SQ YD	668	668		
50301350	CONCRETE SUPERSTRUCTURE (APPROACH SLAB)	CU YD	95.3	95.3		
50401305	FURNISHING AND ERECTING PRECAST PRESTRESSED CONCRETE BEAMS, IL27N	FOOT	572	572		
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	86130	86130		
50800515	BAR SPLICERS	EACH	623	623		
51201600	FURNISHING STEEL PILES HP12X53	FOOT	900	900		
51202305	DRIVING PILES	FOOT	900	900		
51203600	TEST PILE STEEL HP12X53	EACH	1	1		
51500100	NAME PLATES	EACH	1	1		
52200020	TEMPORARY SOIL RETENTION SYSTEM	SQ FT	837.8	837.8		
58600101	GRANULAR BACKFILL FOR STRUCTURES	CU YD	238	238		
59100100	GEOCOMPOSITE WALL DRAIN	SQ YD	103	103		
60602500	CONCRETE GUTTER, TYPE A	FOOT	648	648		

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		0010 80% FEDERAL 20% STATE		
* 63000001	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	FOOT	568	568		
* 63100085	TRAFFIC BARRIER TERMINAL, TYPE 6	EACH	4	4		
* 63100167	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH	3	3		
63200310	GUARDRAIL REMOVAL	FOOT	470	470		
* 63301210	REMOVE AND REERECT STEEL PLATE BEAM GUARDRAIL, TYPE A	FOOT	318	318		⚠
66600105	FURNISHING AND ERECTING RIGHT OF WAY MARKERS	EACH	4	4		
* 63301990	REMOVE AND REERECT TRAFFIC BARRIER TERMINALS, TYPE 1	EACH	2	2		⚠
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	6	6		
* 63302710	REMOVE AND REERECT TRAFFIC BARRIER TERMINALS, TYPE 6A	EACH	2	2		⚠
67100100	MOBILIZATION	L SUM	1	1		
70100100	TRAFFIC CONTROL AND PROTECTION, STANDARD 701316	EACH	1	1		
70100405	TRAFFIC CONTROL AND PROTECTION, STANDARD 701321	EACH	1	1		
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	L SUM	1	1		
70100500	TRAFFIC CONTROL AND PROTECTION, STANDARD 701326	L SUM	1	1		
70106500	TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	1	1		
70106700	TEMPORARY RUMBLE STRIPS	EACH	3	3		

* SPECIALTY ITEM

⚠ REVISED 10-14-20214

REV. - MS

MODEL: Default
FILE: \\p1\pub\etw\benley.com\p1\DOT\Documents\DOT_Offices\District_7\Projects\1366\CAD\Drawings\CAD\Sheet\074364-ct-500.dgn

USER NAME = steffemk	DESIGNED - LMH	REVISED -
DRAWN - LMH	CHECKED -	REVISED -
PLOT SCALE = 100.0000' / in.	DATE - 8/19/2021	REVISED -
PLOT DATE = 8/19/2021		

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

SCALE: 100.0000' / in SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
773	(108BR-2)B-1	Cumberland	68	5
			CONTRACT NO. 74364	
ILLINOIS FED. AID PROJECT				

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		0010 80% FEDERAL 20% STATE		
70107005	PAVEMENT MARKING BLACKOUT TAPE, 5"	FOOT	2172	2172		
70107025	CHANGEABLE MESSAGE SIGN	CAL DA	28	28		
70300100	SHORT TERM PAVEMENT MARKING	FOOT	119	119		
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SO FT	984	984		
70400100	TEMPORARY CONCRETE BARRIER	FOOT	546	546		
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	501	501		
70500100	TEMPORARY STEEL PLATE BEAM GUARDRAIL, TYPE A	FOOT	318	318		
70500670	TEMPORARY TRAFFIC BARRIER TERMINAL, TYPE 6A	EACH	2	2		
70600250	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2		
70600260	IMPACT ATTENUATORS, TEMPORARY (FULLY REDIRECTIVE, NARROW), TEST LEVEL 3	EACH	2	2		
70600350	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2		
72501000	TERMINAL MARKER - DIRECT APPLIED	EACH	3	3		
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	2145	2145		

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		0010 80% FEDERAL 20% STATE		
* 78200005	GUARDRAIL REFLECTORS, TYPE A	EACH	16	16		
* A2001020	TREE, ACER RUBRUM (RED MAPLE), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	32	32		
* A2001720	TREE, ACER SACCHARUM (SUGAR MAPLE), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	15	15		
* A2006420	TREE, QUERCUS ALBA (WHITE OAK), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	10	10		
* B2001122	TREE, CERCIS CANADENSIS (EASTERN REDBUD), 2-1/2" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	20	20		
* D2002972	EVERGREEN, PINUS STROBUS (EASTERN WHITE PINE), 6' HEIGHT, BALLED AND BURLAPPED	EACH	10	10		
X0326440	SURFACE REMOVAL, VARIABLE DEPTH (SPECIAL)	SO YD	67	67		
X2200020	FENCE REMOVAL AND REINSTALLATION	FOOT	1272	1272		
* X2501000	SEEDING, CLASS 2 (SPECIAL)	ACRE	0.8	0.8		
X2830495	AGGREGATE DITCH (SPECIAL)	TON	96	96		
X4401198	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SO YD	1344	1344		



* SPECIALTY ITEM

REVISD 10-14-2021

MODEL: Default
 FILE NAME: p:\u182caw\bea\paw.com\11\DOT\Document\DOT Office\Director_T\Project\74364\CADD\BalsCAD\Sheet\074364-PLT-S00.dgn
 *
 *

USER NAME = steffenmk	DESIGNED - LMH	REVISED -
DRAWN - LMH	DRAWN - LMH	REVISED -
PLOT SCALE = 100,0000' / in.	CHECKED -	REVISED -
PLOT DATE = 8/19/2021	DATE - 8/19/2021	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

SCALE: 100,0000' / 1 SHEET OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
773	(108BR-2)B-1	Cumberland	68	6
CONTRACT NO. 74364				
ILLINOIS FED. AID PROJECT				

MODEL: D:\draft\FILE NAME: p:\w\dot-cw\benefit\com\PMIDOT\Documents\DOT_Offices\District_7\Projects\7436A\CADD\data\CAD\sheet\7436-sht-schedule.dgn

STAGING SCHEDULE

STATION TO STATION				70106700 TEMPORARY RUMBLE STRIPS	70400100 TEMPORARY CONCRETE BARRIER (USE LARGER VALUE)	70400200 RELOCATE TEMPORARY CONCRETE BARRIER	70600250 IMPACT ATTENUATORS, TEMPORARY (NON- REDIRECTIVE, TEST LEVEL 3	70600260 IMPACT ATTENUATORS, TEMPORARY (FULLY REDIRECTIVE, NARROW), TEST LEVEL 3	70600350 IMPACT ATTENUATORS, RELOCATE (NON- REDIRECTIVE, TEST LEVEL 3	X7040125 PINNING TEMPORARY CONCRETE BARRIER
STATION TO STATION				EACH	FOOT	FOOT	EACH	EACH	EACH	EACH
STAGE 1	EASTBOUND LANE	356+45.0	356+70.0	1.0	-	-	-	-	-	-
	EASTBOUND LANE	361+45.0	361+70.0	1.0	-	-	-	-	-	-
	EASTBOUND LANE	366+45.0	366+70.0	1.0	-	-	-	-	-	-
STAGE 1	3.0/RT	375+34.1	376+30.0	-	95.9	95.9	-	-	-	-
	3.0/RT	376+30.0	376+55.0	-	25.0	25.0	-	-	-	-
	3.0/RT	378+05.0	381+00.0	-	315.0	295.0	-	-	-	-
	4.0/LT	381+00.0	381+84.8	-	84.8	84.8	-	-	-	-
STAGE 2	3.0/RT	376+27.3	377+00.0	-	72.7	72.7	-	-	-	-
	3.0/RT	377+00.0	381+00.0	-	400.0	400.0	-	-	-	-
	4.0/LT	381+00.0	381+73.2	-	73.2	73.2	-	-	-	-
STAGE 1	LT	375+23.1		-	-	-	1.0	-	-	-
	LT	382+15.8		-	-	-	1.0	-	-	-
STAGE 1	3'/RT	376+75.0	377+10.0	-	-	-	-	1.0	-	-
	3'/RT	377+50.0	377+85.0	-	-	-	-	1.0	-	-
STAGE 2	4'/RT	375+96.3		-	-	-	-	-	1.0	-
	4'/RT	382+04.2		-	-	-	-	-	1.0	-
STAGE 1	2 SEGMENT TRANSITION	376+30.0	376+55.0	-	-	-	-	-	-	3
	DRIVEWAY	376+55.0	378+05.0	-	-	-	-	-	-	-
	2 SEGMENT TRANSITION	378+05.0	378+30.0	-	-	-	-	-	-	3
	BRIDGE	378+30.0	380+75.0	-	-	-	-	-	-	59
STAGE 2	2 SEGMENT TRANSITION	380+75.0	381+00.0	-	-	-	-	-	-	3
	2 SEGMENT TRANSITION	377+00.0	377+25.0	-	-	-	-	-	-	3.0
	-	377+25.0	377+99.0	-	-	-	-	-	-	18.0
	BRIDGE	377+99.0	379+75.0	-	-	-	-	-	-	-
	-	379+75.0	380+75.0	-	-	-	-	-	-	24.0
2 SEGMENT TRANSITION	380+75.0	381+00.0	-	-	-	-	-	-	3.0	
TOTALS:				3	546	501	2	2	2	116

EROSION CONTROL

STATION TO STATION			28000305 TEMPORARY DITCH CHECKS	28000400 PERIMETER EROSION BARRIER	28100107 STONE RIPRAP, CLASS A4	28100109 STONE RIPRAP, CLASS A5	28200200 FILTER FABRIC	X2830495 AGGREGATE DITCH (SPECIAL)
STATION TO STATION			FOOT	FOOT	SQ YD	SQ YD	SQ YD	TON
LT	375+22.0	377+23.0	-	210.0	-	-	-	-
LT	377+38.0	378+74.0	-	218.0	-	-	-	-
LT	379+06.0	379+49.0	-	68.0	-	-	-	-
LT	379+77.0	381+04.0	-	130.0	-	-	-	-
LT	381+10.0	381+49.0	-	46.0	-	-	-	-
RT	374+70.0	378+07.0	-	352.0	-	-	-	-
RT	378+11.0	378+73.0	-	81.0	-	-	-	-
RT	379+03.0	380+99.0	-	236.0	-	-	-	-
LT	377+50.0	378+00.0	-	-	-	4.0	4.0	-
RT	377+81.4	378+11.9	-	-	58.3	-	58.3	-
RT	377+85.1	378+10.1	-	-	33.3	-	33.3	-
LT	378+00.0	378+37.9	-	-	-	6.3	6.3	-
LT	378+37.9	378+50.0	-	-	-	2.3	2.3	-
LT	379+25.0	379+35.9	-	-	-	2.3	2.3	-
LT	379+35.9	379+50.0	-	-	-	2.3	2.3	-
LT	377+50.0	378+00.0	-	-	-	5.6	5.6	-
LT	378+00.0	378+37.9	-	-	-	7.9	7.9	-
LT	378+37.9	378+50.0	-	-	-	2.4	2.4	-
RT	379+25.0	379+35.9	-	-	-	2.3	2.3	-
RT	379+35.9	379+50.0	-	-	-	2.3	2.3	-
LT	379+49.3	379+75.9	-	-	28.0	-	28.0	-
QUANTITY FROM BRIDGE PLANS			-	-	-	611.0	611.0	-
LT	375+50.0	378+50.0	18.0	-	-	-	-	-
RT	375+50.0	378+50.0	18.0	-	-	-	-	-
LT	378+50.0	382+10.0	36.0	-	-	-	-	-
RT	378+50.0	382+10.0	18.0	-	-	-	-	-
RT	374+75.0	378+22.9	-	-	-	-	-	-
LT	374+75.0	378+22.9	-	-	-	-	-	46.1
RT	375+25.0	378+22.9	-	-	-	-	-	49.5
TOTALS:			90	1341	120	649	769	96

EARTHWORK

		20200100 EARTH EXCAVATION	EARTH EXCAVATION EMBANKMENT ADJUSTED FOR SHRINKAGE (25%)	EMBANKMENT	EARTHWORK BALANCE WASTE(+) OR SHORTAGE (-)	21101505 TOPSOIL EXCAVATION AND PLACEMENT
		CU YD	CU YD	CU YD	CU YD	CU YD
LT	375+00.00	382+10.00	200	150	116	542
RT	375+00.00	382+10.00	3236	2427	251	2176
TOTALS:			3436	2577	1067	1259

△ REVISED 10-19-2021

REV. - MS

USER NAME = steffenmk	DESIGNED = LMH	REVISED =
DRAWN = LMH	REVISIONS =	
PLOT SCALE = 100.0000' / in.	CHECKED =	REVISED =
PLOT DATE = 8/19/2021	DATE = 8/19/2021	REVISED =

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULE OF QUANTITIES

SCALE: NO SCALE SHEET 1 OF 3 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
773	(108BR-2)B-1	Cumberland	68	10
ILLINOIS FED. AID PROJECT			CONTRACT NO. 74364	

PAVING SCHEDULE			35600724 HMA BASE COURSE WIDENING, 12"	40600290 BITUMINOUS MATERIALS (TACK COAT)	40600990 TEMPORARY RAMP	40603085 HOT-MIX ASPHALT BINDER COURSE, IL- 19.0, N70	40604052 HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70	40800050 INCIDENTAL HOT- MIX ASPHALT SURFACING	42000080 PAVEMENT CONNECTOR (HMA) FOR BRIDGE	44000100 PAVEMENT REMOVAL	X0326440 SURFACE REMOVAL, VARIABLE DEPTH (SPECIAL)	X4401198 HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	Z0004552 APPROACH SLAB REMOVAL
STATION TO STATION			SQ YD	POUND	SQ YD	TON	TON	TON	SQ YD	SQ YD	SQ YD	SQ YD	SQ YD
LT	375+25.0	378+08.9	115.0	-	-	-	-	-	-	-	-	-	-
LT	379+64.9	382+32.0	120.2	-	-	-	-	-	-	-	-	-	-
RT	374+75.0	378+08.9	139.3	-	-	-	-	-	-	-	-	-	-
RT	379+64.9	382+10.0	111.1	-	-	-	-	-	-	-	-	-	-
MAINLINE													
	375+50.0	377+98.9	-	448.0	-	-	-	-	-	-	-	-	-
	377+98.9	378+08.9	-	24.0	-	-	-	-	-	-	-	-	-
	379+64.9	379+74.9	-	24.0	-	-	-	-	-	-	-	-	-
	379+74.9	382+10.0	-	423.2	-	-	-	-	-	-	-	-	-
LT	376+82.0	377+78.0	-	-	96.0	-	-	-	-	-	-	-	-
LT	377+48.6	377+98.6	-	-	88.9	-	-	-	-	-	-	-	-
LT	379+74.9	380+24.9	-	-	88.9	-	-	-	-	-	-	-	-
RT	377+48.6	377+98.6	-	-	88.9	-	-	-	-	-	-	-	-
RT	379+74.9	380+24.9	-	-	88.9	-	-	-	-	-	-	-	-
LT	377+30.0		-	-	-	-	2.0	-	-	67.0	-	-	-
MAINLINE													
	375+50.0	376+80.0	-	-	-	19.4	38.8	-	-	-	-	-	-
	376+80.0	377+98.9	-	-	-	93.3	35.5	-	-	-	-	-	-
	377+98.9	378+08.9	-	-	-	13.9	3.0	-	-	-	-	-	-
	379+64.9	379+74.9	-	-	-	12.2	3.0	-	-	-	-	-	-
	379+74.9	381+10.0	-	-	-	94.1	40.3	-	-	-	-	-	-
	381+10.0	382+10.0	-	-	-	14.9	29.9	-	-	-	-	-	-
MAINLINE													
	377+99.0	378+09.0	-	-	-	-	-	-	40.0	-	-	-	-
	379+65.0	379+75.0	-	-	-	-	-	-	40.0	-	-	-	-
MAINLINE													
	377+99.0	378+19.0	-	-	-	-	-	-	-	53.3	-	-	-
	379+65.0	379+85.0	-	-	-	-	-	-	-	53.3	-	-	-
MAINLINE													
	375+50.0	378+08.9	-	-	-	-	-	-	-	-	690.4	-	-
	379+64.9	382+10.0	-	-	-	-	-	-	-	-	653.6	-	-
MAINLINE													
	379+15.5	379+35.5	-	-	-	-	-	-	-	-	-	53.3	-
	378+62.9	378+82.9	-	-	-	-	-	-	-	-	-	53.3	-
TOTALS:			486	920	452	248	151	2	80	107	67	1344	107










GUARDRAIL SCHEDULE			63301210 REMOVE AND REERECT STEEL PLATE BEAM GUARDRAIL, TYPE A	63302710 REMOVE AND REERECT TRAFFIC BARRIER TERMINAL, TYPE 6A	63301990 REMOVE AND REERECT TRAFFIC BARRIER TERMINAL, TYPE 1	63000001 STEEL PLATE BEAM GUARDRAIL TYPE A, 6 FOOT POSTS	X6330725 STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS)	63100085 TRAFFIC BARRIER TERMINAL, TYPE 6	63100167 TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	78200005 GUARDRAIL REFLECTORS, TYPE A	72501000 TERMINAL MARKER - DIRECT APPLIED
STATION TO STATION			FOOT	EACH	EACH	FOOT	FOOT	EACH	EACH	EACH	EACH
RT	376+34.0	376+84.0	50.0	-	1.0	50.0	-	-	1.0	-	1.0
RT	376+84.0	377+49.0	65.0	-	-	65.0	-	-	-	-	-
RT	377+42.0	378+32.0	-	-	-	-	-	-	-	-	-
RT	377+49.0	377+99.5	50.5	-	-	50.5	-	-	-	-	-
RT	377+85.5	378+23.0	-	1.0	-	-	-	1.0	-	-	-
RT	377+99.5	378+22.9	23.4	-	-	23.4	-	-	-	-	-
MAINLINE											
	377+47.0	377+62.0	-	-	-	-	15.0	-	-	-	-
	377+55.0	378+32.0	-	-	-	-	-	-	-	-	-
	377+62.0	378+22.9	-	-	-	60.9	-	-	-	-	-
	377+85.5	378+23.0	-	-	-	-	-	1.0	-	-	-
MAINLINE											
	379+47.0	381+61.0	-	-	-	-	-	-	-	-	-
	379+50.9	380+90.0	-	-	-	139.1	-	-	-	-	-
	379+51.0	379+88.5	-	-	-	-	-	1.0	-	-	-
	380+90.0	381+40.0	-	-	-	50.0	-	-	1.0	-	1.0
MAINLINE											
	379+50.9	380+30.0	79.1	-	-	79.1	-	-	-	-	-
	379+47.0	380+36.0	-	-	-	-	-	-	-	-	-
	379+51.0	379+88.5	-	1.0	-	-	-	1.0	-	-	-
	380+30.0	380+80.0	50.0	-	1.0	50.0	-	-	1.0	-	1.0
TOTALS:			318	2	2	568	15	4	3	16	3

MODEL NUMBER MAMES
FILE NAME: 811E15

REVISION 10-14-2021

USER NAME = SUSERS	DESIGNED - LMH	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES				F.A.P. RTE. 773	SECTION (108BR-2)B-1	COUNTY Cumberland	TOTAL SHEETS 68	SHEET NO. 12					
PLOT SCALE = SCALES	CHECKED -	REVISED -						SCALE: NO SCALE	SHEET 3	OF 3	SHEETS	STA.	TO STA.	CONTRACT NO. 74364			
PLOT DATE = SDATES	DATE - SDATES	REVISED -						ILLINOIS FED. AID PROJECT									


LEGEND

-  DRUM WITH STEADY BURNING BI-DIRECTIONAL LIGHT
-  EDGE DRUM
-  TYPE III BARRICADE WITH FLASHING LIGHTS
-  TEMPORARY CONCRETE BARRIER
-  TEMPORARY TRAFFIC SIGNAL
-  GUARDRAIL REMOVAL
-  HMA BASE COURSE WIDENING, 12"
-  CONCRETE GUTTER REMOVAL
-  PERIMETER EROSION CONTROL BARRIER


NOTES

SUGGESTED SEQUENCE OF OPERATIONS:

1. INSTALL TEMPORARY BRIDGE TRAFFIC SIGNALS, SIGNAGE, AND TRAFFIC CONTROL IN ACCORDANCE WITH HIGHWAY STANDARD 701316 AND THIS PLAN SHEET.
2. REMOVE GUARDRAIL UP TO BRIDGE RAIL IN SOUTHWEST QUADRANT OF STRUCTURE.
3. PERFORM EARTHWORK AND EROSION CONTROL OPERATIONS SOUTH SIDE OF IL ROUTE 121.
4. REMOVE EXISTING TYPE B GUTTER IN SOUTHWEST QUADRANT OF STRUCTURE.
5. CORE OUT MATERIAL FOR BASE COURSE WIDENING AND AGGREGATE DITCH, SPECIAL.
6. CONSTRUCT BASE COURSE SHOULDER WIDENING AND AGGREGATE DITCH, SPECIAL.
7. REERECT STEEL BEAM GUARDRAIL, TYPE A AND END TERMINALS SOUTH OF IL ROUTE 121. SEE TRAFFIC CONTROL AND PROTECTION STANDARD 701321 FOR INFORMATION NOT SHOWN ON THIS SHEET. TEMPORARY PAVEMENT MARKING INCLUDED IN THE COST OF THE STANDARD (PER ART. 703.07)



MATCHLINE STA. 378 + 25



REVISED 10-14-2021

USER NAME = SUSERS	DESIGNED - ALB	REVISED - LMH 10/2/2019
PLOT SCALE = \$SCALES	DRAWN - LMH	REVISED -
PLOT DATE = \$DATES	CHECKED -	REVISED -
	DATE - \$DATES	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**TRAFFIC CONTROL STAGING
PRE-STAGE**

SCALE: \$SCALES SHEET OF SHEETS STA. 375+50.00 TO STA. 382+10.00

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
773	(108BR-2)B-1	Cumberland	68	15





CONTRACT NO. 74364
ILLINOIS FED. AID PROJECT

MODEL NUMBER: MAMTFS
FILE NUMBER: 811625

LEGEND

- DRUM WITH STEADY BURNING BI-DIRECTIONAL LIGHT
- EDGE DRUM
- TYPE III BARRICADE WITH FLASHING LIGHTS
- TEMPORARY CONCRETE BARRIER
- TEMPORARY TRAFFIC SIGNAL
- GUARDRAIL REMOVAL
- HMA BASE COURSE WIDENING, 12"
- CONCRETE GUTTER REMOVAL
- PERIMETER EROSION CONTROL BARRIER

- ### NOTES
- SUGGESTED SEQUENCE OF OPERATIONS:
- ERECT STAGE 1 TRAFFIC CONTROL IN ACCORDANCE WITH HIGHWAY STANDARD 701321.
 - REMOVE GUARDRAIL FROM NORTH PORTION OF STRUCTURE.
 - PREFORM STAGE 1 REMOVAL OF EXISTING SN 018-0028.
 - PREFORM STAGE 1 CONSTRUCTION OF PROPOSED SN 018-0065.
 - PREFORM EARTHWORK AND EROSION CONTROL OPERATIONS NORTH SIDE OF IL ROUTE 121.
 - REMOVE EXISTING TYPE B GUTTER IN NORTHWEST QUADRANT OF THE STRUCTURE.
 - CORE OUT MATERIAL FOR BASE COURSE WIDENING AND AGGREGATE DITCH, SPECIAL.
 - CONSTRUCT BASE COURSE WIDENING AND AGGREGATE DITCH, SPECIAL.
 - CONSTRUCT HMA SHOULDERS, 8" TYP.
 - CONSTRUCT TEMPORARY RAMP.
 - CONSTRUCT PERMANENT GUARDRAIL AND END TERMINALS.
- SEE TRAFFIC CONTROL AND PROTECTION STANDARD 701321 FOR INFORMATION NOT SHOWN ON THIS SHEET.
TEMPORARY PAVEMENT MARKING INCLUDED IN THE COST OF THE STANDARD (PER ART. 703.07)



REVISD 10-19-2021

MODEL: MODELNAME
FILE: NAME.dwg

USER NAME = SUSERS	DESIGNED - ALB	REVISED - LMH 10/2/2019
DRAWN - LMH	CHECKED -	REVISED -
PLOT SCALE = \$SCALES	DATE - \$DATES	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**TRAFFIC CONTROL STAGING
STAGE 1**

SCALE: \$SCALES SHEET OF SHEETS STA. 375+50.00 TO STA. 382+10.00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
773	(108BR-2)B-1	Cumberland	68	16
CONTRACT NO. 74364				
ILLINOIS FED. AID PROJECT				