

INDEX OF SHEETS

- 1 COVER SHEET
- 2 INDEX OF SHEETS, HIGHWAY STANDARDS,
GENERAL NOTES & COMMITMENTS
- 3-3A SUMMARY OF QUANTITIES
- 4 TYPICAL SECTIONS
- 5 SCHEDULE OF QUANTITIES
- 6-7 PLAN SHEETS
- 8-9 STAGE 1 CONSTRUCTION
- 10-11 STAGE 2 CONSTRUCTION
- 11A-11B PAVEMENT MARKING
- 12-20 BRIDGE PLANS
- 21-21B DETAILS

GENERAL NOTES:

1. THE STANDARDS AND REVISION LISTED NUMBERS SHALL APPLY TO THIS PROJECT.
2. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING MATERIALS.
3. ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE BE GIVEN TO UTILITIES WITHIN THE PROJECT AREA BEFORE DIGGING BY CALLING J.U.L.I.E. AND BY NOTIFYING NON-J.U.L.I.E. MEMBERS INDIVIDUALLY. AGENCIES KNOWN TO HAVE FACILITIES WITHIN THE PROJECT AREA ARE AS FOLLOWS:
 - AMERENIP
 - VILLAGE OF EVANSVILLE
 - NEW WAVE COMMUNICATIONS, INC.
 - VERIZON NORTH, INC.
 MEMBERS OF J.U.L.I.E. (800) 892-0123 OR 811 ARE INDICATED BY AN *. NON-J.U.L.I.E. MEMBERS MUST BE NOTIFIED INDIVIDUALLY.
4. "ROAD CONSTRUCTION AHEAD" SIGNS SHALL BE PLACED AT EACH END OF THE PROJECT AND ALL INTERSECTING SIDE ROADS AND WILL BE INCLUDED IN THE TRAFFIC CONTROL PAY ITEMS. ALL CONSTRUCTION SIGNS SHALL BE FLUORESCENT ORANGE, 48".
5. A QUANTITY OF 1100 FOOT OF "TEMPORARY PAVEMENT MARKING - LINE 6" WHITE HAS BEEN INCLUDED IN THE PLANS FOR PAINTING THE BOTTOM 6" OF THE TEMPORARY CONCRETE BARRIER.
6. TRAFFIC CONTROL AND PROTECTION STANDARD 701201 IS TO PLACE THE INLET AND PIPE CULVERT.
7. THE PROPOSED REMOVE AND RE-ERECT STEEL PLATE BEAM GUARDRAIL ITEM FOR THE NORTHWEST QUADRANT OF THE PROJECT SHALL COMPLY WITH THE DETAILS IN THE PLANS AND MANUFACTURER'S DETAILS IN ORDER TO MATCH THE EXISTING GUARDRAIL ELEMENTS THAT WERE ERECTED PRIOR TO JANUARY 1, 2007.
8. THE COST OF "BARRICADES, TYPE III" USED DURING STAGE CONSTRUCTION SHALL BE INCLUDED IN THE COST OF "TRAFFIC CONTROL AND PROTECTION, STANDARD 701321 (SPECIAL)".
9. THE CONTRACTOR SHALL PROVIDE TWO SIGNAL HEADS FOR THE SIDE ROAD LOCATED WITHIN THE STAGE CONSTRUCTION AT STA ±786+00. THE SIGNALS, DETECTOR LOOPS, AND THE NUMBER OF TURNS OF WIRE IN THE LOOPS SHALL BE AS DETERMINED BY THE ENGINEER. ALL ADDITIONAL TRAFFIC SIGNAL HEADS, LOOP DETECTORS AND ASSOCIATED EQUIPMENT REQUIRED TO MAINTAIN ACCESS AT THE ENTRANCE SHALL BE INCLUDED IN THE COST OF "TEMPORARY BRIDGE TRAFFIC SIGNALS", EACH.

COMMITMENTS

NONE

HIGHWAY STANDARDS

- 000001-05
- 001001-02
- 602301-02
- 604006-04
- 630001-08
- 630301-05
- 631031-07
- 635006-03
- 635011-02
- 701201-03
- 701311-03
- 701321-10
- 701901-01
- 704001-05
- 780001-02
- 781001-03

Rev. Sheet 10-9-09

FILE NAME = #FILEL*	USER NAME = #USER* DESIGNED - DRAWN - PLOT SCALE = #SCALE* PLOT DATE = #DATE*	DESIGNED - DRAWN - CHECKED - DATE -	REVISED - REVISED - REVISED - REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	INDEX OF SHEETS, GENERAL NOTES, AND STANDARDS	F.A.P. RTE. 312	SECTION 73-VB-1	COUNTY RANDOLPH	TOTAL SHEETS 21	SHEET NO. 2	CONTRACT NO. 76C78
				SCALE:	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.				
						FED. ROAD DIST. NO.		ILLINOIS		FED. AID PROJECT	

SUMMARY OF QUANTITIES

SUMMARY OF QUANTITIES			100% STATE		CONSTRUCTION TYPE CODE	
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	X131-2A		
2100105	STONE RIPRAP, CLASS A3	SQ YD	10	10		
40600200	BITUMINOUS MATERIALS (PRIME COAT)	TON	0.3	0.3		
40600300	AGGREGATE (PRIME COAT)	TON	2	2		
40600985	PORTLAND CEMENT CONCRETE SURFACE REMOVAL - BUTT JOINT	SQ YD	196	196		⚠
40600990	TEMPORARY RAMP	SQ YD	36	36		
40603085	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70	TON	20	20		⚠
40603315	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70	TON	50	50		
44000151	HOT-MIX ASPHALT SURFACE REMOVAL, 1/2"	SQ YD	395	395		
44004250	PAVED SHOULDER REMOVAL	SQ YD	55	55		⚠
48102100	AGGREGATE WEDGE SHOULDER, TYPE B	TON	6	6		
48203100	HOT-MIX ASPHALT SHOULDERS	TON	24	24		
50102400	CONCRETE REMOVAL	CU YD	13.3	13.3		
50157300	PROTECTIVE SHIELD	SQ YD	249	249		
50300255	CONCRETE SUPERSTRUCTURE	CU YD	14.7	14.7		
50300260	BRIDGE DECK GROOVING	SQ YD	675	675		
50300300	PROTECTIVE COAT	SQ YD	720	720		
50300530	FLOOR DRAIN EXTENSION	EACH	12	12		
50500405	FURNISHING AND ERECTING STRUCTURAL STEEL	POUND	1530	1530		
50500715	JACK AND REMOVE EXISTING BEARINGS	EACH	12	12		
50800205	REINFORCEMENT BARS, EPOXY COATED	POUND	1520	1520		
50800515	BAR SPLICERS	EACH	24	24		
52000110	PREFORMED JOINT STRIP SEAL	FOOT	102.5	102.5		
52100010	ELASTOMERIC BEARING ASSEMBLY, TYPE I	EACH	6	6		
52100020	ELASTOMERIC BEARING ASSEMBLY, TYPE II	EACH	6	6		
52100520	ANCHOR BOLTS, 1"	EACH	24	24		
54213450	END SECTIONS 15"	EACH	1	1		
542A0220	PIPE CULVERTS, CLASS A, TYPE 1 15"	FOOT	70	70		
60235700	INLETS, TYPE A, TYPE 3 FRAME AND GRATE	EACH	1	1		
60605000	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24	FOOT	250	250		
60900515	CONCRETE THRUST BLOCKS	EACH	1	1		
*63000001	STEEL PLATE BEAM GUARD RAIL, TYPE A, 6 FOOT POSTS	FOOT	163	163		
*63100085	TRAFFIC BARRIER TERMINAL, TYPE 6	EACH	2	2		
*63100167	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH	2	2		

SUMMARY OF QUANTITIES			100% STATE		CONSTRUCTION TYPE CODE	
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	X131-2A		
63200310	GUARDRAIL REMOVAL	FOOT	225	225		
63301000	REMOVE AND RE-ERECT STEEL PLATE BEAM GUARD RAIL	FOOT	250	250		
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	6	6		
67100100	MOBILIZATION	L SUM	1	1		
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	L SUM	1	1		
70101205	TRAFFIC CONTROL AND PROTECTION, STANDARD 701321 (SPECIAL)	EACH	1	1		
70106500	TEMPORARY BRIDGE TRAFFIC SIGNALS	EACH	1	1		
70106600	TEMPORARY BRIDGE TRAFFIC SIGNALS (STATE FURNISHED CONTROLLER)	EACH	1	1		
70106700	TEMPORARY RUMBLE STRIP	EACH	6	6		
70300100	SHORT-TERM PAVEMENT MARKING	FOOT	220	220		⚠
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	1998	1998		⚠
70300240	TEMPORARY PAVEMENT MARKING - LINE 6"	FOOT	1100	1100		
70300260	TEMPORARY PAVEMENT MARKING - LINE 12"	FOOT	40	40		
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	779	779		⚠
70400100	TEMPORARY CONCRETE BARRIER	FOOT	575	575		
70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	525	525		
*78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	1650	1650		
*78008210	POLYUREA PAVEMENT MARKING TYPE I - LINE 4"	FOOT	348	348		⚠
*78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	10	10		
*78100105	RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE)	EACH	2	2		
*78200410	GUARDRAIL MARKERS, TYPE A	EACH	8	8		
*78200520	BARRIER WALL MARKERS, TYPE B	EACH	2	2		
*78200530	BARRIER WALL MARKERS, TYPE C	EACH	2	2		
*78201000	TERMINAL MARKER - DIRECT APPLIED	EACH	2	2		
78300100	PAVEMENT MARKING REMOVAL	SQ FT	666	666		⚠
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	12	12		
X0321468	PLUG EXISTING DECK DRAINS	EACH	16	16		
XZ193500	BRIDGE DECK MICROSILICA CONCRETE OVERLAY 2 1/4"	SQ YD	689	689		
Z0006204	BRIDGE DECK HYDRO-SCARIFICATION 1/2"	SQ YD	689	689		
Z0016002	DECK SLAB REPAIR (FULL DEPTH, TYPE II)	SQ YD	97	97		
Z0030250	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2		

⚠ Rev. 10-9-09

* SPECIALTY ITEMS

FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
#FILE#		DRAWN -	REVISED -			312	73-VB-1	RANDOLPH	21	3	
PLOT SCALE = #SCALE#		CHECKED -	REVISED -			SCALE: SHEET NO. OF SHEETS STA. TO STA.					
PLOT DATE = #DATE#		DATE -	REVISED -			FED. ROAD DIST. NO. [ILLINOIS] FED. AID PROJECT					

SUMMARY OF QUANTITIES

SUMMARY OF QUANTITIES			100% STATE	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	X131-2A		
Z0030350	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3	EACH	2	2		
Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	L SUM	1	1		
X0325807	PORTLAND CEMENT CONCRETE SURFACE REMOVAL 1/2"	SQ YD	474	474		
X0326761	JOINT REPAIR (SPECIAL)	L SUM	1	1		

SUMMARY OF QUANTITIES			TOTAL QUANTITIES	CONSTRUCTION TYPE CODE		
CODE NO	ITEM	UNIT		X131-2A		


Rev! 0-9-09

FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -
#FILE#		DRAWN -	REVISED -
	PLDT SCALE = #SCALE#	CHECKED -	REVISED -
	PLDT DATE = #DATE#	DATE -	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES			
SCALE:	SHEET NO. OF SHEETS	STA. TO STA.	


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
312	73-VB-1	RANDOLPH	21	3A
CONTRACT NO. 76C78				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				



TANGENT SECTION
STA. 780+88.59 TO STA. 781+93.82



TANGENT SECTION
STA. 784+20.11 LT TO STA. 785+89.05 LT



TANGENT SECTION
STA. 783+39.05 LT TO STA. 784+20.11 LT
STA. 783+56.09 RT TO STA. 784+20.11 RT

LEGEND

- ① EXISTING CONCRETE PAVEMENT 8"
- ② EXISTING STABILIZED SUB BASE 4"
- ③ EXISTING STABILIZED SHOULDER 8"
- ④ EXISTING AGGREGATE SHOULDER
- ⑤ EXISTING SUB BASE GRANULAR MATERIAL, TYPE C
- ⑥ EXISTING BITUMINOUS CURB
- ⑦ PROPOSED PORTLAND CEMENT CONCRETE SURFACE REMOVAL 1/2"
- ⑧ PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70 - 1 1/2"
- ⑨ PROPOSED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70 - 3/4"
- ⑩ PROPOSED HOT-MIX ASPHALT SURFACE REMOVAL, 1/2"
- ⑪ PROPOSED HOT-MIX ASPHALT SHOULDERS
- ⑫ PROPOSED AGGREGATE WEDGE
- ⑬ PROPOSED COMBINATION CONCRETE CURB AND GUTTER, TYPE B, 6.24
- ⑭ PROPOSED BITUMINOUS MATERIALS (PRIME COAT)
- ⑮ PROPOSED AGGREGATE (PRIME COAT)

THE FOLLOWING HOT-MIX ASPHALT MIXTURE REQUIREMENTS ARE APPLICABLE TO THIS PROJECT:

MIXTURE USE	SURFACE	BINDER	SHOULDERS
AC/PG	PG 64-22	PG 64-22	PG 64-22
RAP % (MAX)	10%	15%	30%
DESIGN AIR VOIDS	4.0% @ Ndes=70	4.0% @ Ndes=70	2.0% @ Ndes=30
MIX COMPOSITION (GRADATION MIXTURE)		IL 19.0	
FRICTION AGG	MIXTURE "C"	MIXTURE "B"	BAM

TOP LIFT SHOULDERS - DESIGN THIS MIX AT 2.0% VOIDS AND ADD ASPHALT TO REDUCE VOIDS TO 1.5%.

PLAN QUANTITIES FOR HOT-MIX ASPHALT SURFACE COURSE ITEMS ARE CALCULATED USING A UNIT WEIGHT OF 112 LB/SO YD/IN.

Rev. Sheet 10-9-09

FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	ROADWAY TYPICAL SECTIONS	F.A.P. RTE. 312	SECTION 73-VB-1	COUNTY RANDOLPH	TOTAL SHEETS 21	SHEET NO. 4	
#FILE#	PLLOT SCALE = #SCALE#	CHECKED -	REVISED -			SCALE:	SHEET NO. OF SHEETS	STA. TO STA.	CONTRACT NO. 76C78		
	PLLOT DATE = #DATE#	DATE -	REVISED -			FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT					

TEMPORARY RAMP SCHEDULE				
LOCATION	WIDTH FOOT	LENGTH FOOT	TEMPORARY RAMP	
			SO	YD
STA 780+88.59	32.0	5	18	
STA 784+20.11	32.0	5	18	
TOTAL			36	



RESURFACING SCHEDULE											
LOCATION	STATION TO	STATION	BITUMINOUS	AGGREGATE	HOT-MIX ASPHALT	HOT-MIX ASPHALT	AGGREGATE	HOT-MIX ASPHALT	PAVED	PCC	PORTLAND CEMENT
			MATERIALS (PRIME COAT)	(PRIME COAT)	BINDER COURSE	ASPHALT SURFACE COURSE, 1 1/2"	SHOULDERS	WEDGE SHOULDER	SURFACE REMOVAL 1/2"	SHOULDER REMOVAL	SURFACE REMOVAL - BUTT JOINT
			TON	TON	TON	TON	TON	TON	SO YD	SO YD	SO YD
STA 780+88.59 TO STA 781+93.82			0.17	0.79	11.8	29.5	14.4	5.9	236.4	17.0	97.8
STA 783+47.57 TO STA 784+20.11			0.11	0.51	8.2	20.4	8.7		158.6	17.0	97.8
STA 784+20.11 TO STA 785+89.05										38.0	
SUB-TOTAL			0.3	1.3	20.0	49.9	23.1	5.9	395.0	55.0	195.6
TOTAL			0.3	2	20	50	24	6	395	55	196

GUARDRAIL SCHEDULE									
LOCATION	GUARDRAIL	STEEL PLATE BEAM	TRAFFIC BARRIER	TRAFFIC BARRIER	REMOVE AND RE-ERECT	GUARDRAIL	BARRIER WALL	BARRIER WALL	TERMINAL
	REMOVAL	GUARDRAIL, TYPE A, 6 FOOT POSTS	TERMINAL, TYPE 1 (SPECIAL), TANGENT	TERMINAL, TYPE 6	STEEL PLATE BEAM GUARD RAIL	MARKERS TYPE A	MARKERS TYPE B	MARKERS TYPE C	MARKERS DIRECT APPLIED
		FOOT	FOOT	EACH	EACH	FOOT	EACH	EACH	EACH
NB IL 3						4	1	1	
SB IL 3						4	1	1	2
NW QUADRANT					250				
SW QUADRANT	112.5	75	1	1					
SE QUADRANT	112.5	87.5	1	1					
TOTAL	225	162.50	2	2	250	8	2	2	2

PAVEMENT MARKING SCHEDULE																				
LOCATION	THERMOPLASTIC PAVEMENT MARKING			POLYUREA PAVEMENT MARKING			PAVEMENT MARKING REMOVAL	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	RAISED REFLECTIVE PAVEMENT MARKER 2-WAY AMBER	RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE) 2-WAY AMBER	SHORT TERM PAVEMENT MARKING	TEMPORARY PAVEMENT MARKING			WORK ZONE PAVEMENT MARKING REMOVAL					
	SKIP-DASH CENTERLINE 4" YELLOW	EDGE LINE 4" WHITE		SKIP-DASH CENTERLINE 4" YELLOW	EDGE LINE 4" WHITE							SKIP-DASH CENTERLINE 4" YELLOW	EDGE LINE 4" WHITE	SKIP-DASH CENTERLINE 4" YELLOW		EDGE LINE 4" WHITE	SKIP-DASH CENTERLINE 4" YELLOW	EDGE LINE 4" WHITE	SKIP-DASH CENTERLINE 4" YELLOW	EDGE LINE 4" WHITE
		FOOT	FOOT		FOOT	FOOT														
STA 778+00.00 TO STA 781+93.82	100	394	394				296	5	5		108	100	394	394	332					
STA 781+93.82 TO STA 783+47.57				40	154	154	116	2		2	16	40	154	154	121					
STA 783+47.57 TO STA 786+88.76	80	341	341				254	5	5		96	80	341	341	286					
STOP BARS ON LIBERTY STREET															40					
SUB-TOTAL	180	735	735	40	154	154	666	12	10	2	220	220	889	889						
TOTAL		1650			348								1998		779					


Rev. Sheet 10-9-09

FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
#FILE#		DRAWN -	REVISED -			312	73-VB-1	RANDOLPH	21	5
PLOT SCALE = #SCALE#		CHECKED -	REVISED -			CONTRACT NO. 76C78				
PLOT DATE = #DATE#		DATE -	REVISED -			SCALE:	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.	FED. ROAD DIST. NO.



Rev. Sheet 10-9-09


FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PLAN VIEW	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
#FILE#		DRAWN -	REVISED -			312	73-VB-1	RANDOLPH	21	6	
		CHECKED -	REVISED -			SCALE: SHEET NO. 1 OF 2 SHEETS STA. 778+24.66 TO STA. 784+00		CONTRACT NO. 76C78			
		DATE -	REVISED -			ILLINOIS FED. AID PROJECT					



S.N. 079-0036

NOTE:
INLET, TYPE A, TYPE 3 FRAME AND
GRATE IS 24" DEEP

STATION EQUATION
IL 3 786+00
EVANSVILLE CONNECTOR 0+00









Rev. Sheet 10-9-09

EXISTING RIGHT OF WAY IS OFF OF SHEET


FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PLAN VIEW	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
#FILE#		DRAWN -	REVISED -			312	73-VB-1	RANDOLPH	21	7	
		CHECKED -	REVISED -			CONTRACT NO. 76C78					
		DATE -	REVISED -			ILLINOIS FED. AID PROJECT					
				SCALE: SHEET NO. 2 OF 2 SHEETS STA. 784+00 TO STA. 789+51.23							

LEGEND


-  IMPACT ATTENUATOR
-  TEMPORARY CONCRETE BARRIER
-  BARRELS WITH STEADY BURNING LIGHT
-  TEMPORARY BRIDGE TRAFFIC SIGNALS
-  TYPE III BARRICADE



SAND MODULE IMPACT ATTENUATOR LAYOUT
(IF OPTION USED)




SEE STANDARD 701321
FOR DETAILS NOT SHOWN



SEQUENCE OF CONSTRUCTION - STAGE I:






LOCATE AND PLACE STOP BARS AS SHOWN ON PLANS.
REMOVE SKIP-DASH, EDGE LINE AND ANY OTHER CONFLICTING PAVEMENT MARKING BETWEEN STOP BARS.
PLACE 575 FEET OF TEMPORARY CONCRETE BARRIER.
PLACE 2 IMPACT ATTENUATORS, TEMPORARY.
SEE STANDARD 701321 FOR DETAILS NOT SHOWN ON STAGE 1 SHEETS
PERFORM ALL NECESSARY WORK IN STAGE 1 WORK ZONE.
AFTER TRAFFIC SIGNALS ARE INSTALLED, COVER EXISTING STOP SIGNS AT INTERSECTION OF EVANSVILLE CONNECTOR AND INSTALL STOP HERE ON RED SIGNS.




Rev. Sheet 10-9-09


FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STAGE I	F.A.P. RTE.:	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
#FILE#		DRAWN -	REVISED -			312	73-VB-1	RANDOLPH	21	8	
		CHECKED -	REVISED -			SCALE: SHEET NO. 1 OF 2 SHEETS STA. 778+00.00 TO STA. 784+00		CONTRACT NO. 76C78			
		DATE -	REVISED -			ILLINOIS FED. AID PROJECT					

LEGEND

-  IMPACT ATTENUATOR
-  TEMPORARY CONCRETE BARRIER
-  BARRELS WITH STEADY BURNING LIGHT
-  TEMPORARY BRIDGE TRAFFIC SIGNALS
-  TYPE III BARRICADE








SAND MODULE IMPACT ATTENUATOR LAYOUT
(IF OPTION USED)




Rev. Sheet 10-9-09



FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STAGE I	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
#FILE#		DRAWN -	REVISED -			312	73-VB-I	RANDOLPH	21	9
PLOT SCALE = #SCALE#		CHECKED -	REVISED -			CONTRACT NO. 76C78				
PLOT DATE = #DATE#		DATE -	REVISED -			ILLINOIS FED. AID PROJECT				
					SCALE:	SHEET NO. 2 OF 2 SHEETS		STA. 784+00 TO STA. 789+51.23		

LEGEND

-  IMPACT ATTENUATOR
-  TEMPORARY CONCRETE BARRIER
-  BARRELS WITH STEADY BURNING LIGHT
-  TEMPORARY BRIDGE TRAFFIC SIGNALS
-  TYPE III BARRICADE




SAND MODULE IMPACT ATTENUATOR LAYOUT
(IF OPTION USED)



SEQUENCE OF CONSTRUCTION - STAGE II:






RELOCATE 525 FEET OF TEMPORARY CONCRETE BARRIER.
 RELOCATE 2 IMPACT ATTENUATORS, TEMPORARY.
 SEE STANDARD 701321 FOR DETAILS NOT SHOWN ON STAGE 2 SHEETS.
 PERFORM ALL NECESSARY WORK IN STAGE 2 WORK ZONE.
 AFTER TRAFFIC SIGNALS ARE REMOVED, UNCOVER EXISTING STOP SIGNS AT INTERSECTION
 OF EVANSVILLE CONNECTOR AND REMOVE STOP HERE ON RED SIGNS.




Rev. Sheet 10-9-09



FILE NAME = #FILE#	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STAGE II	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = #SCALE#	DRAWN -	REVISED -			312	73-VB-1	RANDOLPH	21	10
PLOT DATE = #DATE#	CHECKED -	REVISED -	REVISED -		SCALE:	SHEET NO. 1 OF 2 SHEETS	STA. 778+00.00 TO STA. 784+00	ILLINOIS FED. AID PROJECT CONTRACT NO. 76C78		

LEGEND

-  IMPACT ATTENUATOR
-  TEMPORARY CONCRETE BARRIER
-  BARRELS WITH STEADY BURNING LIGHT
-  TEMPORARY BRIDGE TRAFFIC SIGNALS
-  TYPE III BARRICADE




SAND MODULE IMPACT ATTENUATOR LAYOUT
(IF OPTION USED)




Rev. Sheet 10-9-09

FILE NAME = #FILE#	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STAGE II	F.A.P. RTE. 312	SECTION 73-VB-1	COUNTY RANDOLPH	TOTAL SHEETS 21	SHEET NO. 11		
	PLOT SCALE = #SCALE#	CHECKED -	REVISED -			SCALE: SHEET NO. 2 OF 2 SHEETS STA. 784+00 TO STA. 789+51.23		CONTRACT NO. 76C78				
	PLOT DATE = #DATE#	DATE -	REVISED -			ILLINOIS FED. AID PROJECT						




NOTE: SEE STANDARDS 780001 AND 781001 FOR PAVEMENT MARKING DETAILS.

Rev. Sheet 10-9-09



FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PAVEMENT MARKING			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
#FILE#		DRAWN -	REVISED -		SCALE: 1" = 20"	SHEET NO. 1 OF 2 SHEETS	STA. 778+00.00 TO STA. 784+00	312	73-VB-1	RANDOLPH	21	11A
		CHECKED -	REVISED -					CONTRACT NO. 76C78				
		DATE -	REVISED -					ILLINOIS FED. AID PROJECT				



S.N. 079-0036

MATCH LINE STATION 784+00

784 FAP 312 (IL 3)

TWO-WAY AMBER RAISED REFLECTIVE PAVEMENT MARKER

4" SKIP DASH - YELLOW

10'-0"

2'-0" 12'-0"

10'-0"

785+00

786

787

788 FAP 312 (IL 3)
CONCRETE

789

10'-0"

12'-0" 12'-0"

10'-0"


4" SOLID WHITE LINE

STATION EQUATION
IL 3 786+00
EVANSVILLE CONNECTOR 0+00

THERMOPLASTIC PAVEMENT MARKING

LIBERTY STREET
CONCRETE

12'-0" 12'-0"



Rev. Sheet 10-9-09


FILE NAME =	USER NAME = #USER*	DESIGNED -	REVISED -
#FILE#		DRAWN -	REVISED -
	PLOT SCALE = #SCALE*	CHECKED -	REVISED -
	PLOT DATE = #DATE*	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


PAVEMENT MARKING

SCALE: 1" = 20' SHEET NO. 2 OF 2 SHEETS STA. 784+00 TO STA. 789+51.23


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
312	73-VB-1	RANDOLPH	21	11B
CONTRACT NO. 76C78			ILLINOIS FED. AID PROJECT	




JOINT DETAIL
STA. 783+70.11



JOINT TO BE REPLACED
STA. ±780+88



BUTT JOINT DETAIL
BEGINNING OF PROJECT



BUTT JOINT DETAIL
END OF PROJECT

Rev. Sheet 10-9-09

FILE NAME =	USER NAME = #USER#	DESIGNED -	REVISED -
#FILE#		DRAWN -	REVISED -
	PLOT SCALE = #SCALE#	CHECKED -	REVISED -
	PLOT DATE = #DATE#	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DETAILS	
SCALE:	SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
312	73-VB-1	RANDOLPH	21	21
CONTRACT NO. 76C78			ILLINOIS FED. AID PROJECT	