

### MAINLINE SCHEDULE

Location			Length	2 1/4" BINDER	1 1/2" SURFACE	2 1/4" SURFACE	1/4 SURFACE	2 1/4" SURFACE	BIT MATL'S	AGG (PR	TEMP RAMP	MIX CRACKS	LEVEL BIND	RUMBLE	AGG SHLD	
				MAINLINE	MAINLINE, MIX "E"	10' SHLDR MIX C	SHLDR, MIX C	4' SHLDR, MIX "E"	(PR CT)	CT)	SQ YD	JTS & FLGWYS	(HM)	STRIP	TY B	
			FT	TON	TON	TON	TON	TON	GAL	TON	SQ YD	TON	TON	FT	TON	
EASTBOUND	Gap (SN 006-0001)	0+00	54+47.84	5447.84	1830.5	1220.3	762.7	0.0	305.1	1840.2	46.0	24.0	4.4	7.3	10895.7	235.8
		54+47.84	56+06.01	158.17												
	Gap (SN 006-0003)	56+06.01	79+41.91	2335.90	784.9	523.2	327.0	0.0	130.8	789.0	19.7	24.0	1.9	3.1	4671.8	101.1
		79+41.91	80+75.41	133.50												
	Gap (SN 006-0005)	80+75.41	182+00.97	10125.56	3402.2	2268.1	1417.6	0.0	567.0	3420.2	85.5	24.0	8.1	13.5	20251.1	438.2
		182+00.97	183+76.92	175.95												
	Gap (SN 006-0007)	183+76.92	202+00.35	1823.43	612.7	408.4	255.3	0.0	102.1	615.9	15.4	24.0	1.5	2.4	3646.9	78.9
		202+00.35	203+98.6	198.25												
	Gap (SN 006-0009)	203+98.6	422+30.5	21831.90	7335.5	4890.3	3056.5	0.0	1222.6	7374.3	184.4	24.0	17.5	29.1	43663.8	944.8
		422+30.5	423+99.5	169.00												
	(SN 006-0011)	423+99.5	426+45.5	246.00	82.7	55.1	34.4	0.0	13.8	83.1	2.1	24.0	0.2	0.3	492.0	10.6
		426+45.5	427+95.67	150.17												
	Exit Terminal (D)	427+95.67	455+05.	2709.33	910.3	606.9	379.3	0.0	151.7	915.2	22.9	24.0	2.2	3.6	5418.7	117.3
		455+05.	461+67	662.00	222.4	148.3	0.0	0.0	37.1	164.8	4.1	0.0	0.5	0.9	662.0	19.1
Ent. Terminal **1/64	461+67.	472+53	1086.00	364.9	243.3	152.0	0.0	60.8	366.8	9.2	0.0	0.9	1.4	2172.0	47.0	
	472+53.	483+63	1110.00	373.0	248.6	0.0	0.0	62.2	276.3	6.9	0.0	0.9	1.5	1110.0	32.0	
		483+63.	1948.00	654.5	436.4	272.7	0.0	109.1	658.0	16.4	0.0	1.6	2.6	3896.0	84.3	
WESTBOUND	Gap (SN 006-0002)	0+00.00	54+54.	5454.00	1832.5	1221.7	763.6	0.0	305.4	1842.2	46.1	24.0	4.4	7.3	10908.0	236.0
		54+54.	56+12.16	158.16												
	Gap (SN 006-0004)	56+12.16	79+19.59	2307.43	775.3	516.9	323.0	0.0	129.2	779.4	19.5	24.0	1.8	3.1	4614.9	99.9
		79+19.59	80+63.09	143.50												
	Gap (SN 006-0006)	80+63.09	181+27.08	10063.99	3381.5	2254.3	1409.0	0.0	563.6	3399.4	85.0	24.0	8.1	13.4	20128.0	435.5
		181+27.08	183+03.08	176.00												
	Gap (SN 006-0008)	183+03.08	201+61.4	1858.32	624.4	416.3	260.2	0.0	104.1	627.7	15.7	24.0	1.5	2.5	3716.6	80.4
		201+61.4	203+59.65	198.25												
	Gap (SN 006-0010)	203+59.65	422+60.5	21900.85	7358.7	4905.8	3066.1	0.0	1226.4	7397.6	184.9	24.0	17.5	29.2	43801.7	947.8
		422+60.5	423+69.5	109.00												
	(SN 006-0012)	423+69.5	425+44.91	175.41	58.9	39.3	24.6	0.0	9.8	59.2	1.5	24.0	0.1	0.2	350.8	7.6
		425+44.91	426+93.66	148.75												
	Ent. Terminal (A)	426+93.66	450+57.95	2364.29	794.4	529.6	331.0	0.0	132.4	798.6	20.0	24.0	1.9	3.2	4728.6	102.3
		450+57.95	462+08	1150.05	386.4	257.6	0.0	0.0	64.4	286.2	7.2	0.0	0.9	1.5	1150.1	33.2
Exit Terminal (B)	462+08	471+73	965.00	324.2	216.2	135.1	0.0	54.0	326.0	8.1	0.0	0.8	1.3	1930.0	41.8	
	471+73	478+36	663.00	222.8	148.5	0.0	0.0	37.1	165.0	4.1	0.0	0.5	0.9	663.0	19.1	
		478+36	2475.00	831.6	554.4	346.5	0.0	138.6	836.0	20.9	0.0	2.0	3.3	4950.0	107.1	
Ramps	Ent. Terminal (A)	450+57.95	462+08	1150.05	201.3	134.2	0.0	128.8	64.4	209.6	5.2	5.3	0.5	0.8	0.0	16.6
	Ramp A	0+77	16+19.4	1542.40	345.5	230.3	0.0	172.7	86.4	383.9	9.6		0.8	1.4	0.0	66.8
	Exit Terminal (B)	471+73	478+36	663.00	171.7	114.5	0.0	74.3	37.1	109.0	2.7	5.3	0.4	0.7	0.0	9.6
	Ramp B	0+00	15+15	1515.00	339.4	226.2	0.0	169.7	84.8	377.1	9.4		0.8	1.3	0.0	65.6
	Ent. Terminal **1/64	472+53	483+63	1110.00	287.5	191.7	0.0	124.3	62.2	182.5	4.6	5.3	0.7	1.1	0.0	16.0
	Ramp C	0+77	12+16.93	1139.93	255.3	170.2	0.0	127.7	63.8	283.7	7.1		0.6	1.0	0.0	49.3
	Exit Terminal (D)	455+05	461+67	662.00	171.5	114.3	0.0	74.1	37.1	108.9	2.7	5.3	0.4	0.7	0.0	9.5
Ramp D	0+00	14+40	1440.00	322.6	215.0	0.0	161.3	80.6	358.4	9.0		0.8	1.3	0.0	62.3	
Totals					35259.0	23573.0	13316.6	1032.9	6043.8	35034.2	875.9	357.2	83.9	139.9	193821.6	4515.6

\*USE MIX C ON 4' SHLD ON RAMPS