



PR 41ST DRIVE CONNECTOR

PR 41ST AVE DRIVE

PR 38TH STREET

NOTES:

1. TRANSVERSE JOINT SPACING IS 15' UNLESS OTHERWISE NOTED.
2. CONTRACTOR SHALL ADJUST JOINTS TO ACCOMMODATE UTILITY CASTINGS, SEE STANDARD 420111.
3. PAVEMENT JOINT STUBS SHALL BE 1' MINIMUM.



JPLN-04



2600 Warrenville Road, Suite 203, Downers Grove, IL 60515
 630.705.0110 voice, 630.839.3566 fax
 www.mps-il.com
MILLENNIA PROFESSIONAL SERVICES

DESIGNED - TVN	REVISED -
DRAWN - CJD	REVISED -
CHECKED - RPD	REVISED -
DATE - 3/11/2013	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**38TH STREET AT 41ST DRIVE CONNECTOR
 JOINTING PLAN**

SCALE: 1"=20' SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
595	(142-1)R & 142-1HB	ROCK ISLAND	507	241
CONTRACT NO. 64B84				

FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT

P:\2011\ME11008_PTB155-26_IL5_JDR_Ciorba\CA00\Shets\0264B84-shr-joint_04.dgn