

GIRDER 3

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	192023.2	11.17	714.41	714.41
⊕ Brg. W. Abut.	192027.13	11.17	714.38	714.38
C	192037.13	11.17	714.32	714.36
D	192047.13	11.17	714.25	714.34
E	192057.13	11.17	714.19	714.32
F	192067.13	11.17	714.12	714.30
G	192077.13	11.17	714.06	714.29
H	192087.13	11.17	713.99	714.23
I	192097.13	11.17	713.93	714.17
J	192107.13	11.17	713.86	714.11
K	192117.13	11.17	713.80	714.05
L	192127.13	11.17	713.73	713.99
M	192137.13	11.17	713.67	713.90
N	192147.13	11.17	713.60	713.80
O	192157.13	11.17	713.54	713.71
P	192167.13	11.17	713.47	713.61
Q	192177.13	11.17	713.41	713.52
R	192187.13	11.17	713.34	713.43
S	192197.13	11.17	713.28	713.34
T	192207.13	11.17	713.21	713.26
U	192217.13	11.17	713.15	713.17
⊕ Brg. Pier	192227.13	11.17	713.08	713.08
V	192237.13	11.17	713.02	713.04
W	192247.13	11.17	712.95	713.00
X	192257.13	11.17	712.89	712.95
Y	192267.13	11.17	712.82	712.91
Z	192277.13	11.17	712.76	712.87
AJ	192287.13	11.17	712.69	712.83
BI	192297.13	11.17	712.63	712.80
CI	192307.13	11.17	712.56	712.76
DI	192317.13	11.17	712.50	712.73
EJ	192327.13	11.17	712.43	712.69
FI	192337.13	11.17	712.37	712.62
GI	192347.13	11.17	712.30	712.55
HI	192357.13	11.17	712.24	712.48
II	192367.13	11.17	712.17	712.41
JI	192377.13	11.17	712.11	712.34
KI	192387.13	11.17	712.04	712.22
LI	192397.13	11.17	711.98	712.11
MI	192407.13	11.17	711.91	712.00
NI	192417.13	11.17	711.85	711.89
⊕ Brg. E. Abut.	192427.13	11.17	711.78	711.78
Bk. E. Abut.	192431.05	11.17	711.76	711.76

CROWN

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	192022.78	12.00	714.42	714.42
⊕ Brg. W. Abut.	192026.70	12.00	714.40	714.40
C	192036.70	12.00	714.33	714.38
D	192046.70	12.00	714.27	714.36
E	192056.70	12.00	714.20	714.34
F	192066.70	12.00	714.14	714.32
G	192076.70	12.00	714.07	714.30
H	192086.70	12.00	714.01	714.24
I	192096.70	12.00	713.94	714.18
J	192106.70	12.00	713.88	714.13
K	192116.70	12.00	713.81	714.07
L	192126.70	12.00	713.75	714.01
M	192136.70	12.00	713.68	713.91
N	192146.70	12.00	713.62	713.82
O	192156.70	12.00	713.55	713.72
P	192166.70	12.00	713.49	713.63
Q	192176.70	12.00	713.42	713.53
R	192186.70	12.00	713.36	713.45
S	192196.70	12.00	713.29	713.36
T	192206.70	12.00	713.23	713.27
U	192216.70	12.00	713.16	713.19
⊕ Brg. Pier	192226.70	12.00	713.10	713.10
V	192236.70	12.00	713.03	713.06
W	192246.70	12.00	712.97	713.01
X	192256.70	12.00	712.90	712.97
Y	192266.70	12.00	712.84	712.93
Z	192276.70	12.00	712.77	712.88
AJ	192286.70	12.00	712.71	712.85
BI	192296.70	12.00	712.64	712.81
CI	192306.70	12.00	712.58	712.78
DI	192316.70	12.00	712.51	712.74
EJ	192326.70	12.00	712.45	712.71
FI	192336.70	12.00	712.38	712.64
GI	192346.70	12.00	712.32	712.57
HI	192356.70	12.00	712.25	712.49
II	192366.70	12.00	712.19	712.42
JI	192376.70	12.00	712.12	712.35
KI	192386.70	12.00	712.06	712.24
LI	192396.70	12.00	711.99	712.13
MI	192406.70	12.00	711.93	712.02
NI	192416.70	12.00	711.86	711.91
⊕ Brg. E. Abut.	192426.70	12.00	711.80	711.80
Bk. E. Abut.	192430.63	12.00	711.77	711.77

GIRDER 4

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	192019.29	18.83	714.34	714.34
⊕ Brg. W. Abut.	192023.22	18.83	714.31	714.31
C	192033.22	18.83	714.25	714.30
D	192043.22	18.83	714.18	714.28
E	192053.22	18.83	714.12	714.26
F	192063.22	18.83	714.05	714.24
G	192073.22	18.83	713.99	714.22
H	192083.22	18.83	713.92	714.16
I	192093.22	18.83	713.86	714.10
J	192103.22	18.83	713.79	714.04
K	192113.22	18.83	713.73	713.98
L	192123.22	18.83	713.66	713.93
M	192133.22	18.83	713.60	713.83
N	192143.22	18.83	713.53	713.74
O	192153.22	18.83	713.47	713.64
P	192163.22	18.83	713.40	713.54
Q	192173.22	18.83	713.34	713.45
R	192183.22	18.83	713.27	713.36
S	192193.22	18.83	713.21	713.28
T	192203.22	18.83	713.14	713.19
U	192213.22	18.83	713.08	713.10
⊕ Brg. Pier	192223.22	18.83	713.01	713.01
V	192233.22	18.83	712.95	712.97
W	192243.22	18.83	712.88	712.93
X	192253.22	18.83	712.82	712.89
Y	192263.22	18.83	712.75	712.84
Z	192273.22	18.83	712.69	712.80
AJ	192283.22	18.83	712.62	712.77
BI	192293.22	18.83	712.56	712.73
CI	192303.22	18.83	712.49	712.70
DI	192313.22	18.83	712.43	712.66
EJ	192323.22	18.83	712.36	712.63
FI	192333.22	18.83	712.30	712.55
GI	192343.22	18.83	712.23	712.48
HJ	192353.22	18.83	712.17	712.41
IJ	192363.22	18.83	712.10	712.34
JJ	192373.22	18.83	712.04	712.27
KJ	192383.22	18.83	711.97	712.16
LJ	192393.22	18.83	711.91	712.05
MJ	192403.22	18.83	711.84	711.94
NJ	192413.22	18.83	711.78	711.83
⊕ Brg. E. Abut.	192423.22	18.83	711.71	711.71
Bk. E. Abut.	192427.15	18.83	711.69	711.69