

GIRDER 1

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	318+56.23	-21.92	629.15	629.15
☉ Brg. S. Abut.	318+59.87	-21.92	629.17	629.17
A	318+69.93	-21.92	629.22	629.26
B	318+79.99	-21.92	629.27	629.35
C	318+90.05	-21.92	629.32	629.42
D	319+00.11	-21.92	629.37	629.49
E	319+10.17	-21.92	629.42	629.55
F	319+20.24	-21.92	629.47	629.60
G	319+30.30	-21.92	629.53	629.64
H	319+40.36	-21.92	629.58	629.67
I	319+50.42	-21.92	629.63	629.69
J	319+60.48	-21.92	629.68	629.72
K	319+70.54	-21.92	629.73	629.75
L	319+80.60	-21.92	629.78	629.78
☉ Pier/Brg.	319+86.86	-21.92	629.81	629.81
M	319+96.92	-21.92	629.87	629.88
N	320+06.98	-21.92	629.92	629.95
O	320+17.04	-21.92	629.97	630.03
P	320+27.10	-21.92	630.00	630.09
Q	320+37.16	-21.92	630.03	630.15
R	320+47.23	-21.92	630.04	630.18
S	320+57.29	-21.92	630.05	630.20
T	320+67.35	-21.92	630.04	630.18
U	320+77.41	-21.92	630.02	630.15
V	320+87.47	-21.92	629.99	630.09
W	320+97.53	-21.92	629.95	630.02
X	321+07.59	-21.92	629.90	629.92
☉ Brg. N. Abut.	321+12.48	-21.92	629.87	629.87
Bk. N. Abut.	321+16.04	-21.92	629.86	629.86

GIRDER 2

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	318+59.20	-13.42	629.33	629.33
☉ Brg. S. Abut.	318+62.83	-13.42	629.35	629.35
A	318+72.86	-13.42	629.40	629.44
B	318+82.90	-13.42	629.45	629.53
C	318+92.94	-13.42	629.51	629.61
D	319+02.98	-13.42	629.56	629.68
E	319+13.01	-13.42	629.61	629.74
F	319+23.05	-13.42	629.66	629.79
G	319+33.09	-13.42	629.71	629.82
H	319+43.13	-13.42	629.76	629.85
I	319+53.16	-13.42	629.81	629.87
J	319+63.20	-13.42	629.86	629.90
K	319+73.24	-13.42	629.91	629.93
L	319+83.28	-13.42	629.97	629.97
☉ Pier/Brg.	319+89.48	-13.42	630.00	630.00
M	319+99.52	-13.42	630.05	630.06
N	320+09.56	-13.42	630.10	630.13
O	320+19.59	-13.42	630.15	630.20
P	320+29.63	-13.42	630.18	630.26
Q	320+39.67	-13.42	630.20	630.30
R	320+49.71	-13.42	630.22	630.34
S	320+59.74	-13.42	630.22	630.35
T	320+69.78	-13.42	630.21	630.34
U	320+79.82	-13.42	630.18	630.29
V	320+89.86	-13.42	630.15	630.24
W	320+99.90	-13.42	630.11	630.17
X	321+09.93	-13.42	630.06	630.08
☉ Brg. N. Abut.	321+14.78	-13.42	630.03	630.03
Bk. N. Abut.	321+18.33	-13.42	630.02	630.02

GIRDER 3

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	318+62.15	-4.92	629.52	629.52
☉ Brg. S. Abut.	318+65.77	-4.92	629.54	629.54
A	318+75.79	-4.92	629.59	629.63
B	318+85.80	-4.92	629.64	629.71
C	318+95.81	-4.92	629.69	629.79
D	319+05.83	-4.92	629.74	629.86
E	319+15.84	-4.92	629.79	629.91
F	319+25.85	-4.92	629.84	629.96
G	319+35.87	-4.92	629.89	630.00
H	319+45.88	-4.92	629.94	630.03
I	319+55.90	-4.92	629.99	630.05
J	319+65.91	-4.92	630.05	630.09
K	319+75.92	-4.92	630.10	630.12
L	319+85.94	-4.92	630.15	630.16
☉ Pier/Brg.	319+92.09	-4.92	630.18	630.18
M	320+02.11	-4.92	630.23	630.24
N	320+12.12	-4.92	630.28	630.30
O	320+22.14	-4.92	630.32	630.36
P	320+32.15	-4.92	630.36	630.43
Q	320+42.16	-4.92	630.38	630.47
R	320+52.18	-4.92	630.39	630.49
S	320+62.19	-4.92	630.38	630.49
T	320+72.20	-4.92	630.37	630.48
U	320+82.22	-4.92	630.35	630.45
V	320+92.23	-4.92	630.31	630.39
W	321+02.25	-4.92	630.26	630.31
X	321+12.26	-4.92	630.21	630.23
☉ Brg. N. Abut.	321+17.07	-4.92	630.19	630.19
Bk. N. Abut.	321+20.61	-4.92	630.17	630.17

Notes:

Work this sheet with sheets 10, 12, and 13 of 60.