

*Measured from SB P.G.
 **Measured from NB P.G.

BEAM #6

Location	Station	*Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abutment	6117+81.50	4.00	574.18	574.18
CL Brg. S. Abut.	6117+83.62	4.00	574.20	574.20
A	6117+93.62	4.00	574.32	574.35
B	6118+03.62	4.00	574.44	574.49
C	6118+13.62	4.00	574.56	574.63
D	6118+23.62	4.00	574.67	574.76
E	6118+33.62	4.00	574.79	574.88
F	6118+43.62	4.00	574.91	575.00
G	6118+53.62	4.00	575.02	575.10
H	6118+63.62	4.00	575.14	575.19
I	6118+73.62	4.00	575.26	575.29
CL Brg. N. Abut.	6118+82.53	4.00	575.36	575.36
Bk. N. Abutment	6118+84.65	4.00	575.39	575.39

BEAM #7

Location	Station	*Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abutment	6117+86.12	12.00	574.39	574.39
CL Brg. S. Abut.	6117+88.24	12.00	574.42	574.42
A	6117+98.24	12.00	574.54	574.57
B	6118+08.24	12.00	574.65	574.71
C	6118+18.24	12.00	574.77	574.85
D	6118+28.24	12.00	574.89	574.98
E	6118+38.24	12.00	575.00	575.10
F	6118+48.24	12.00	575.12	575.21
G	6118+58.24	12.00	575.24	575.31
H	6118+68.24	12.00	575.36	575.41
I	6118+78.24	12.00	575.47	575.50
CL Brg. N. Abut.	6118+87.15	12.00	575.58	575.58
Bk. N. Abutment	6118+89.27	12.00	575.60	575.60

**IL RTE. 47 &
 STAGE CONSTRUCTION JOINT**

Location	Station	*Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abutment	6117+88.43	16.00	574.50	574.50
CL Brg. S. Abut.	6117+90.55	16.00	574.53	574.53
A	6118+00.55	16.00	574.64	574.67
B	6118+10.55	16.00	574.76	574.82
C	6118+20.55	16.00	574.88	574.95
D	6118+30.55	16.00	574.99	575.08
E	6118+40.55	16.00	575.11	575.20
F	6118+50.55	16.00	575.23	575.32
G	6118+60.55	16.00	575.35	575.42
H	6118+70.55	16.00	575.46	575.52
I	6118+80.55	16.00	575.58	575.61
CL Brg. N. Abut.	6118+89.46	16.00	575.68	575.68
Bk. N. Abutment	6118+91.58	16.00	575.71	575.71

BEAM #8

Location	Station	**Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abutment	6117+90.74	-12.00	574.45	574.45
CL Brg. S. Abut.	6117+92.86	-12.00	574.47	574.47
A	6118+02.86	-12.00	574.59	574.62
B	6118+12.86	-12.00	574.71	574.76
C	6118+22.86	-12.00	574.82	574.90
D	6118+32.86	-12.00	574.94	575.03
E	6118+42.86	-12.00	575.06	575.15
F	6118+52.86	-12.00	575.18	575.26
G	6118+62.86	-12.00	575.29	575.37
H	6118+72.86	-12.00	575.41	575.46
I	6118+82.86	-12.00	575.53	575.55
CL Brg. N. Abut.	6118+91.77	-12.00	575.63	575.63
Bk. N. Abutment	6118+93.89	-12.00	575.66	575.66

BEAM #9

Location	Station	**Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abutment	6117+95.36	-4.00	574.34	574.34
CL Brg. S. Abut.	6117+97.48	-4.00	574.37	574.37
A	6118+07.48	-4.00	574.48	574.51
B	6118+17.48	-4.00	574.60	574.66
C	6118+27.48	-4.00	574.72	574.79
D	6118+37.48	-4.00	574.84	574.92
E	6118+47.48	-4.00	574.95	575.05
F	6118+57.48	-4.00	575.07	575.16
G	6118+67.48	-4.00	575.19	575.26
H	6118+77.48	-4.00	575.30	575.36
I	6118+87.48	-4.00	575.42	575.45
CL Brg. N. Abut.	6118+96.39	-4.00	575.53	575.53
Bk. N. Abutment	6118+98.51	-4.00	575.55	575.55

NORTHBOUND P.G.

Location	Station	**Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abutment	6117+97.67	0.00	574.29	574.29
CL Brg. S. Abut.	6117+99.78	0.00	574.31	574.31
A	6118+09.78	0.00	574.43	574.46
B	6118+19.78	0.00	574.55	574.60
C	6118+29.78	0.00	574.67	574.74
D	6118+39.78	0.00	574.78	574.87
E	6118+49.78	0.00	574.90	574.99
F	6118+59.78	0.00	575.02	575.10
G	6118+69.78	0.00	575.13	575.21
H	6118+79.78	0.00	575.25	575.30
I	6118+89.78	0.00	575.37	575.39
CL Brg. N. Abut.	6118+98.70	0.00	575.47	575.47
Bk. N. Abutment	6119+00.82	0.00	575.50	575.50