

PATCHING SCHEDULE

LOCATION	CLASS A PATCHES					CLASS A PATCHES			SAW	TIE	PATCH
						13 IN	13 IN	13 IN	CUTS	BARS	REINF.
	PASS.	CENT.	DRIV.	WIDTH	SQ YD	TY II	TY III	TY IV	FOOT	EACH	SQ YD
STA 1585+50			20.0	12.0	26.7			26.7	88.0		26.7
STA 1520+67			6.0	12.0	8.0	8.0			60.0		8.0
STA 1443+61			6.0	12.0	8.0	8.0			60.0		8.0
STA 1436+08			6.0	12.0	8.0	8.0			60.0		8.0
STA 1432+85			6.0	12.0	8.0	8.0			60.0		8.0
STA 1424+71			6.0	12.0	8.0	8.0			60.0		8.0
STA 1422+85			6.0	12.0	8.0	8.0			60.0		8.0
STA 1419+64			6.0	12.0	8.0	8.0			60.0		8.0
STA 1417+90	6.0			12.0	8.0	8.0			60.0		8.0
STA 1411+74			24.0	12.0	32.0			32.0	96.0	13	32.0
STA 1411+21			30.0	12.0	40.0			40.0	108.0	16	40.0
STA 1410+41			6.0	12.0	8.0	8.0			60.0		8.0
STA 1394+37	12.0			12.0	16.0		16.0		72.0		16.0
STA 1391+25			6.0	12.0	8.0	8.0			60.0		8.0
STA 1380+51	12.0			12.0	16.0		16.0		72.0		16.0
STA 1368+82			12.0	12.0	16.0		16.0		72.0		16.0
STA 1230+26	12.0			12.0	16.0		16.0		72.0		16.0
STA 1218+36			10.0	12.0	13.3	13.3			68.0		13.3
STA 1162+50			10.0	12.0	13.3	13.3			68.0		13.3
STA 1132+36			12.0	12.0	16.0		16.0		72.0		16.0
STA 853+32	6.0			12.0	8.0	8.0			60.0		8.0
N.B. TOTALS					293.3	114.6	80.0	98.7	1448.0	29.0	293.3
SOUTHBOUND I-55											
STA 755+24			12.0	12.0	16.0		16.0		72.0		16.0
STA 888+91	6.0			12.0	8.0	8.0			60.0		8.0
STA 902+38			6.0	12.0	8.0	8.0			60.0		8.0
STA 967+12			6.0	12.0	8.0	8.0			60.0		8.0
STA 1007+43			6.0	12.0	8.0	8.0			60.0		8.0
STA 1091+71	6.0			12.0	8.0	8.0			60.0		8.0
STA 1342+12			6.0	12.0	8.0	8.0			60.0		8.0
STA 1359+29			8.0	12.0	10.7	10.7			64.0		10.7
STA 1373+86			6.0	12.0	8.0	8.0			60.0		8.0
STA 1403+04			6.0	12.0	8.0	8.0			60.0		8.0
STA 1407+75			6.0	12.0	8.0	8.0			60.0		8.0
STA 1430+30			6.0	12.0	8.0	8.0			60.0		8.0
STA 1458+55	20.0			12.0	26.7			26.7	88.0		26.7
STA 1492+17			6.0	12.0	8.0	8.0			60.0		8.0
N.B. TOTALS					141.3	98.7	16.0	26.7	884.0	0.0	141.3
TOTALS					434.7	213.3	96.0	125.4	2332.0	29.0	434.7

MIXTURE REQUIREMENTS

THE FOLLOWING MIXTURE REQUIREMENTS
ARE APPLICABLE FOR THIS PROJECT

MIXTURE USE(S)	H.M.A. SHOULDER REM & REPL SURF	H.M.A. SHOULDER REM & REPL LOWER LIFTS
AC/PG	PG 64-22	PG 64-22
DESIGN AIR VOIDS	4.0% @ N DESIGN = 50	4.0% @ N DESIGN = 50
MIXTURE COMP	IL 9.5	IL 19.0
FRICITION AGG	MIX "C"	N/A