

### PATCHING SCHEDULE

LOCATION	CLASS A PATCHES				CLASS A PATCHES			SAW	TIE	PATCH
	LENGTH (FT)		WIDTH	SQ YD	13 IN	13 IN	13 IN	CUTS	BARS	REINF.
	PASS.	DRIV.		TY II	TY III	TY IV	FOOT	EACH	SQ YD	
NORTHBOUND I-55										
STA 606+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 607+00		12.0	12.0	16.0		16.0	72.0			16.0
STA 74+00		10.0	12.0	13.3	13.3		68.0			13.3
STA 287+50		14.0	12.0	18.7		18.7	76.0			18.7
STA 289+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 336+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 347+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 349+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 349+50		6.0	12.0	8.0	8.0		60.0			8.0
STA 350+00		7.0	12.0	9.3	9.3		62.0			9.3
STA 350+50		8.0	12.0	10.7	10.7		64.0			10.7
STA 351+00		16.0	12.0	21.3		21.3	80.0			21.3
STA 399+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 584+00		6.0	12.0	8.0	8.0		60.0			8.0
<b>N.B. TOTALS</b>				153.3	97.3	56.0	0.0	902.0	0.0	153.3
SOUTHBOUND I-55										
STA 278+00		8.0	12.0	10.7	10.7		64.0			10.7
STA 126+00		12.0	12.0	16.0		16.0	72.0			16.0
STA 846+00		7.0	12.0	9.3	9.3		62.0			9.3
STA 826+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 687+50		35.0	12.0	46.7		46.7	118.0	18		46.7
STA 686+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 678+00		8.0	12.0	10.7	10.7		64.0			10.7
STA 667+00		9.0	12.0	12.0	12.0		66.0			12.0
STA 655+00		6.0	12.0	8.0	8.0		60.0			8.0
STA 654+80	10.0		12.0	13.3	13.3		68.0			13.3
STA 470+75		6.0	12.0	8.0	8.0		60.0			8.0
STA 463+00		8.0	12.0	10.7	10.7		64.0			10.7
STA 431+50	8.0		12.0	10.7	10.7		64.0			10.7
<b>N.B. TOTALS</b>				172.0	109.4	16.0	46.7	882.0	18.0	172.0
<b>TOTALS</b>				325.3	206.7	72.0	46.7	1784.0	18.0	325.3

### MIXTURE REQUIREMENTS

THE FOLLOWING MIXTURE REQUIREMENTS

ARE APPLICABLE FOR THIS PROJECT

MIXTURE USE(S)	H.M.A. SHOULDER REM & REPL SURF	H.M.A. SHOULDER REM & REPL LOWER LIFTS
AC/PG	PG 64-22	PG 64-22
DESIGN AIR VOIDS	4.0% @ N DESIGN = 50	4.0% @ N DESIGN = 50
MIXTURE COMP	IL 9.5	IL 19.0
FRICITION AGG	MIX "C"	N/A