

PATCHING SCHEDULE

LOCATION	CLASS A PATCHES					CLASS A PATCHES			SAW	TIE	PATCH
	LENGTH (FT)	WIDTH	SQ YD	TY II	TY III	TY IV	FOOT	EACH	SQ YD		
										12 IN	12 IN
WESTBOUND I-72	PASS.	CENT.	DRIV.								
STA 195+00			30.0	12.0	40.0		40.0	108.0	16.0	40.0	
STA 186+22			20.0	12.0	26.7		26.7	88.0		26.7	
STA 182+50			8.0	12.0	10.7	10.7		64.0		10.7	
STA 181+67			6.0	12.0	8.0	8.0		60.0		8.0	
STA 20+04			8.0	12.0	10.7	10.7		64.0		10.7	
STA 275+45			10.0	12.0	13.3	13.3		68.0		13.3	
STA 258+80			6.0	12.0	8.0	8.0		60.0		8.0	
STA 256+37			8.0	12.0	10.7	10.7		64.0		10.7	
STA 253+22			6.0	12.0	8.0	8.0		60.0		8.0	
STA 246+25			8.0	12.0	10.7	10.7		64.0		10.7	
STA 230+54			6.0	12.0	8.0	8.0		60.0		8.0	
STA 222+45			6.0	12.0	8.0	8.0		60.0		8.0	
STA 214+64			6.0	12.0	8.0	8.0		60.0		8.0	
STA 195+10			8.0	12.0	10.7	10.7		64.0		10.7	
STA 160+05			6.0	12.0	8.0	8.0		60.0		8.0	
STA 1026+30			8.0	12.0	10.7	10.7		64.0		10.7	
STA 192+50			12.0	12.0	16.0		16.0	72.0		16.0	
STA 29+55		6.0		12.0	8.0	8.0		60.0		8.0	
STA 407+05			6.0	12.0	8.0	8.0		60.0		8.0	
W.B. TOTALS					232.0	149.5	16.0	66.7	1260.0	16.0	232.0
EASTBOUND I-72											
STA 190+80			12.0	12.0	16.0		16.0	72.0		16.0	
STA 190+80	12.0			12.0	16.0		16.0	72.0		16.0	
STA 190+30			6.0	12.0	8.0	8.0		60.0		8.0	
STA 1223+11			6.0	12.0	8.0	8.0		60.0		8.0	
STA 89+95			6.0	12.0	8.0	8.0		60.0		8.0	
STA 93+56			6.0	12.0	8.0	8.0		60.0		8.0	
STA 118+26			12.0	12.0	16.0		16.0	72.0		16.0	
STA 118+66			8.0	12.0	10.7	10.7		64.0		10.7	
STA 120+30			10.0	12.0	13.3	13.3		68.0		13.3	
STA 120+65		6.0		12.0	8.0	8.0		60.0		8.0	
STA 147+80			6.0	12.0	8.0	8.0		60.0		8.0	
STA 178+76			6.0	12.0	8.0	8.0		60.0		8.0	
STA 178+76	6.0			12.0	8.0	8.0		60.0		8.0	
STA 204+22			6.0	12.0	8.0	8.0		60.0		8.0	
STA 219+70			6.0	12.0	8.0	8.0		60.0		8.0	
STA 219+40	20.0			12.0	26.7		26.7	88.0		26.7	
STA 329+50			6.0	12.0	8.0	8.0		60.0		8.0	
STA 372+45			6.0	12.0	8.0	8.0		60.0		8.0	
STA 378+94			6.0	12.0	8.0	8.0		60.0		8.0	
W.B. TOTALS					202.7	128.0	48.0	26.7	1216.0	0.0	202.7
TOTALS	38.0	12.0	276.0		434.7	277.5	64.0	93.4	2476.0	16.0	434.7

MIXTURE REQUIREMENTS

MIXTURE REQUIREMENTS		
THE FOLLOWING MIXTURE REQUIREMENTS		
ARE APPLICABLE FOR THIS PROJECT		
MIXTURE USE(S)	H.M.A. SHOULDER REM & REPL SURF	H.M.A. SHOULDER REM & REPL LOWER LIFTS
AC/PG	PG 64-22	PG 64-22
DESIGN AIR VOIDS	4.0% @ N DESIGN = 50	4.0% @ N DESIGN = 50
MIXTURE COMP	IL 9.5	IL 19.0
FRICITION AGG	MIX "C"	N/A